


The World's First *Interactive* Projector



Introducing the BOXLIGHT *ProjectoWrite2*

The first interactive presentation solution built in a stand-alone unit.

Simply plug the *ProjectoWrite2* into a computer source, save the software, respond to a simple 13 point calibration and you're ready to interact.

"A revolutionary instructional and educational tool."

www.Projector.com



"Best thing I've seen in 22 years of selling AV equipment."

Jon Morris-NCECS



To arrange a live demo **360.464.2119**

To view a video demo www.BOXLIGHT.com









The ProjectoWrite2 is an upgrade to the award-winning ProjectoWrite. Give presentations while taking notes on screen, or highlight key points in real time. Control the line thickness and color, take handwritten notes, type text from a keyboard then save as an image file. The ProjectoWrite2 comes with a lightpen and writing wand-just plug it in and present.

How does it work?






A color camera with I/R filter mounted on the projector allows for interaction with the wand and light pen.

What can you do with it?

-  Write notes, circle key points, type changes
-  Manipulate text, data and images
-  Capture, modify, save or email anything on the screen as an image file
-  Access and browse the internet
-  Moves from screen to screen without losing interactivity
-  Capture the audience attention by interacting with the image


Who can use it?

Anyone who wants to interact with a screen:

-  Teachers, school administration
-  Defense contractors, military
-  Business people and professional trainers in any industry
-  Attorneys, law enforcement officials
-  Athletic coaches

Easy to set up and use.

Simply plug the ProjectoWrite2 into a computer source, save the software, respond to a straightforward 13 point calibration and you're ready to interact.



Affordability

Costs 50% less than traditional interactive whiteboards. Only one piece of equipment to purchase.

Simplicity

No installation necessary. Portable, or can be retrofit into existing projector installations.

Flexibility

No screen necessary. Turn any flat surface into an interactive surface. Allows for large and flexible screen sizes. Also available in a short throw, widescreen, and ultra-short throw model.

Compatibility

Works with virtually all interactive software. Write on the screen, use mouse control, type text from an on-screen keyboard, and save notes and edits for future use.



Outstanding Technical Support

Available 24/7/365. Speak with a hands-on, in-house, ISF Certified® technicians. Our sales, marketing, technical, service, and support staff are all located under one roof.

Ready To Ship

BOXLIGHTS are in stock and ready to ship from any of our 3 worldwide offices. Drop ship or ship to multiple locations. We can also provide asset tagging.

Generous Warranties

Up to 6 years on projectors and lamps.

3 year/90 day lamp warranty standard.

Purchase With Confidence

BOXLIGHTS are built to last. Side changing lamps & filters make them easy to maintain and a 99% success rate means they are dependable.

Unique Models

BOXLIGHT can build specialty products for unique opportunities. Our line includes WXGA, short-throw, specialty interactive solutions, portable, and installation projectors, ranging from 2200 lumens to 7500 lumens.

Customizeable Product

Our Staff Is The Best!

BOXLIGHT employees are hand picked from the best of the best and average 10 years in the A/V industry.

BOXLIGHT has been developing, manufacturing, selling, and servicing projectors for schools, government agencies, house of worship, and every customer in between since 1985.



Head to Head Product Comparison

VS

ProjectoWrite2

**THE
WINNER!**

Interactive White Board



Numerous pieces to purchase and install.



An interactive projection solution in one box. Everything you need in one package. No screen or additional accessories needed. One piece to purchase, no install necessary.


Models	ProjectoWrite2	ProjectoWriteW	ProjectoWriteWX25N	ProjectoWriteWX25NS
Technology	.63" 3LCD 			
Brightness				
ProjectoWrite2	3000 Lumen (Standard)	1900 (economy mode)		
ProjectoWriteW	3000 Lumen (Standard)	1900 (economy mode)		
ProjectoWriteWX25N	2500 Lumen (Standard)	1600 (economy mode)		
ProjectoWriteWX25NS	2500 Lumen (Standard)	1600 (economy mode)		
Native Resolution				
ProjectoWrite2	1024 x 768 (XGA)			
ProjectoWriteW	1024 x 768 (XGA)			
ProjectoWriteWX25N	1280 x 800 (WXGA)			
ProjectoWriteWX25NS	1280 x 800 (WXGA)			
Supported Resolution	up to 1600 x 1200 (UXGA)			
Brightness Uniformity	78%<			
Projection Methods	Desktop front/rear, Ceiling front/rear			
Contrast Ratio	500:1			
Aspect Ratio				
ProjectoWrite2	Native 4:3; Compatible 16:9			
ProjectoWriteW	Native 4:3; Compatible 16:9			
ProjectoWriteWX25N	Native 16:10; Compatible 16:9 and 4:3			
ProjectoWriteWX25NS	Native 16:10; Compatible 16:9 and 4:3			
Image Size	48" to 300"			
Projection Distance	4' to 30'			
Lens Shift	N/A			
Throw Ratio				
ProjectoWrite2	1.4ff1.73:1 (manual zoom and focus)			
ProjectoWriteW	1.0–1.2:1 (manual zoom and focus)			
ProjectoWriteWX25N	1.4ff1.73:1 (manual zoom and focus)			
ProjectoWriteWX25NS	1.0–1.2:1 (manual zoom and focus)			
Zoom Ratio	1.2:1			
Digital Zoom	4x zoom with Pan function			
Keystone Correction	Vertical +/- 30 degrees			
Horizontal Scan Rate	31 to 92 kHz			
Vertical Scan Rate	48 to 120 Hz			
Audio Output	1 x 8W mono			
Lamp				
ProjectoWrite2	220W			
ProjectoWriteW	220W			
ProjectoWriteWX25N	200W			
ProjectoWriteWX25NS	200W			
Lamp Life	3000/4000 (standard/economy)			
Remote Control	Full Function IR remote with Laser Pointer,			
Noise Level	>33dB eco mode			
Power Supply	Universal AC Input 100–240V at 50–60Hz			
Power Consumption	310W			
	<5W standby mode			
Safety Certifications	FCC-B, UL, cUL, TUB, CD, CE, CCC			
Computer Compatability	UXGA, SXGA+, SXGA, XGA, SVGA, VGA Resized; VESA Standards; PC and Macintosh Compatible, *USB 2.0 or greater required			
Video Compatability	EDTV (480p), HDTV (576i/p, 720p, 1080i), NTSC/NTSC 4.43, PAL B/G/H/I/M/N 60, SECAM			
Connectivity	VGA, DVI-I, Composite Video with 2 RCA (R/L) audio-in, Component Video, S-Video, Audio 3.5mm-in x 2, LAN, RS232, USB port for interactive function, VGA and 3.5mm outputs			
Service and Network Control	RS232, RJ45			
Weight	7.3 lbs			
Dimensions (W x H x D)	12.8" x 10.24" x 3.8"			
Operating Temperature	N/A			
Security	Kensington® Lock Port, Keypad lock, Anchor security bar			
Standard Accessories	ProjectoWriteW ships with Short Throw Lens attachment, AC power cord, VGA cable, USB cable Remote Control with batteries, User manual (cd), Carrying Case, Lightpen Software, Interactive Wand and Pressure sensitive Lightpen, carrycase for Wand and Pen			
Optional Accessories	Replacement lamp, replacement remote, ALLINONE ceiling mount, USB-Booster			



Key Features

- Write on the images or text with included colors and highlighting tools
- Use the mouse function to interact with any other interactive software, as well as web pages, the onscreen keyboard, and any mouse applications
- Save your drawings/images/edits to a image folder on your PC for later viewing
- Short Throw Lens attachment allows for a 60" from 48" inches away from the screen and a 80" viewable surface from 64"
- It's an "interactive whiteboard" in a projector bag
- Set up and interact in less than 5 minutes
- Portable
- The first Interactive Projector on the market, complete mouse control at the screen
- Ships with both a telescoping wand and pressure sensitive pen for interaction with the image
- Side changing lamp
- Side changing filter
- Quick off/on
- Advanced Anti-theft features, Kensington® lock, Keypad lock, Security Anchor bar
- Five auto features (Auto Search, Auto Sync, Auto Ceiling, Auto Keystone and Auto Filter Alert)
- Seven display modes (Natural, Cinema, Daylight, Green board, White Board, Black, Board and User)
- Built-in 8W Mono Speaker
- Logo capture
- Image freeze function
- Digital zoom adjustment up 4x
- Built in Network Control software via RJ45 (LAN) connection
- Multi Language OSD (On-Screen Display)
- Powerful 8W speaker
- Small software package

Throw Distance (ft)



Diagonal Image Size (inches)

Outstanding Technical Support 24/7/365

And, of course, all BOXLIGHT products all come with free lifetime technical support. Speak with a hands-on, in-house, ISF Certified® technician ready to service your projector should the need arise.

© 2010 BOXLIGHT, Inc. Specifications subject to change without notice.
Helps meet ADA Section 508 compliance
BOXLIGHT NE 151 Highway 300, Suite A PO Box 2609 Belfair, WA 98528