

< Control Commands >

Model No. **PT-DZ8700U / DZ110XE**
PT-DS8500U / DS100XE
PT-DW8300U / DW90XE

CONTENTS

Using the Serial Terminal.....	8
1. Basic Forma.....	8
2. Basic Control Command.....	10
2.1. Power ON (LAMP ON).....	10
2.2. Power OFF	10
2.3. FREEZE	10
2.4. AUTO SETUP	10
2.5. SHUTTER.....	11
2.6. INPUT SELECT	11
2.7. TEST PATTERN	11
2.8. ON SCREEN	12
2.9. MENU key	12
2.10. ENTER key.....	12
2.11. Up key	12
2.12. Down key.....	14
2.13. Left key	15
2.14. Righ key.....	15
2.15. Default key.....	15
2.16. FUNCTION key.....	15
2.17. SYSTEM SELECTOR.....	15
2.18. ASPECT key.....	16
2.19. Numeric key.....	17
2.20. STATUS key	17
2.21. INSTALLATION	17
2.22. FAN CONTROL	17
2.23. HIGH ALTITUDE MODE	18

2.24.	LAMP SELECT	18
2.25.	LAMP POWER	18
2.26.	LAMP RELAY	18
2.27.	PROJECTOR ID	19
2.28.	ID ALL	19
2.29.	FUNCTION	19
2.30.	SUB MEMORY CHANGE	20
2.31.	SUB MEMORY CHANGE (Extended).....	20
2.32.	SUB MEMORY Registering	21
2.33.	SUB MEMORY Deleting	21
2.34.	PICTURE MODE	21
2.35.	COLOR.....	22
2.36.	TINT.....	22
2.37.	COLOR TEMPERATURE	22
2.38.	WHITE BALANCE LOW - RED.....	23
2.39.	WHITE BALANCE LOW - GREEN	23
2.40.	WHITE BALANCE LOW - BLUE.....	24
2.41.	WHITE BALANCE HIGH - RED.....	24
2.42.	WHITE BALANCE HIGH - GREEN.....	24
2.43.	WHITE BALANCE HIGH - BLUE	25
2.44.	CONTRAST	26
2.45.	BRIGHTNESS	26
2.46.	GAMMA MODE.....	26
2.47.	SYSTEM DAYLIGHT VIEW	27
2.48.	SHARPNESS	27
2.49.	NOISE REDUCTION	29
2.50.	DYNAMIC IRIS	29
2.51.	DYNAMIC IRIS (AOUT IRIS).....	29
2.52.	DYNAMIC IRIS (MANUAL IRIS).....	29
2.53.	DYNAMIC IRIS (DYNAMIC GAMMA).....	31
2.54.	DIGITAL CINEMA REALITY	31
2.55.	TV - SYSTEM	31
2.56.	SHIFT HORIZONTAL.....	33
2.57.	SHIFT VERTICAL	33
2.58.	ASPECT	33
2.59.	ZOOM HORIZONTAL	34
2.60.	ZOOM VERTICAL	34
2.61.	ZOOM HV	36
2.62.	INTERLOCKED ZOOM	36
2.63.	CLOCK PHASE	36
2.64.	INPUT RESOLUTION - TOTAL DOTS.....	37
2.65.	INPUT RESOLUTION DISPLAY DOTS	37
2.66.	INPUT RESOLUTION - TOTAL LINES	37

2.67.	INPUT RESOLUTION DISPLAY LINES.....	38
2.68.	CLAMP POSITION	38
2.69.	KEystone	39
2.70.	SUB KEystone.....	40
2.71.	LINEARITY	40
2.72.	GEOMETRY	42
2.73.	GEOMETRY: KEystone - VERTICAL KEystone	42
2.74.	GEOMETRY: KEystone - VERTICAL SUB KEystone.....	42
2.75.	GEOMETRY: KEystone – HORIZONTAL KEystone	44
2.76.	GEOMETRY: KEystone - HORIZONTAL SUB KEystone	44
2.77.	GEOMETRY: KEystone - LINEARITY	46
2.78.	GEOMETRY: CURVED - LENS THROW RATIO.....	46
2.79.	GEOMETRY: CURVED - VERTICAL KEystone.....	47
2.80.	GEOMETRY: CURVED - HORIZONTAL KEystone	48
2.81.	GEOMETRY: CURVED - VERTICAL ARC.....	48
2.82.	GEOMETRY: CURVED - HORIZONTAL ARC	49
2.83.	GEOMETRY: CURVED - VERTICAL BALANCE	49
2.84.	GEOMETRY: CURVED – HORIZONTAL BALANCE	50
2.85.	DISPLAY LANGUAGE.....	51
2.86.	SYSTEM Switching.....	51
2.87.	BLANKING - UPPER.....	51
2.88.	BLANKING - LOWER	52
2.89.	BLANKING - RIGHT	52
2.90.	BLANKING - LEFT.....	53
2.91.	FRAME DELAY.....	53
2.92.	RASTER POSITION HORIZONTAL	54
2.93.	RASTER POSITION VERTICAL.....	55
2.94.	EDGE BLENDING	55
2.95.	SCREEN FORMAT	56
2.96.	SCREEN POSITION VERTICAL	56
2.97.	SCREEN POSITION HORIZONTAL.....	56
2.98.	COLOR MATCHING	57
2.99.	WAVEFORM MONITOR	57
2.100.	WAVEFORM MONITOR LINE	58
2.101.	AUTO SIGNAL.....	59
2.102.	AUTO SETUP (MODE).....	59
2.103.	AUTO SETUP (POSITION)	59
2.104.	AUTO SETUP (SIGNAL LEVEL)	60
2.105.	DVI EDID	60
2.106.	DVI SIGNAL LEVEL	60
2.107.	HDMI SIGNAL LEVEL	61
2.108.	SDI Level	62
2.109.	P IN P	62

2.110. P IN P – MAIN WINDOW	62
2.111. P IN P - MAIN WINDOW SIZE - INTERLOCKED	63
2.112. P IN P - MAIN WINDOW SIZE - V	64
2.113. P IN P - MAIN WINDOW SIZE - H	64
2.114. P IN P MAIN WINDOW SIZE - H V	64
2.115. P IN P - MAIN WINDOW POSITION - V	65
2.116. P IN P - MAIN WINDOW POSITION - H	65
2.117. P IN P - SUB WINDOW	67
2.118. P IN P - SUB WINDOW SIZE - INTERLOCKED	67
2.119. P IN P - SUB WINDOW SIZE - V	67
2.120. P IN P - SUB WINDOW SIZE - H	68
2.121. P IN P - SUB WINDOW SIZE - H V	68
2.122. P IN P - SUB WINDOW POSITION - V	68
2.123. P IN P - SUB WINDOW POSITION - H	70
2.124. P IN P - SUB WINDOW - CLOCK PHASE	70
2.125. P IN P – FRAME LOCK	71
2.126. P IN P - TYPE	71
2.127. BRIGHTNESS CONTROL (GAIN)	71
2.128. BRIGHTNESS CONTROL (MODE)	72
2.129. BRIGHTNESS CONTROL (LINK)	72
2.130. BRIGHTNESS CONTROL START	72
2.131. SCHEDULE	73
2.132. SCHEDULE (PROGRAM EDIT)	74
2.133. SCHEDULE (TIME, COMMAND)	74
2.134. NO SIGNAL SHUT - OFF	76
2.135. ADJUST CLOCK (Date)	76
2.136. ADJUST CLOCK (Time)	77
2.137. INPUT GUIDE	78
2.138. Warning MESSAGE	78
2.139. OSD DESIGN	79
2.140. OSD POSITION	80
2.141. OSD MEMORY	80
2.142. STARTUP LOGO	80
2.143. BACK COLOR	82
2.144. ACF CONTROL	82
2.145. STANDBY MODE	82
2.146. Query Power	83
2.147. Query FREEZ	84
2.148. Query SHUTTER	84
2.149. Query INPUT SELECT	84
2.150. Query TEST PATTERN	85
2.151. Query ON SCREEN	86
2.152. Query INSTALLATION	86

2.153. Query FAN CONTROL	86
2.154. Query HIGH ALTITUDE MODE	88
2.155. Query PROJECTOR ROUTINE.....	88
2.156. Query LAMP 1 RUNTIME	88
2.157. Query LAMP2 RUNTIME	88
2.158. Query LAMP SELECT	90
2.159. Query LAMP Status	90
2.160. Query LAMP POWER.....	90
2.161. Query LAMP SELECT	91
2.162. Query LAMP RELAY	92
2.163. Query ID ALL	92
2.164. Query FUNCTION BUTTON.....	92
2.165. Query Usage Condition of Sub MEMORY	94
2.166. Query PICTURE MODE	94
2.167. Query COLOR	94
2.168. Query TINT	96
2.169. Query COLOR TEMPERATURE	96
2.170. Query WHITE BALANCE LOW - RED	96
2.171. Query WHITE BALANCE LOW - GREEN.....	97
2.172. Query WHITE BALANCE LOW - BLUE	98
2.173. Query WHITE BALANCE HIGH - RED	98
2.174. Query WHITE BALANCE HIGH - GREEN	98
2.175. Query WHITE BALANCE HIGH - BULE	100
2.176. Query CONTRAST	100
2.177. Query BRIGHTNESS.....	100
2.178. Query GAMMA	100
2.179. Query SYSTEM DAYLIGHT VIEW	101
2.180. Query SHARPNESS.....	101
2.181. Query NOISE REDUCTION	102
2.182. Query DYNAMIC IRIS	102
2.183. Query DYNAMIC IRIS (AOUT)	103
2.184. Query DYNAMIC IRIS (MANUAL)	103
2.185. Query DYNAMIC IRIS (GAMMA).....	103
2.186. Query DIGITAL CINEMA REALITY	104
2.187. Query TV - SYSTEM	104
2.188. Query SHIFT HORIZONTAL.....	104
2.189. Query SHIFT VERTICAL	104
2.190. Query RASTER POSITION HORIZONTAL	69
2.191. Query RASTER POSITION VERTICAL	69
2.192. Query ASPECT	69
2.193. Query ZOOM - H	70
2.194. Query ZOOM - V.....	70
2.195. Query ZOOM - H V	70

2.196. Query ZOOM INTERLOCKED.....	71
2.197. Query CLOCK PHASE	71
2.198. Query INPUT RESOLUTION – TOTAL DOTS	71
2.199. Query INPUT RESOLUTION – DISPLAY DOTS	71
2.200. Query INPUT RESOLUTION - TOTAL LINES	72
2.201. Query INPUT RESOLUTION - DISPLAY LINES.....	72
2.202. Query BLANKING - UPPER	72
2.203. Query BLANKING - LOWER	73
2.204. Query BLANKING - RIGHT	73
2.205. Query BLANKING - LEFT	73
2.206. Query FRAME DELAY	74
2.207. Query EDGE BLENDING	74
2.208. Query COLOR MATCHING	74
2.209. Query CLAMP POSITION.....	75
2.210. Query KEYSTONE	75
2.211. Query SUB KEYSTONE	75
2.212. Query LINEARITY	75
2.213. Query GEOMETRY	76
2.214. Query GEOMETRY: KEYSTONE - VERTICAL KEYSTONE	76
2.215. Query GEOMOETRY: KEYSTONE - VERTICAL SUB KEYSTONE	76
2.216. Query GEOMOTRY: KEYSTONE - HORIZONTAL KEYSTONE.....	77
2.217. Query GEOMETRY: KEYSTONE - HORIZONTAL SUB KEYSTONE.....	77
2.218. Query GEOMETRY: KEYSTONE - LINEARITY.....	78
2.219. Query GEOMETRY: CURVED - LENS THROW RATIO	78
2.220. Query GEOMETRY: CURVED - VERTICAL KEYSTONE.....	78
2.221. Query GEOMETRY: CURVED - HORIZONTAL KEYSTONE	79
2.222. Query GEOMETRY: CURVED – VERTICAL ARK	79
2.223. Query GEOMETRY: CURVED – HORIZONTAL ARC.....	79
2.224. Query GEOMETRY: CURVED - VERICAL BALANCE.....	80
2.225. Query GEOMETRY: CURVED - HORIZONTAL BALNCE.....	80
2.226. Query DISPLAY LANGUAGE	80
2.227. Query SCREEN FORMAT	81
2.228. Query SCREEN POSITION Vertical	81
2.229. Query SCREEN POSITION Horizontal.....	81
2.230. Query Temperature.....	82
2.231. Query Date	82
2.232. Query Time	82
2.233. Query Model (Series) Name	83
2.234. Query System Setting.....	83
2.235. Query WAVEFORM MONITOR	83
2.236. Query WAVEFORM MONITOR LINE	83
2.237. Query AUTO SIGNAL	84
2.238. QUERY AUTO SETUP (MODE)	84

2.239.	QUERY AUTO SETUP (POSITION)	84
2.240.	Query AUTO SETUP (SIGNAL LEVEL)	85
2.241.	Query DVI EDID	85
2.242.	Query DVI SIGNAL LEVEL	85
2.243.	Query HDMI SIGNAL LEVEL	85
2.244.	Query SDI SIGNAL LEVEL	86
2.245.	Query P IN P	86
2.246.	P IN P - MAIN WINDOW	86
2.247.	Query P IN P - MAIN WINDOW SIZE - INTERLOCKED	86
2.248.	Query P IN P - MAIN WINDOW POSITION	87
2.249.	Query P IN P - SUB WINDOW	88
2.250.	Query P IN P - SUB WINDOW SIZE	88
2.251.	Query P IN P - SUB WINDOW POSITION	89
2.252.	Query P IN P - SUB WINDOW - CLOCK PHASE	90
2.253.	Query P IN P - FRAME LOCK	90
2.254.	Query P IN P - TYPE	90
2.255.	Query BRIGHTNESS CONTROL (GAIN)	90
2.256.	Query BRIGHTNESS CONTROL (MODE)	91
2.257.	Query BRIGHTNESS CONTROL (LINK)	91
2.258.	Query SCHEDULE	91
2.259.	Query SCHEDULE (PROGRAM EDIT)	92
2.260.	Query SCHEDULE (TIME, COMMAND)	92
2.261.	Query NO SIGNAL SHUT - OFF	93
2.262.	Query INPUT GUIDE	93
2.263.	Query WARNING MESSAGE	93
2.264.	Query OSD DESIGN	94
2.265.	Query OSD POSITION	94
2.266.	Query OSD MEMORY	94
2.267.	Query STRATUP LOGO	94
2.268.	Query BACK COLOR	95
2.269.	Query SERIAL NUMBER	95
2.270.	Query LAMP unit Part No.	95
2.271.	Query ACF unit Part No.	95
2.272.	Query ACF INFORMATION	96
2.273.	Query STANDBY MODE	97
2.274.	Query MAIN VERSION	97
2.275.	Query NETWORK VERSION	97
2.276.	Query SUB VERSION	98
3.	Extended Control Command	99
3.1.	Lens Control	99
3.2.	SELF CHECK Information	100

Using the Serial Terminal

1. Basic Forma

Transmission from the computer begins with STX, and then the command, parameter and ETX are set in order.

Add parameters according to the details of control.

Basic control command (without parameter)

Start (STX)	ID	Separator (semicolon)	Command	End (ETX)
1 byte	4 bytes	1 byte	3 bytes	1 byte

Basic control command (with parameter)

Start (STX)	ID	Separator (semicolon)	Command	Separator (Colon)	Parameters	End (ETX)
1 byte	4 bytes	1 byte	3 bytes	1 byte	Undefined length	1 byte

Basic control command (subcommand)

Start (STX)	ID	Separator (semicolon)	Command	Separator (colon)		
1 byte	4 bytes	1 byte	3 bytes	1 byte		
Subcommand		Operation	Sign	Parameter		END (ETX)
5 bytes		1 byte	1 byte	5 bytes		1 byte

Operation

Specifies method of processing the value specified by parameters.

Code	Description
=	Sets the value specified by parameters.
_(underbar)	Adds the value specified by the parameters to the current value.

Sign

Specifies positive or negative of the value specified by parameters.

Code	Description
+	The value specified by the parameter is a positive value or 0 (zero).
-	The value specified by the parameter is a negative value.

Parameter

Specify the setting or adjustment value by right justification (0 is not suppressed).

For example, when the setting value is "1", set is as "00001".

ID of the basic control command

ID	4 bytes String	ID	4 bytes String	ID	4 bytes String	ID	4 bytes String
ALL	ADZZ	ID23	AD23	ID46	AD46	Group E	AD0E
ID1	AD01	ID24	AD24	ID47	AD47	Group F	AD0F
ID2	AD02	ID25	AD25	ID48	AD48	Group G	AD0G
ID3	AD03	ID26	AD26	ID49	AD49	Group H	AD0H
ID4	AD04	ID27	AD27	ID50	AD50	Group I	AD0I
ID5	AD05	ID28	AD28	ID51	AD51	Group J	AD0J
ID6	AD06	ID29	AD29	ID52	AD52	Group K	AD0K
ID7	AD07	ID30	AD30	ID53	AD53	Group L	AD0L
ID8	AD08	ID31	AD31	ID54	AD54	Group M	AD0M
ID9	AD09	ID32	AD32	ID55	AD55	Group N	AD0N
ID10	AD10	ID33	AD33	ID56	AD56	Group O	AD0O
ID11	AD11	ID34	AD34	ID57	AD57	Group P	AD0P
ID12	AD12	ID35	AD35	ID58	AD58	Group Q	AD0Q
ID13	AD13	ID36	AD36	ID59	AD59	Group R	AD0R
ID14	AD14	ID37	AD37	ID60	AD60	Group S	AD0S
ID15	AD15	ID38	AD38	ID61	AD61	Group T	AD0T
ID16	AD16	ID39	AD39	ID62	AD62	Group U	AD0U
ID17	AD17	ID40	AD40	ID63	AD63	Group V	AD0V
ID18	AD18	ID41	AD41	ID64	AD64	Group W	AD0W
ID19	AD19	ID42	AD42	Group A	AD0A	Group X	AD0X
ID20	AD20	ID43	AD43	Group B	AD0B	Group Y	AD0Y
ID21	AD21	ID44	AD44	Group C	AD0C	Group Z	AD0Z
ID22	AD22	ID45	AD45	Group D	AD0D		

Response (Callback) of the basic control command

In the period when the command can be accepted

Differs according to each command

In the period when the command cannot be accepted

Hexadecimal	02h	45h	52h	34h	30h	31h	03h
Character		E	R	4	0	1	

In case of the parameter error or REMOTE2 effective

Hexadecimal	02h	45h	52h	34h	30h	32h	03h
Character		E	R	4	0	2	

Attention:

- No command may be sent or received for 10 to 60 seconds after the lamp starts lighting. They sending any command after that period has elapsed.
- When sending several commands, be sure to wait for a response from the projector, and send the next command after 0.5 seconds or more pass.
- It might take time by the time the response returns because the command is processed in the projector.

Set the time- out to 10 seconds or longer

Note:

- This projector will respond to the computer only in the following case:

If sent ID coincides with projector ID.

RESPONSE (ID ALL) in RS232C settings of this projector is ON and the sent ID is ALL, or If Group (A-Z) of the sent ID coincides with GROUP in RS232 settings of this projector and RESPONSE(ID GROUP) in RS232C settings of this projector is ON.

2. Basic Control Command

Explanatory notes

○ : Enable

× : Disable

Limited: Refer to the note.

2.1. Power ON (LAMP ON)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	50h	4Fh	4Eh	03h
Character		A	D	Z	Z	;	P	O	N	

Response (Callback)

In the period when the command can be accepted (This command in power-on condition is included.)

Hexadecimal	02h	50h	4Fh	4Eh	03h
Character		P	O	N	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	Limited

Notes:

- When you confirm whether to have succeeded in power-on, confirm it by QPW (Query Power) command after receiving the callback of PON command.
- REMOTE2 is given to priority. Calls back ER401 when the parameter is different from the setting of REMOTE2.

2.2. Power OFF

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	50h	4Fh	46h	03h
Character		A	D	Z	Z	;	P	O	F	

Response (Callback)

In the period when the command can be accepted (This command in power-off condition is included.)

Hexadecimal	02h	50h	4Fh	46h	03h
Character		P	O	F	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	□

Notes:

- When you confirm whether to have succeeded in power-off, confirm it by QPW (Query Power) command after receiving the callback of PON command.
- REMOTE2 is given to priority. Calls back ER401 when the parameter is different from the setting of REMOTE2.

2.3. FREEZE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	46h	5Ah	3Ah	*1	03h
Character		A	D	Z	Z	;	O	F	Z	:	*2	

Parameters (*1,*2)

	Freeze OFFF	Freeze ON
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	46h	5Ah	3Ah	*1	03h
Character		O	F	Z	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	×	×	×	×	○	○	○

2.4. AUTO SETUP

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	41h	53h	03h
Character		A	D	Z	Z	;	O	A	S	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	41h	53h	03h
Character		O	A	S	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	×	×	×	×	○	×	○

Note:

- This command is acceptable only when analog RGB/DVI signals (except a part of high dot clock signals) are input.
- In other cases, ER401 is returned.

2.5. SHUTTER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	53h	48h	3Ah	*1	03h
Character		A	D	Z	Z	;	O	S	H	:	*2	

Parameters (*1,*2)

	Shutter OFF	Shutter on
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	53h	48h	3Ah	*1	03h
Character		O	S	H	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	□

Note:

REMOTE2 is given to priority. Calls back ER401 when the parameter is different from the setting of REMOTE2.

2.6. INPUT SELECT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	49h	49h	53h	3Ah
Character		A	D	Z	Z	;	I	I	S	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	RGB1			RGB2			Video		
Hexadecimal	52h	47h	31h	52h	47h	32h	56h	49h	44h
Character	R	G	1	R	G	2	V	I	D
	S-Video			DVI			HDMI		
Hexadecimal	53h	56h	44h	44h	56h	49h	48h	44h	30h
Character	S	V	D	D	V	I	H	D	1
	SDI								
Hexadecimal	53h	44h	49h						
Character	S	D	I						

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	49h	49h	53h	3Ah	*1	*3	*5	03h
Character		I	I	S	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	○	×	○	○	○	○	□

Notes:

- REMOTE2 is given to priority. Calls back Er402 if the input select of REMOTE2 is available.
- This command is available only for PT-DZ8700/DS8500. In other models, Er401 is returned.

2.7. TEST PATTERN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	54h	53h	3Ah
Character		A	D	Z	Z	;	O	T	S	:
Hexadecimal	*1	*3	03h							
Character	*2	*4								

Parameters (*1,*2,*3,*4)

	OFF		White		Black		Flag		Reversed Flag	
Hexadecimal	30h	30h	30h	31h	30h	32h	30h	33h	30h	34h
Character	0	0	0	1	0	2	0	3	0	4
	Window		Reversed Window		Focus		Color bar (Length)		Lamp	
Hexadecimal	30h	35h	30h	36h	30h	37h	30h	38h	30h	39h
Character	0	5	0	6	0	7	0	8	0	9
	Red		Green		Blue		10%luminance (White)		5%luminance (White)	
Hexadecimal	32h	32h	32h	33h	32h	34h	32h	35h	32h	36h
Character	2	2	2	3	2	4	2	5	2	6
	Cyan		Magenta		Yellow		Color bar (Side)			
Hexadecimal	32h	38h	32h	39h	33h	30h	35h	31h		
Character	2	8	2	9	3	0	5	1		

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	54h	53h	3Ah	*1	*3	03h
Character		O	T	S	:	*2	*4	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	×	×	○	○	×	○	○

2.8. ON SCREEN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	4Fh	53h	3Ah	*1	03h
Character		A	D	Z	Z	;	O	O	S	:	*2	

Parameters (*1,*2)

	OSD OFF	OSD ON
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	4Fh	53h	3Ah	*1	03h
Character		O	O	S	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	x	o	o	o

2.9. MENU key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	4Dh	4Eh	03h
Character		A	D	Z	Z	;	O	M	N	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	4Dh	4Eh	03h
Character		O	M	N	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	x	x	o	x	o	o	o

2.10. ENTER key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	45h	4Eh	03h
Character		A	D	Z	Z	;	O	E	N	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	45h	4Eh	03h
Character		O	E	N	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	o	x	o	x	o	o	o

2.11. Up key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	43h	55h	03h
Character		A	D	Z	Z	;	O	C	U	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	43h	55h	03h
Character		O	C	U	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	x	x	o	x	o	o	o

2.12. Down key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	43h	44h	03h
Character		A	D	Z	Z	;	O	C	D	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	43h	44h	03h
Character		O	C	D	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	x	x	o	x	o	o	o

2.13. Left key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	43h	4Ch	03h
Character		A	D	Z	Z	;	O	C	L	

Response(Callback)
In the period when the command can be accepted

Hexadecimal	02h	4Fh	43h	4Ch	03h
Character		O	C	L	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	×	○	○	○

2.14. Righ key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	43h	52h	03h
Character		A	D	Z	Z	;	O	C	R	

Response(Callback)
In the period when the command can be accepted

Hexadecimal	02h	4Fh	43h	52h	03h
Character		O	C	R	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	×	○	○	○

2.15. Default key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	53h	54h	03h
Character		A	D	Z	Z	;	O	S	T	

Response (Callback)
In the period when the command can be accepted

Hexadecimal	02h	4Fh	53h	54h	03h
Character		O	S	T	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	×	×	○	×	○	○	○

2.16. FUNCTION key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	46h	43h	31h	03h
Character		A	D	Z	Z	;	F	C	1	

Response(Callback)
In the period when the command can be accepted

Hexadecimal	02h	46h	43h	31h	03h
Character		F	C	1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	×	×	□	□	○	□	□

Note;

Acceptability is applied corresponding to the function assigned in the FUNCTION key.

2.17. SYSTEM SELECTOR

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	53h	4Ch	03h
Character		A	D	Z	Z	;	O	S	L	

Response(Callback)
In the period when the command can be accepted

Hexadecimal	02h	4Fh	53h	4Ch	03h
Character		O	S	L	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	×	×	○	×	○	○	○

2.18. ASPECT key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	53h	31h	03h
Character		A	D	Z	Z	;	V	S	1	

Response(Callback)
In the period when the command can be accepted

Hexadecimal	02h	56h	53h	31h	03h
Character		V	S	1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	×	×	○	×	○	○	○

2.19. Numeric key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	4Eh	4Bh	3Ah	*1	03h
Character		A	D	Z	Z	;	O	N	K	:	*2	

Parameters (*1,*2)

	0 key	1 key	2 key	3 key	4 key	5 key	6 key	7key	8 key	9 key
Hexadecimal	30h	31h	32h	33h	34h	35h	36h	37h	38h	39h
Character	0	1	2	3	4	5	6	7	8	9

Response(CallBack)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	4Eh	4Bh	3Ah	*1	03h
Character		O	N	K	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	×	○	○	○

2.20. STATUS key

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	53h	54h	53h	03h
Character		A	D	Z	Z	;	S	T	S	

Response(Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	54h	53h	03h
Character		S	T	S	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	×	×	○	×	○	○	○

2.21. INSTALLATION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	49h	4Ch	3Ah	*1	03h
Character		A	D	Z	Z	;	O	I	L	:	*2	

Parameters (*1,*2)

	FRONT/FLOOR		REAR/FLOOR		FRONT/CEILING		REAR/CEILING	
Hexadecimal	30h		31h		32h		33h	
Character	0		1		2		3	

Response(Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	49h	4Ch	3Ah	*1	03h
Character		O	I	L	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	○	×	○	○	×	○	○

2.22. FAN CONTROL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	44h	52h	3Ah	*1	03h
Character		A	D	Z	Z	;	O	D	R	:	*2	

Parameters (*1,*2)

	FLOOR		CEILING		VERTICAL UP		VERTICAL DOWN	
Hexadecimal	30h		31h		32h		33h	
Character	0		1		2		3	

Response(Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	44h	52h	3Ah	*1	03h
Character		O	D	R	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
×	○	×	○	○	×	○	○

2.23. HIGH ALTITUDE MODE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	46h	4Dh	3Ah	*1	03h
Character		A	D	Z	Z	;	O	F	M	:	*2	

Parameters (*1,*2)

	OFF	ON
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	46h	4Dh	3Ah	*1	03h
Character		O	F	M	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.24. LAMP SELECT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Ch	50h	4Dh	3Ah	*1	03h
Character		A	D	Z	Z	;	L	P	M	:	*2	

Parameters (*1,*2)

	Dual	Single	LAMP 1	LAMP 2
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Ch	50h	4Dh	3Ah	*1	03h
Character		L	P	M	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Notes:

- Calls back ER401 while the lamp has been switched.
- In the case of "Single", the lamp which has fewer operating hour is used.

2.25. LAMP POWER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	4Ch	50h	3Ah	*1	03h
Character		A	D	Z	Z	;	O	L	P	:	*2	

Parameters (*1,*2)

	High	Low
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	4Ch	50h	3Ah	*1	03h
Character		O	L	P	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.26. LAMP RELAY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	4Ch	52h	59h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	L	R	Y	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					00:01					00:02				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h	
Character	0	0	0	0	0	0	0	0	1	0	0	0	0	2	
	23:58					23:59					00:00				
Hexadecimal	30h	32h	33h	35h	38h	30h	32h	33h	35h	39h	30h	32h	34h	30h	30h
Character	0	2	3	5	8	0	2	3	5	9	0	2	4	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	4Ch	52h	59h	49h	30h
Character		V	X	X	:	L	R	Y	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.27. PROJECTOR ID

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	52h	49h	53h	3Ah
Character		A	D	Z	Z	;	R	I	S	:
Hexadecimal	*1	*3	03h							
Character	*2	*4								

Parameters (*1,*2,*3,*4)

	0(ALL)		1		2	
Hexadecimal	30h	30h	30h	31h	30h	32h
Character	0	0	0	1	0	2
	62		63		64	
Hexadecimal	36h	32h	36h	33h	36h	34h
Character	6	2	6	3	6	4

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	52h	49h	53h	3Ah	*1	*3	03h
Character		R	I	S	:	*2	*4	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.28. ID ALL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	52h	56h	53h	3Ah	*1	03h
Character		A	D	Z	Z	;	R	V	S	:	*2	

Parameters (*1,*2)

	OF	ON
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	52h	56h	53h	3Ah	*1	03h
Character		R	V	S	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	o	x	o	o	o	o	o

2.29. FUNCTION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	46h	43h	3Ah	*1	03h
Character		A	D	Z	Z	;	O	F	C	:	*2	

Parameters (*1,*2)

	DISABLE	SYSTEM SELECTOR	SYSTEM DAYLIGHT VIEW	SUB MEMORY LIST
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3
	FREEZE	P IN P	WAVEFORM MONITOR	
Hexadecimal	34h	35h	36h	
Character	4	5	6	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	46h	43h	3Ah	*1	03h
Character		O	F	C	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

Note:

- Only for PT-DZ8700, the parameter 6 (WAVEFOR MONITOR) is available. Except Pt-DZ8700, ER402 is returned.

2.30. SUB MEMORY CHANGE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	43h	53h	3Ah
Character		A	D	Z	Z	;	O	C	S	:
Hexadecimal	*1	*3	03h							
Character	*2	*4								

Parameters (*1,*2,*3,*4)

"nn" of the sub memory number (mm-nn)

	01		02		03		04	
Hexadecimal	30h	31h	30h	32h	30h	33h	30h	34h
Character	0	1	0	2	0	3	0	4
	93		94		95		96	
Hexadecimal	39h	33h	39h	34h	39h	35h	39h	36h
Character	9	3	9	4	9	5	9	6

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	43h	53h	3Ah	*1	*3	03h
Character		O	C	S	:	*2	*4	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.31. SUB MEMORY CHANGE (Extended)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	43h	53h	3Ah
Character		A	D	Z	Z	;	O	C	S	:
Hexadecimal	*1	*3	2Dh	*5	*7	03h				
Character	*2	*4	-	*6	*8					

Parameters

"mm" of the sub memory number (mm-nn) (*1,*2,*3,*4)

	01		02		03		04	
Hexadecimal	30h	31h	30h	32h	30h	33h	30h	34h
Character	0	1	0	2	0	3	0	4
	92		93		94		95	
Hexadecimal	39h	32h	39h	33h	39h	34h	39h	35h
Character	9	2	9	3	9	4	9	5

"nn" of the sub memory number (mm-nn) (*5,*6,*7,*8)

	01		02		03		04	
Hexadecimal	30h	31h	30h	32h	30h	33h	30h	34h
Character	0	1	0	2	0	3	0	4
	93		94		95		96	
Hexadecimal	39h	33h	39h	34h	39h	35h	39h	36h
Character	9	3	9	4	9	5	9	6

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	43h	53h	3Ah	*1	*3	2Dh
Character		O	C	S	:	*2	*4	-
Hexadecimal	*5	*7	03h					
Character	*6	*8						

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.32. SUB MEMORY Registering

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	45h	53h	03h
Character		A	D	Z	Z	;	O	E	S	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	45h	53h	03h
Character		O	E	S	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.33. SUB MEMORY Deleting

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	44h	53h	3Ah
Character		A	D	Z	Z	;	O	D	S	:
Hexadecimal	*1	*3	2Dh	*5	*7	03h				
Character	*2	*4	-	*6	*8					

Parameters

"mm" of the sub memory number (mm-nn) (*1,*2,*3,*4)

	01		02		03		04	
Hexadecimal	30h	31h	30h	32h	30h	33h	30h	34h
Character	0	1	0	2	0	3	0	4
	92		93		94		95	
Hexadecimal	39h	32h	39h	33h	39h	34h	39h	35h
Character	9	2	9	3	9	4	9	5

"nn" of the sub memory number (mm-nn) (*5,*6,*7,*8)

	01		02		03		04	
Hexadecimal	30h	31h	30h	32h	30h	33h	30h	34h
Character	0	1	0	2	0	3	0	4
	93		94		95		96	
Hexadecimal	39h	33h	39h	34h	39h	35h	39h	36h
Character	9	3	9	4	9	5	9	6

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	44h	53h	3Ah	*1	*3	2Dh
Character		O	D	S	:	*2	*4	-
Hexadecimal	*5	*7	03h					
Character	*6	*8						

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	o	o	o

2.34. PICTURE MODE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	50h	4Dh	3Ah
Character		A	D	Z	Z	;	V	P	M	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	NATURAL			STANDARD			DYNAMIC		
Hexadecimal	4Eh	41h	54h	53h	54h	44h	44h	59h	4Eh
Character	N	A	T	S	T	D	D	Y	N
	CINEMA			GRAPHIC			EASY DICOM		
Hexadecimal	43h	49h	4Eh	47h	52h	41h	44h	49h	43h
Character	C	I	N	G	R	A	D	I	C
	USER								
Hexadecimal	55h	53h	52h						
Character	U	S	R						

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	50h	4Dh	3Ah	*1	*3	*5	03h
Character		V	P	M	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.35. COLOR

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	43h	4Fh	3Ah
Character		A	D	Z	Z	;	V	C	O	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-31			-30			-29		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	+29			+30			+31		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	43h	4Fh	3Ah	*1	*3	*5	03h
Character		V	C	O	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.36. TINT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	54h	4Eh	3Ah
Character		A	D	Z	Z	;	V	T	N	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-31			-30			-29		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	+29			+30			+31		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	54h	4Eh	3Ah	*1	*3	*5	03h
Character		V	T	N	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.37. COLOR TEMPERATURE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	54h	45h	3Ah
Character		A	D	Z	Z	;	O	T	E	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

In the case DEFAULT / USER1/ USER2

	DEFAULT		USER1		USER2	
Hexadecimal	31h	30h	30h	34h	30h	39h
Character	1	0	0	4	0	9

When setting COLOR TEMPERATURE

	3200K				3300K			
Hexadecimal	33h	32h	30h	30h	33h	33h	30h	30h
Character	3	2	0	0	3	3	0	0
	9200K				9300K			
Hexadecimal	39h	32h	30h	30h	39h	33h	30h	30h
Character	9	2	0	0	9	3	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	54h	45h	3Ah	*1	*3	*5	*7	03h
Character		O	T	E	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.38. WHITE BALANCE LOW - RED

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	4Fh	52h	3Ah
Character		A	D	Z	Z	;	V	O	R	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	125			126			127		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	4Fh	52h	3Ah	*1	*3	*5	03h
Character		V	O	R	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.39. WHITE BALANCE LOW - GREEN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	4Fh	47h	3Ah
Character		A	D	Z	Z	;	V	O	G	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	125			126			127		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	4Fh	47h	3Ah	*1	*3	*5	03h
Character		V	O	G	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.40. WHITE BALANCE LOW - BLUE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	4Fh	42h	3Ah
Character		A	D	Z	Z	;	V	O	B	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	125			126			127		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	4Fh	42h	3Ah	*1	*3	*5	03h
Character		V	O	B	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.41. WHITE BALANCE HIGH - RED

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	48h	52h	3Ah
Character		A	D	Z	Z	;	V	H	R	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	48h	52h	3Ah	*1	*3	*5	03h
Character		V	H	R	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.42. WHITE BALANCE HIGH - GREEN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	48h	47h	3Ah
Character		A	D	Z	Z	;	V	H	G	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	48h	47h	3Ah	*1	*3	*5	03h
Character		V	H	G	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.43. WHITE BALANCE HIGH - BLUE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	48h	42h	3Ah
Character		A	D	Z	Z	;	V	H	B	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	48h	42h	3Ah	*1	*3	*5	03h
Character		V	H	B	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.44. CONTRAST

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	43h	4Eh	3Ah
Character		A	D	Z	Z	;	V	C	N	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-31			-30			-29		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	+29			+30			+31		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	43h	4Eh	3Ah	*1	*3	*5	03h
Character		V	C	N	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.45. BRIGHTNESS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	42h	52h	3Ah
Character		A	D	Z	Z	;	V	B	R	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-31			-30			-29		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	+29			+30			+31		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	42h	52h	3Ah	*1	*3	*5	03h
Character		V	B	R	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.46. GAMMA MODE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	47h	41h	3Ah
Character		A	D	Z	Z	;	V	G	A	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	1.0			1.8			2.0		
Hexadecimal	31h	2Eh	30h	31h	2Eh	31h	32h	2Eh	30h
Character	1	.	0	1	.	8	2	.	0
	2.1			2.2			2.3		
Hexadecimal	32h	2Eh	31h	32h	2Eh	32h	32h	2Eh	33h
Character	2	.	1	2	.	2	2	.	3
	2.4			2.5			2.6		
Hexadecimal	32h	2Eh	34h	32h	2Eh	35h	32h	2Eh	36h
Character	2	.	4	2	.	5	2	.	6
	2.7			2.8			USER1		
Hexadecimal	32h	2Eh	37h	32h	2Eh	38h	55h	53h	31h
Character	2	.	7	2	.	8	U	S	1
	USER			DICOM			DEFAULT		
Hexadecimal	55h	53h	32h	44h	49h	43h	44h	45h	46h
Character	U	S	2	D	I	C	D	E	F

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	47h	41h	3Ah	*1	*3	*5	03h
Character		V	G	A	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.47. SYSTEM DAYLIGHT VIEW

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	:	V	X	X	:
Hexadecimal	44h	4Ch	56h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	D	L	V	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					1					2				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	3														
Hexadecimal	30h	30h	30h	30h	33h										
Character	0	0	0	0	3										

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	44h	4C	56h	49h	30h
Character		V	X	X	:	D	L	V	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.48. SHARPNESS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	53h	52h	3Ah
Character		A	D	Z	Z	:	V	S	R	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	13			14			15		
Hexadecimal	30h	31h	33h	30h	31h	34h	30h	31h	35h
Character	0	1	3	0	1	4	0	1	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	53h	52h	3Ah	*1	*3	*5	03h
Character		V	S	R	:	*2	*4	*6	

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.49. NOISE REDUCTION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	4Eh	53h	3Ah
Character		A	D	Z	Z	;	V	N	S	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	1	2	3
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	4Eh	53h	3Ah	*1	03h
Character		V	N	S	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.50. DYNAMIC IRIS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	41h	49h	3Ah
Character		A	D	Z	Z	;	O	A	I	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	1	2	3	ユーザー
Hexadecimal	30h	31h	32h	33h	34h
Character	0	1	2	3	4

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	41h	49h	3Ah	*1	03h
Character		O	A	I	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.51. DYNAMIC IRIS (AOUT IRIS)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	41h	49h	3Ah
Character		A	D	Z	Z	;	O	A	I	:
Hexadecimal	41h	*1	*3	*5	03h					
Character	A	*2	*4	*6						

Parameters (*1,*2,*3,*4,*5,*6)

	OFF			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	41h	49h	3Ah	41h	*1	*3	*5	03h
Character		O	A	I	:	A	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.52. DYNAMIC IRIS (MANUAL IRIS)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	41h	49h	3Ah
Character		A	D	Z	Z	;	O	A	I	:
Hexadecimal	4Dh	*1	*3	*5	03h					
Character	M	*2	*4	*6						

Parameters (*1,*2,*3,*4,*5,*6)

	OFF			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	41h	49h	3Ah	4Dh	*1	*3	*5	03h
Character		O	A	I	:	M	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.53. DYNAMIC IRIS (DYNAMIC GAMMA)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	41h	49h	3Ah
Character		A	D	Z	Z	;	O	A	I	:
Hexadecimal	44h	*1	03h							
Character	D	*2								

Parameters (*1,*2)

	OFF	1	2	3
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	41h	49h	3Ah	44h	*1	03h
Character		O	A	I	:	D	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.54. DIGITAL CINEMA REALITY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	50h	44h	3Ah
Character		A	D	Z	Z	;	O	P	D	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	AUTO	OFF	30p/25p FIXED
Hexadecimal	30h	31h	31h
Character	0	1	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	50h	44h	3Ah	*1	03h
Character		O	P	D	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.55. TV - SYSTEM

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	53h	47h	3Ah
Character		A	D	Z	Z	;	V	S	G	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	AUTO						NTSC		
Hexadecimal	41h	54h	31h	41h	54h	32h	4Eh	54h	53h
Character	A	T	1	A	T	2	N	T	S
	NTSC4.43			PAL			PAL-M		
Hexadecimal	4Eh	34h	34h	50h	41h	4Ch	50h	41h	4Dh
Character	N	4	4	P	A	L	P	A	M
	PAL-N			SECAM			PAL60		
Hexadecimal	50h	41h	4Eh	53h	45h	43h	50h	36h	30h
Character	P	A	N	S	E	C	P	6	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	53h	47h	3Ah	*1	*3	*5	03h
Character		V	S	G	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.56. SHIFT HORIZONTAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	54h	48h	3Ah
Character		A	D	Z	Z	;	V	T	H	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	0				1				2			
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	1	0	0	0	2
	4093				4094				4095			
Hexadecimal	34h	30h	39h	33h	34h	30h	39h	34h	34h	30h	39h	35h
Character	4	0	9	3	4	0	9	4	4	0	9	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	54h	48h	3Ah	*1	*3	*5	03h
Character		V	T	H	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

Notes:

- The maximum value that can be actually set changes according to the input signal or the input resolution setting, etc.
- It is possible to specify it within the range from the minimum value "0" to the maximum value "Number in which 1 is subtracted from number of total dots".

2.57. SHIFT VERTICAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	54h	56h	3Ah
Character		A	D	Z	Z	;	V	T	V	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	1				2				3			
Hexadecimal	30h	30h	30h	31h	30h	30h	30h	32h	30h	30h	30h	33h
Character	0	0	0	1	0	0	0	2	0	0	0	3
	4092				4093				4094			
Hexadecimal	34h	30h	39h	32h	34h	30h	39h	33h	34h	30h	39h	34h
Character	4	0	9	2	4	0	9	3	4	0	9	4

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	54h	56h	3Ah	*1	*3	*5	03h
Character		V	T	V	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

Note:

- The maximum value that can be actually set changes according to the input signal or the input resolution setting, etc.
- For signals other than interlace, it is possible to specify it within the range from the minimum value "0" to the maximum value "Number in which 1 is subtracted from number of total lines.
- For interlace signals, it is possible to specify it within the range from the minimum value "1" to the maximum value "Number in which 2 is subtracted from number of total lines.

2.58. ASPECT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	53h	45h	3Ah
Character		A	D	Z	Z	;	V	S	E	:
Hexadecimal	*1	*3	03h							
Character	*2	*4								

Parameters (*1,*2,*3,*4)

Input terminal: VIDEO, Input signal: NTSC

Input Terminal:	VID AUTO		4:3		16:9		THROUGH		HV FIT		
Hexadecimal	30h		31h		32h		35h		36h		
Character	0		1		2		5		6		
	H FIT		V FIT								
Hexadecimal	39h		31h		30h						
Character	9		1		0						

Input terminal: VIDEO, Input signal: Other than NTSC

STANDARD		4:3		16:9	THROUGH	HV FIT
Hexadecimal	30h	31h		32h	35h	36h
Character	0	1		2	5	6
H FIT		V FIT				
Hexadecimal	39h	31h	30h			
Character	9	1	0			

Input terminal: S-VIDEO, Input signal: NTSC

	VID AUTO (prior)	4:3	16:9	THROUGH	HV FIT
Hexadecimal	30h	31h	32h	35h	36h
Character	0	1	2	5	6
	H FIT	V FIT	S1 AUTO	VID AUTO	
Hexadecimal	39h	31h	30h	32h	30h
Character	9	1	0	2	0

Input terminal: S-VIDEO, Input signal: Other than NTSC

	STANDARD	4:3	16:9	THROUGH	HV FIT
Hexadecimal	30h	31h	32h	35h	36h
Character	0	1	2	5	6
	H FIT	V FIT			
Hexadecimal	39h	31h	30h		
Character	9	1	0		

Input terminal: Other than VIDEO/S-VIDEO

	STANDARD	4:3	16:9	THROUGH	HV FIT
Hexadecimal	30h	31h	32h	35h	36h
Character	0	1	2	5	6
	H FIT	V FIT			
Hexadecimal	39h	31h	30h		
Character	9	1	0		

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	53h	45h	3Ah	*1	*3	03h
Character		V	S	E	:	*2	*4	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.59. ZOOM HORIZONTAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	5Ah	48h	3Ah
Character		A	D	Z	Z	;	O	Z	H	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	50	51	52
Hexadecimal	30h	35h	30h
Character	0	5	0
	997	998	999
Hexadecimal	39h	39h	37h
Character	9	9	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	5Ah	48h	3Ah	*1	*3	*5	03h
Character		O	Z	H	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	x	o

2.60. ZOOM VERTICAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	5Ah	56h	3Ah
Character		A	D	Z	Z	;	O	Z	V	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	50	51	52
Hexadecimal	30h	35h	30h
Character	0	5	0
	997	998	999
Hexadecimal	39h	39h	37h
Character	9	9	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	5Ah	56h	3Ah	*1	*3	*5	03h
Character		O	Z	V	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	x	o

2.61. ZOOM HV

Hexadecimal 	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	5Ah	4Fh	3Ah
Character		A	D	Z	Z	;	O	Z	O	:
Hexadecimal 	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	50			51			52		
Hexadecimal	30h	35h	30h	30h	35h	31h	30h	35h	32h
Character	0	5	0	0	5	1	0	5	2
	997			998			999		
Hexadecimal	39h	39h	37h	39h	39h	38h	39h	39h	39h
Character	9	9	7	9	9	8	9	9	9

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	5Ah	4Fh	3Ah	*1	*3	*5	03h
Character		O	Z	O	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	x	o

2.62. INTERLOCKED ZOOM

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	5Ah	53h	3Ah
Character		A	D	Z	Z	;	O	Z	S	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	ON
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	5Ah	53h	3Ah	*1	03h
Character		O	Z	S	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	x	o

2.63. CLOCK PHASE

Hexadecimal 	02h	41h	44h	5Ah	5Ah	3Bh	56h	43h	50h	3Ah
Character		A	D	Z	Z	;	V	C	P	:
Hexadecimal 	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	61			62			63		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	43h	50h	3Ah	*1	*3	*5	03h
Character		V	C	P	:	*2	*4	*6	

Acceptability

SECURITY		STNDBY		ECO STNDBY		NO SIGNAL		SHUTTER		FREEZE		TEST PATTERN		REMOTE2			
x		x		x		x		o		x		x		o			
VIDEO		S-VIDEO		RGB1		RGB2		YP _B P _R 1		YP _B P _R 2		DVI		HDMI		SDI	
x		x		o		o		o		o		x		x		x	

2.64. INPUT RESOLUTION - TOTAL DOTS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	54h	44h	3Ah
Character		A	D	Z	Z	;	V	T	D	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	330				331			
Hexadecimal	30h	33h	33h	30h	30h	33h	33h	31h
Character	0	3	3	0	0	3	3	1
	4095				4096			
Hexadecimal	34h	30h	39h	35h	34h	30h	39h	36h
Character	4	0	9	5	4	0	9	6

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	54h	44h	3Ah	*1	*3	*5	*7	03h
Character		V	T	D	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY		NO SIGNAL		SHUTTER		FREEZE		TEST PATTERN		REMOTE2			
x	x	x		x		o		x		o		o			
VIDEO	S-VIDEO	RGB1		RGB2		YP _B P _R 1		YP _B P _R 2		DVI		HDMI		SDI	
x	x	o		o		x		x		x		x		x	

Notes:

- The maximum value that can be actually set changes according to the input signal or the input resolution settings, etc.
- Calls back ER402 when the value of less than number in which 30 is added to number of display dots is specified.

2.65. INPUT RESOLUTION DISPLAY DOTS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	44h	44h	3Ah
Character		A	D	Z	Z	;	V	D	D	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	300				301			
Hexadecimal	30h	33h	30h	30h	30h	33h	30h	31h
Character	0	3	0	0	0	3	0	1
	2065				2066			
Hexadecimal	32h	30h	36h	35h	32h	30h	36h	36h
Character	2	0	6	5	2	0	6	6

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	44h	44h	3Ah	*1	*3	*5	*7	03h
Character		V	D	D	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY		NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN		REMOTE2
x	x	x		x	o	x	o		o
VIDEO	S-VIDEO	RGB1	RGB2	YP _B P _R 1	YP _B P _R 2	DVI	HDMI	SDI	
x	x	o	o	x	x	x	x	x	

Notes:

- The maximum value that can be actually set changes according to the input signal or the input resolution settings, etc.
- Calls back ER402 when the value of more than number in which -30 is subtracted from number of total dots is specified.

2.66. INPUT RESOLUTION - TOTAL LINES

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	54h	4Ch	3Ah
Character		A	D	Z	Z	;	V	T	L	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	306				307			
Hexadecimal	30h	33h	30h	36h	30h	33h	30h	37h
Character	0	3	0	6	0	3	0	7
	2046				2047			
Hexadecimal	24h	30h	34h	36h	32h	30h	34h	37h
Character	2	0	4	6	2	0	4	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	54h	4Ch	3Ah	*1	*3	*5	*7	03h
Character		V	T	L	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY		NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN		REMOTE2	
x	x	x		x	o	x	o		o	
VIDEO	S-VIDEO	RGB1	RGB2	YP _B P _R 1	YP _B P _R 2	DVI	HDMI	SDI		
x	x	o	o	x	x	x	x	x		

Notes:

- The maximum value that can be actually set changes according to the input signal or the input resolution settings, etc. •
- Calls back ER402 when the value of less than number in which 10 is added to number of display lines is specified.

2.67. INPUT RESOLUTION DISPLAY LINES

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	44h	4Ch	3Ah
Character		A	D	Z	Z	;	V	D	L	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	300				301			
Hexadecimal	30h	33h	30h	30h	30h	33h	30h	31h
Character	0	3	0	0	0	3	0	1
	1199				1200			
Hexadecimal	21h	31h	39h	39h	31h	32h	30h	30h
Character	1	1	9	9	1	2	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	44h	4Ch	3Ah	*1	*3	*5	*7	03h
Character		V	D	L	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY		NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN		REMOTE2	
x	x	x		x	o	x	o		o	
VIDEO	S-VIDEO	RGB1	RGB2	YP _B PR1	YP _B PR2	DVI	HDMI	SDI		
x	x	o	o	x	x	x	x	x		

NOTES

- The maximum value that can be actually set changes according to the input signal or the input resolution settings, etc.
- Calls back ER402 when the value of more than number in which -10 is subtracted from number of total dots is specified.

2.68. CLAMP POSITION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	4Ch	54h	3Ah
Character		A	D	Z	Z	;	V	L	T	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	4Ch	54h	3Ah	*1	*3	*5	03h
Character		V	L	T	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY		NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN		REMOTE2	
x	x	x		x		o	x		o	
VIDEO	S-VIDEO	RGB1	RGB2	YP _B P _R 1	YP _B P _R 2	DVI	HDMI	SDI		
x	x	o	o	o	o	x	x	x		

Note:

- It is available only when RGB1 or RGB2 is selected. In other case Calls back ER401.

2.69. KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	4Bh	53h	3Ah
Character		A	D	Z	Z	;	O	K	S	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	+125			+126			+127		
Hexadecimal	32h	35h	32h	32h	35h	33h	32h	35h	34h
Character	2	5	2	2	5	3	2	5	4

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	4Bh	53h	3Ah	*1	*3	*5	03h
Character		O	K	S	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DZ8700/DS8500, ER401 is returned.

2.70. SUB KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	53h	4Bh	3Ah
Character		A	D	Z	Z	;	O	S	K	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-63			-62			-61		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	+61			+62			+63		
Hexadecimal	31h	32h	34h	31h	32h	35h	31h	32h	36h
Character	1	2	4	1	2	5	1	2	6

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	53h	4Bh	3Ah	*1	*3	*5	03h
Character		O	S	K	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Notes:

- For PT-DZ8700/DS8500, ER401 is returned.
- When "0" is set to KEYSTONE, ER401 is returned.
- According to KEYSTONE settings, there is a case that dose not operate even if the SUB KEYSTOBE value is changed.

2.71. LINEARITY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	4Ch	49h	3Ah
Character		A	D	Z	Z	;	V	L	I	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	+125			+126			+127		
Hexadecimal	32h	35h	32h	32h	35h	33h	32h	35h	34h
Character	2	5	2	2	5	3	2	5	4

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	4Ch	49h	3Ah	*1	*3	*5	03h
Character		V	L	I	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Notes:

- For PT-DZ8700/DS8500, ER401 is returned.
- When "0" is set to KEYSTONE, ER401 is returned.
- According to KEYSTONE settings, there is a case that dose not operate even if the LINEARITY value is changed.

2.72. GEOMETRY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	47h	4Dh	4Dh	49h	30h	3Dh	2Bh	*1	*3	*5
Character	G	M	M	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					KEystone				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	CURVED					PC				
Hexadecimal	30h	30h	30h	30h	32h	30h	30h	30h	30h	33h
Character	0	0	0	0	2	0	0	0	0	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	4Dh	49h	30h
Character		V	X	X	:	G	M	M	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned

2.73. GEOMETRY: KEYSTONE - VERTICAL KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	47h	4Dh	4Bh	49h	31h	3Dh	*1	*3	*5	*7
Character	G	M	K	I	1	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	4Bh	49h	31h
Character		V	X	X	:	G	M	K	I	1
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned

2.74. GEOMETRY: KEYSTONE - VERTICAL SUB KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	47h	4Dh	4Bh	49h	32h	3Dh	*1	*3	*5	*7
Character	G	M	K	I	2	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-63						-62					
Hexadecimal	2Dh	30h	30h	30h	36h	33h	2Dh	30h	30h	30h	36h	32h
Character	—	0	0	0	6	3	—	0	0	0	6	2
	62						63					
Hexadecimal	2Bh	30h	30h	30h	36h	32h	2Bh	30h	30h	30h	36h	33h
Character	+	0	0	0	6	2	+	0	0	0	6	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	4Bh	49h	32h
Character		V	X	X	:	G	M	K	I	2
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Notes:

- For PT-DW8300, ER401 is returned.
- When "0" is set to GEOMETRY: KEYSTONE -VERTICALL KEY STONE, ER 401 is returned.

2.75. GEOMETRY: KEYSTONE – HORIZONTAL KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	:	V	X	X	:
Hexadecimal	47h	4Dh	4Bh	49h	35h	3Dh	*1	*3	*5	*7
Character	G	M	K	I	5	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	4Bh	49h	35h
Character		V	X	X	:	G	M	K	I	5
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned.

2.76. GEOMETRY: KEYSTONE - HORIZONTAL SUB KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	:	V	X	X	:
Hexadecimal	47h	4Dh	4Bh	49h	36h	3Dh	*1	*3	*5	*7
Character	G	M	K	I	6	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-63						-62					
Hexadecimal	2Dh	30h	30h	30h	36h	33h	2Dh	30h	30h	30h	36h	32h
Character	—	0	0	0	6	3	—	0	0	0	6	2
	62						63					
Hexadecimal	2Bh	30h	30h	30h	36h	32h	2Bh	30h	30h	30h	36h	33h
Character	+	0	0	0	6	2	+	0	0	0	6	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	4Bh	49h	36h
Character		V	X	X	:	G	M	K	I	6
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Notes:

- For PT-DW8300, ER401 is returned.
- When "0" is set to GEOMETRY: KEYSTONE -HORIZONTAL KEY STONE, ER 401 is returned.

2.77. GEOMETRY: KEYSTONE - LINEARITY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	47h	4Dh	4Bh	49h	33h	3Dh	*1	*3	*5	*7
Character	G	M	K	I	3	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	4Bh	49h	33h
Character		V	X	X	:	G	M	K	I	3
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned.

2.78. GEOMETRY: CURVED - LENS THROW RATIO

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	47h	4Dh	43h	53h	30h	3Dh	*1	*3	*5	*7
Character	G	M	C	S	0	=	*2	*4	*6	*8
Hexadecimal	*9	03h								
Character	*10									

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0.70					0.90				
Hexadecimal	30h	2Eh	37h	30h		30h	2Eh	39h	30h	
Character	0	.	7	0		0	.	9	0	
	16.40					16.50				
Hexadecimal	31h	36h	2Eh	34h	30h	31h	36h	2Eh	35h	30h
Character	1	6	.	4	0	1	6	.	5	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	43h	53h	30h
Character		V	X	X	:	G	M	C	S	0
Hexadecimal	3Dh	*1	*3	*5	*7	*9	03h			
Character	=	*2	*4	*6	*8	*10				

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Notes:

- For PT-DW8300, ER401 is returned.
- The character that can be specified is only a numeric and period (decimal point).
- The parameter can specify from 0.70 to 16.50 at intervals of 0.10.
- The parameter length is variable - length.
- If the following parameters are specified, ER 402 is returned.
 - 1) The integer part is omitted
 - 2) The part below the decimal point is omitted
 - 3) Specifies three digits or more below the decimal point.

2.79. GEOMETRY: CURVED - VERTICAL KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	47h	4Dh	43h	49h	31h	3Dh	*1	*3	*5	*7
Character	G	M	C	I	1	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

-127							-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
126							127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	43h	49h	31h
Character		V	X	X	:	G	M	C	I	1
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned.

2.80. GEOMETRY: CURVED - HORIZONTAL KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	47h	4Dh	43h	49h	35h	3Dh	*1	*3	*5	*7
Character	G	M	C	I	5	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

-127							-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
126							127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	43h	49h	35h
Character		V	X	X	:	G	M	C	I	5
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note-

- For PT-DW8300, ER401 is returned.

2.81. GEOMETRY: CURVED - VERTICAL ARC

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	47h	4Dh	43h	49h	33h	3Dh	*1	*3	*5	*7
Character	G	M	C	I	3	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

-127							-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
126							127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	43h	49h	33h
Character		V	X	X	:	G	M	C	I	3
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned.

2.82. GEOMETRY: CURVED - HORIZONTAL ARC

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Character		A	D	Z	Z	:	V	X	X	:
Hexadecimal	47h	4Dh	43h	49h	37h	3Dh	*1	*3	*5	*7
Character	G	M	C	I	7	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	43h	49h	37h
Character		V	X	X	:	G	M	C	I	7
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned.

2.83. GEOMETRY: CURVED - VERTICAL BALANCE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	:	V	X	X	:
Hexadecimal	47h	4Dh	43h	49h	32h	3Dh	*1	*3	*5	*7
Character	G	M	C	I	2	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	43h	49h	32h
Character		V	X	X	:	G	M	C	I	2
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned.

2.84. GEOMETRY: CURVED – HORIZONTAL BALANCE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	:	V	X	X	:
Hexadecimal	47h	4Dh	43h	49h	36h	3Dh	*1	*3	*5	*7
Character	G	M	C	I	6	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	47h	4Dh	43h	49h	36h
Character		V	X	X	:	G	M	C	I	6
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300 ER401 is returned

2.85. DISPLAY LANGUAGE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	4Ch	47h	3Ah
Character		A	D	Z	Z	;	O	L	G	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	English			German			France		
Hexadecimal	45h	4Eh	47h	44h	45h	55h	46h	52h	41h
Character	E	N	G	D	E	U	F	R	A
	Spanish			Italian			Japanese		
Hexadecimal	45h	53h	50h	49h	54h	4Ch	4Ah	50h	4Eh
Character	E	S	P	I	T	L	J	P	N
	Chinese			Russian			Korean		
Hexadecimal	43h	48h	49h	52h	55h	53h	4Bh	4Fh	52h
Character	C	H	I	R	U	S	K	O	R

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	4Ch	47h	3Ah	*1	*3	*5	03h
Character		O	L	G	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.86. SYSTEM Switching

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	52h	46h	3Ah
Character		A	D	Z	Z	;	O	R	F	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	VGA60	YP _B P _R / YC _B C _R	480pRGB
Hexadecimal	30h	31h	33h
Character	0	1	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	52h	46h	3Ah	*1	03h
Character		O	R	F	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.87. BLANKING - UPPER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	44h	42h	55h	3Ah
Character		A	D	Z	Z	;	D	B	U	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2

PT-DZ8700

	597			598			599		
Hexadecimal	35h	39h	37h	35h	39h	37h	35h	39h	37h
Character	5	9	7	5	9	7	5	9	7

PT-DS8500

	522			523			524		
Hexadecimal	35h	32h	32h	35h	32h	33h	35h	32h	34h
Character	5	2	2	5	2	3	5	2	4

	381			382			383		
Hexadecimal	33h	38h	31h	33h	38h	32h	33h	38h	33h
Character	3	8	1	3	8	2	3	8	3

Note:

- The maximum value that can be set changes according to settings of the input signal, the aspect and the zoom.

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	44h	42h	55h	3Ah	*1	*3	*5	03h
Character		D	B	U	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.88. BLANKING - LOWER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	44h	42h	42h	3Ah
Character		A	D	Z	Z	;	D	B	B	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2

PT- DZ8700

	597			598			599		
Hexadecimal	35h	39h	37h	35h	39h	37h	35h	39h	37h
Character	5	9	7	5	9	7	5	9	7

PT- DS8500

	522			523			524		
Hexadecimal	35h	32h	32h	35h	32h	32h	35h	32h	32h
Character	5	2	2	5	2	2	5	2	2

PT- DW8300

	381			382			383		
Hexadecimal	33h	38h	31h	33h	38h	31h	33h	38h	31h
Character	3	8	1	3	8	1	3	8	1

Note:

- The maximum value that can be set changes according to settings of the input signal, the aspect and the zoom.

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	44h	42h	42h	3Ah	*1	*3	*5	03h
Character		D	B	B	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.89. BLANKING - RIGHT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	44h	42h	52h	3Ah
Character		A	D	Z	Z	;	D	B	R	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2

PT- DZ8700

	957			958			959		
Hexadecimal	39h	35h	37h	39h	35h	38h	39h	35h	39h
Character	9	5	7	9	5	8	9	5	9

PT- DS8500

	697			698			699		
Hexadecimal	36h	39h	37h	36h	39h	38h	36h	39h	39h
Character	6	9	7	6	9	8	6	9	9

PT- DW8300

	680			681			682		
Hexadecimal	36h	38h	30h	36h	38h	31h	36h	38h	32h
Character	6	8	0	6	8	1	6	8	2

Note:

- The maximum value that can be set changes according to settings of the input signal, the aspect and the zoom.

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	44h	42h	52h	3Ah	*1	*3	*5	03h
Character		D	B	R	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.90. BLANKING - LEFT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	44h	42h	4Ch	3Ah
Character		A	D	Z	Z	;	D	B	L	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2

PT- DZ8700

	957			958			959		
Hexadecimal	39h	35h	37h	39h	35h	37h	39h	35h	37h
Character	9	5	7	9	5	7	9	5	7

PT- DS8500

	697			698			699		
Hexadecimal	36h	39h	37h	36h	39h	37h	36h	39h	37h
Character	6	9	7	6	9	7	6	9	7

PT- DW8300

	680			681			682		
Hexadecimal	36h	38h	30h	36h	38h	30h	36h	38h	30h
Character	6	8	0	6	8	0	6	8	0

Note:

- The maximum value that can be set changes according to settings of the input signal, the aspect and the zoom.

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	44h	42h	4Ch	3Ah	*1	*3	*5	03h
Character		D	B	L	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.91. FRAME DELAY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	46h	44h	59h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	F	D	Y	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	STANDARD					SHORT				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	46h	44h	59h	49h	30h
Character		V	X	X	:	F	D	Y	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

2.92. RASTER POSITION HORIZONTAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	52h	48h	3Ah
Character		A	D	Z	Z	;	V	R	H	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	-2048				-2047			
Hexadecimal	32h	39h	35h	32h	32h	39h	35h	33h
Character	2	9	5	2	2	9	5	3
	+2046				+2047			
Hexadecimal	37h	30h	34h	36h	37h	30h	34h	37h
Character	7	0	4	6	7	0	4	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	52h	48h	3Ah	*1	*3	*5	03h
Character		V	R	H	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

Note:

- The maximum value that can be set changes according to settings of the input signal, the aspect and the zoom.

2.93. RASTER POSITION VERTICAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	52h	56h	3Ah
Character		A	D	Z	Z	;	V	R	V	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	-2048				-2047			
Hexadecimal	32h	39h	35h	32h	32h	39h	35h	33h
Character	2	9	5	2	2	9	5	3
	+2046				+2047			
Hexadecimal	37h	30h	34h	36h	37h	30h	34h	37h
Character	7	0	4	6	7	0	4	7

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	52h	56h	3Ah	*1	*3	*5	03h
Character		V	R	V	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	x	o	x	o	o

Note:

- The maximum value that can be set changes according to settings of the input signal, the aspect and the zoom.

2.94. EDGE BLENDING

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	45h	44h	42h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	E	D	B	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON					USER				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	45h	44h	42h	49h	30h
Character		V	X	X	:	E	D	B	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.95. SCREEN FORMAT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	53h	46h	3Ah
Character		A	D	Z	Z	;	V	S	F	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	16:10 □1	16:9	4:3
Hexadecimal	30h	31h	32h
Character	0	1	2

*1: If specifying this for PT-DS8500, ER401 is returned.

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	5h	46h	3Ah	*1	03h
Character		V	S	F	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- For PT-DW8300, ER401 is returned.

2.96. SCREEN POSITION VERTICAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	:	V	X	X	:
Hexadecimal	56h	53h	50h	49h	30h	3Dh	*1	*3	*5	*7
Character	V	S	P	I	0	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

PT-DZ8700, SCREEN FORMAT: 16:9

	-60						-59					
Hexadecimal	2Dh	30h	30h	30h	36h	30h	2Dh	30h	30h	30h	35h	39h
Character	—	0	0	0	6	0	—	0	0	0	5	9
	59						60					
Hexadecimal	2Bh	30h	30h	30h	35h	39h	2Bh	30h	30h	30h	36h	30h
Character	+	0	0	0	5	9	+	0	0	0	6	0

PT-DS8500, SCREEN FORMAT: 16:9

	-132						-131					
Hexadecimal	2Dh	30h	30h	31h	33h	32h	2Dh	30h	30h	31h	33h	31h
Character	—	0	0	1	3	2	—	0	0	1	3	1
	130						131					
Hexadecimal	2Bh	30h	30h	31h	33h	30h	2Bh	30h	30h	31h	33h	31h
Character	+	0	0	1	3	0	+	0	0	1	3	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	56h	53h	50h	49h	30h
Character		V	X	X	:	V	S	P	I	0
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Notes:

- For PT-DW8300, ER401 is returned.
- For PT-DZ8700, with SCREEN FORMAT: 4:3 or 16:9, ER401 is returned
- For PT-DS8500, with SCREEN FORMAT: 4:3, ER401 is returned

2.97. SCREEN POSITION HORIZONTAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	:	V	X	X	:
Hexadecimal	48h	53h	50h	49h	30h	3Dh	*1	*3	*5	*7
Character	H	S	P	I	0	=	*2	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

PT-DZ8700, SCREEN FORMAT: 4:3

	-160						-159					
Hexadecimal	2Dh	30h	30h	31h	36h	30h	2Dh	30h	30h	31h	35h	39h
Character	—	0	0	1	6	0	—	0	0	1	5	9
	159						160					
Hexadecimal	2Bh	30h	30h	31h	35h	39h	2Bh	30h	30h	31h	36h	30h
Character	+	0	0	1	5	9	+	0	0	1	6	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	48h	53h	50h	49h	30h
Character		V	X	X	:	H	S	P	I	0
Hexadecimal	3Dh	*1	*3	*5	*7	*9	*11	03h		
Character	=	*2	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

Note:

- If specifying it for PT-DS8500/DW8300, ER401 is returned.
- For PT-DZ8700, with SCREEN FORMAT: 16:9 or 16:10, ER401 is returned.

2.98. COLOR MATCHING

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	44h	4Dh	41h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	C	M	A	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					3COLORS					7COLORS				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	709MODE					MEASURED									
Hexadecimal	30h	30h	30h	30h	33h	30h	30h	30h	30h	34h					
Character	0	0	0	0	3	0	0	0	0	4					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	44h	4Dh	41h	49h	30h
Character		V	X	X	:	C	M	A	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.99. WAVEFORM MONITOR

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	57h	4Dh	3Ah
Character		A	D	Z	Z	;	O	W	M	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	Line selection (BRIGHTNRSS)	Line selection (RED)	Line selection (GREEN)	Line selection (BLUE)
Hexadecimal	30h	35h	36h	37h	38h
Character	0	5	6	7	8

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	57h	4Dh	3Ah	*1	03h
Character		O	W	M	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	o	o	o

Note:

For PT-DS8500/DW8300, ER401 is returned.

2.100. WAVEFORM MONITOR LINE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah	57h	4Dh
Character		A	D	Z	Z	;	V	X	X	:	W	M
Hexadecimal	4Ch	49h	30h	3Dh	2Bh	*1	*3	*5	*7	*9	03h	
Character	L	I	0	=	+	*2	*4	*6	*8	*10		

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0					1					
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	
Character	0	0	0	0	0	0	0	0	0	1	
	1198					1199					
Hexadecimal	30h	31h	31h	39h	38h	30h	31h	31h	39h	39h	
Character	0	1	1	9	8	0	1	1	9	9	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	57h	4Dh	4Ch	49h	30h
Character		V	X	X	:	W	M	L	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	o	o	o

Note:

- For PT-DS8500/DW8300, ER401 is returned

2.101. AUTO SIGNAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	41h	41h	53h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	A	A	S	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	41h	41h	53h	49h	30h
Character		V	X	X	:	A	A	S	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.102. AUTO SETUP (MODE)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	41h	4Dh	3Ah
Character		A	D	Z	Z	;	O	A	M	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	USER	STANDARD	WIDE
Hexadecimal	30h	31h	32h
Character	0	1	2

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	41h	4Dh	3Ah	*1	03h
Character		O	A	M	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.103. AUTO SETUP (POSITION)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	41h	50h	41h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	A	P	A	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	41h	50h	41h	49h	30h
Character		V	X	X	:	A	P	A	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.104. AUTO SETUP (SIGNAL LEVEL)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	41h	53h	4Ch	49h	30h	3Dh	2Bh	*1	*3	*5
Character	A	S	L	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	41h	53h	4Ch	49h	30h
Character		V	X	X	:	A	S	L	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.105. DVI EDID

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	45h	44h	3Ah
Character		A	D	Z	Z	;	O	E	D	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	EDID1	EDID2(PC)	EDID3
Hexadecimal	31h	32h	33h
Character	1	2	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	45h	44h	3Ah	*1	03h
Character		O	E	D	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.106. DVI SIGNAL LEVEL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	44h	56h	49h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	D	V	I	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0-255:PC					16-235				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	44h	56h	49h	49h	30h
Character		V	X	X	:	D	V	I	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.107. HDMI SIGNAL LEVEL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	48h	53h	4Ch	49h	30h	3Dh	2Bh	*1	*3	*5
Character	H	S	L	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0-1023					64-940				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	48h	53h	4Ch	49h	30h
Character		V	X	X	:	H	S	L	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.108. SDI Level

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	45h	44h	3Ah	
Character		A	D	Z	Z	;	O	E	D	:	
Hexadecimal	53h	44h	49h	2Dh	4Ch	45h	56h	45h	4Ch	*1	03h
Character	S	D	I	-	L	E	V	E	L	*2	

Parameters (*1,*2)

	STANDARD	Expansion
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	45h	44h	3Ah	53h	44h	49h
Character		O	E	D	:	S	D	I
Hexadecimal	2Dh	4Ch	45h	56h	45h	4Ch	*1	03h
Character	-	L	E	V	E	L	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.109. P IN P

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	50h	50h	3Ah
Character		A	D	Z	Z	;	O	P	P	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	USER1	USER2	USER3
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	50h	50h	3Ah	*1	03h
Character		O	P	P	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.110. P IN P – MAIN WINDOW

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	53h	49h	3Ah
Character		A	D	Z	Z	;	M	S	I	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2, *3, *4, *5, *6)

	RGB1			RGB2			Video		
Hexadecimal	52h	47h	31h	52h	47h	32h	56h	49h	44h
Character	R	G	1	R	G	2	V	I	D
	S-Video			DVI			HDMI		
Hexadecimal	53h	56h	44h	44h	56h	49h	48h	44h	30h
Character	S	V	D	D	V	I	H	D	1
	SDI								
Hexadecimal	53h	44h	49h						
Character	S	D	I						

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	53h	49h	3Ah	*1	*3	*5	03h
Character		M	S	I	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

Note:

- Only for PT-DZ8700/DS8500 parameter SDI is available. In other case ER401 is returned.
- When specifying the parameter which is incompatible with the set input in sub window, ER402 is returned.

2.111. P IN P - MAIN WINDOW SIZE - INTERLOCKED

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	53h	4Ch	3Ah
Character		A	D	Z	Z	;	M	S	L	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	ON
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	53h	4Ch	3Ah	*1	03h
Character		M	S	L	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.112. P IN P - MAIN WINDOW SIZE - V

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	53h	56h	3Ah
Character		A	D	Z	Z	;	M	S	V	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	10		11		12		13		
Hexadecimal	31h	30h	31h	31h	31h	32h	31h	33h	
Character	1	0	1	1	1	2	1	3	
	97		98		99		100		
Hexadecimal	39h	37h	39h	38h	39h	39h	31h	30h	30h
Character	9	7	9	8	9	9	1	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	53h	56h	3Ah	*1	*3	*5	03h
Character		M	S	V	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.113. P IN P - MAIN WINDOW SIZE - H

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	53h	48h	3Ah
Character		A	D	Z	Z	;	M	S	H	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	10		11		12		13		
Hexadecimal	31h	30h	31h	31h	31h	32h	31h	33h	
Character	1	0	1	1	1	2	1	3	
	97		98		99		100		
Hexadecimal	39h	37h	39h	38h	39h	39h	31h	30h	30h
Character	9	7	9	8	9	9	1	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	53h	48h	3Ah	*1	*3	*5	03h
Character		M	S	H	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.114. P IN P MAIN WINDOW SIZE - H V

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	53h	5Ah	3Ah
Character		A	D	Z	Z	;	M	S	Z	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	10		11		12		13		
Hexadecimal	31h	30h	31h	31h	31h	32h	31h	33h	
Character	1	0	1	1	1	2	1	3	
	97		98		99		100		
Hexadecimal	39h	37h	39h	38h	39h	39h	31h	30h	30h
Character	9	7	9	8	9	9	1	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	53h	5Ah	3Ah	*1	*3	*5	03h
Character		M	S	Z	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.115. P IN P - MAIN WINDOW POSITION - V

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	50h	56h	3Ah
Character		A	D	Z	Z	;	M	P	V	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2, *3, *4, *5, *6, *7, *8)

PT-DZ8700

-580					-579				-578			
Hexadecimal	2Dh	35h	38h	30h	2Dh	35h	37h	39h	2Dh	35h	37h	38h
Character	-	5	8	0	-	5	7	9	-	5	7	8
+578					+579				+580			
Hexadecimal	2Bh	35h	37h	38h	2Bh	35h	37h	39h	2Bh	35h	38h	30h
Character	+	5	7	8	+	5	7	9	+	5	8	0

PT-DS8500

-505					-504				-503			
Hexadecimal	2Dh	35h	30h	35h	2Dh	35h	30h	34h	2Dh	35h	30h	33h
Character	-	5	0	5	-	5	0	4	-	5	0	3
+503					+504				+505			
Hexadecimal	2Bh	35h	30h	33h	2Bh	35h	30h	34h	2Bh	35h	30h	35h
Character	+	5	0	3	+	5	0	4	+	5	0	5

PT-DW8300

-364					-363				-362			
Hexadecimal	2Dh	33h	36h	34h	2Dh	33h	36h	33h	2Dh	33h	36h	32h
Character	-	3	6	4	-	3	6	3	-	3	6	2
+362					+363				+364			
Hexadecimal	2Bh	33h	36h	32h	2Bh	33h	36h	33h	2Bh	33h	36h	34h
Character	+	3	6	2	+	3	6	3	+	3	6	4

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	50h	56h	3Ah	*1	*3	*5	*7	03h
Character		M	P	V	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.116. P IN P - MAIN WINDOW POSITION - H

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	50h	48h	3Ah
Character		A	D	Z	Z	;	M	P	H	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2, *3, *4, *5, *6, *7, *8)

PT-DZ8700

-928					-927				-926			
Hexadecimal	2Dh	39h	32h	38h	2Dh	39h	32h	37h	2Dh	39h	32h	36h
Character	-	9	2	8	-	9	2	7	-	9	2	6
+926					+927				+928			
Hexadecimal	2Bh	39h	32h	36h	2Bh	39h	32h	37h	2Bh	39h	32h	38h
Character	+	9	2	6	+	9	2	7	+	9	2	8

PT-DS8500

-668					-667				-666			
Hexadecimal	2Dh	36h	36h	38h	2Dh	36h	36h	37h	2Dh	36h	36h	36h
Character	-	6	6	8	-	6	6	7	-	6	6	6
+666					+667				+668			
Hexadecimal	2Bh	36h	36h	36h	2Bh	36h	36h	37h	2Bh	36h	36h	38h
Character	+	6	6	6	+	6	6	7	+	6	6	8

PT-DW8300

-651					-650				-649			
Hexadecimal	2Dh	36h	35h	31h	2Dh	36h	35h	30h	2Dh	36h	34h	39h
Character	-	6	5	1	-	6	5	0	-	6	4	9
+649					+650				+651			
Hexadecimal	2Bh	36h	34h	39h	2Bh	36h	35h	30h	2Bh	36h	35h	31h
Character	+	6	4	9	+	6	5	0	+	6	5	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	50h	48h	3Ah	*1	*3	*5	*7	03h
Character		M	P	H	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.117. P IN P - SUB WINDOW

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	53h	49h	53h	3Ah
Character		A	D	Z	Z	;	S	I	S	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	RGB1			RGB2			Video		
Hexadecimal	52h	47h	31h	52h	47h	32h	56h	49h	44h
Character	R	G	I	R	G	2	V	I	D
	S-Video			DVI			HDMI		
Hexadecimal	53h	56h	44h	44h	56h	49h	48h	44h	30h
Character	S	V	D	D	V	I	H	D	1
	SDI								
Hexadecimal	53h	44h	49h						
Character	S	D	I						

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	49h	53h	3Ah	*1	*3	*5	03h
Character		S	I	S	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

Note:

- Only for PT-DZ8700/DS8500 parameter SDI is available. In other case ER401 is returned.
- When specifying the parameter which is incompatible with the set input in main window, ER402 is returned

2.118. P IN P - SUB WINDOW SIZE - INTERLOCKED

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	53h	53h	4Ch	3Ah
Character		A	D	Z	Z	;	S	S	L	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	ON
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	53h	4Ch	3Ah	*1	03h
Character		S	S	L	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.119. P IN P - SUB WINDOW SIZE - V

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	53h	53h	56h	3Ah
Character		A	D	Z	Z	;	S	S	V	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2,*3,*4,*5,*6)

	10		11		12		13	
Hexadecimal	31h	30h	31h	31h	31h	32h	31h	33h
Character	1	0	1	1	1	2	1	3
	97		98		99		100	
Hexadecimal	39h	37h	39h	38h	39h	39h	31h	30h
Character	9	7	9	8	9	9	1	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	53h	56h	3Ah	*1	*3	*5	03h
Character		S	S	V	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.120. P IN P - SUB WINDOW SIZE - H

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	53h	53h	48h	3Ah
Character		A	D	Z	Z	;	S	S	H	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2, *3, *4, *5, *6)

	10		11		12		13		
Hexadecimal	31h	30h	31h	31h	31h	32h	31h	33h	
Character	1	0	1	1	1	2	1	3	
	97		98		99		100		
Hexadecimal	39h	37h	39h	38h	39h	39h	31h	30h	30h
Character	9	7	9	8	9	9	1	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	53h	48h	3Ah	*1	*3	*5	03h
Character		S	S	H	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.121. P IN P - SUB WINDOW SIZE - H V

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	53h	53h	5Ah	3Ah
Character		A	D	Z	Z	;	S	S	Z	:
Hexadecimal	*1	*3	*5	03h						
Character	*2	*4	*6							

Parameters (*1,*2, *3, *4, *5, *6)

	10		11		12		13		
Hexadecimal	31h	30h	31h	31h	31h	32h	31h	33h	
Character	1	0	1	1	1	2	1	3	
	97		98		99		100		
Hexadecimal	39h	37h	39h	38h	39h	39h	31h	30h	30h
Character	9	7	9	8	9	9	1	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	53h	5Ah	3Ah	*1	*3	*5	03h
Character		S	S	Z	:	*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.122. P IN P - SUB WINDOW POSITION - V

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	53h	50h	56h	3Ah
Character		A	D	Z	Z	;	S	P	V	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2, *3, *4, *5, *6, *7, *8)

PT-DZ8700

	-580				-579				-578			
Hexadecimal	2Dh	35h	38h	30h	2Dh	35h	37h	39h	2Dh	35h	37h	38h
Character	-	5	8	0	-	5	7	9	-	5	7	8
	+578				+579				+580			
Hexadecimal	2Bh	35h	37h	38h	2Bh	35h	37h	39h	2Bh	35h	38h	30h
Character	+	5	7	8	+	5	7	9	+	5	8	0

PT-DS8500

	-505				-504				-503			
Hexadecimal	2Dh	35h	30h	35h	2Dh	35h	30h	34h	2Dh	35h	30h	33h
Character	-	5	0	5	-	5	0	4	-	5	0	3
	+503				+504				+505			
Hexadecimal	2Bh	35h	30h	33h	2Bh	35h	30h	34h	2Bh	35h	30h	35h
Character	+	5	0	3	+	5	0	4	+	5	0	5

PT-DW8300

	-364				-363				-362			
Hexadecimal	2Dh	33h	36h	34h	2Dh	33h	36h	33h	2Dh	33h	36h	32h
Character	-	3	6	4	-	3	6	3	-	3	6	2
	+362				+363				+364			
Hexadecimal	2Bh	33h	36h	32h	2Bh	33h	36h	33h	2Bh	33h	36h	34h
Character	+	3	6	2	+	3	6	3	+	3	6	4

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	50h	56h	3Ah	*1	*3	*5	*7	03h
Character		S	P	V	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.123. P IN P - SUB WINDOW POSITION - H

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	53h	50h	48h	3Ah
Character		A	D	Z	Z	;	S	P	H	:
Hexadecimal	*1	*3	*5	*7	03h					
Character	*2	*4	*6	*8						

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

PT-DZ8700

	-928				-927				-926			
Hexadecimal	2Dh	39h	32h	38h	2Dh	39h	32h	37h	2Dh	39h	32h	36h
Character	-	9	2	8	-	9	2	7	-	9	2	6
	+926				+927				+928			
Hexadecimal	2Bh	39h	32h	36h	2Bh	39h	32h	37h	2Bh	39h	32h	38h
Character	+	9	2	6	+	9	2	7	+	9	2	8

PT-DS8500

	-668				-667				-666			
Hexadecimal	2Dh	36h	36h	38h	2Dh	36h	36h	37h	2Dh	36h	36h	36h
Character	-	6	6	8	-	6	6	7	-	6	6	6
	+666				+667				+668			
Hexadecimal	2Bh	36h	36h	36h	2Bh	36h	36h	37h	2Bh	36h	36h	38h
Character	+	6	6	6	+	6	6	7	+	6	6	8

PT-DW8300

	-651				-650				-649			
Hexadecimal	2Dh	36h	35h	31h	2Dh	36h	35h	30h	2Dh	36h	34h	39h
Character	-	6	5	1	-	6	5	0	-	6	4	9
	+649				+650				+651			
Hexadecimal	2Bh	36h	34h	39h	2Bh	36h	35h	30h	2Bh	36h	35h	31h
Character	+	6	4	9	+	6	5	0	+	6	5	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	50h	48h	3Ah	*1	*3	*5	*7	03h
Character		S	P	H	:	*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.124. P IN P - SUB WINDOW - CLOCK PHASE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	53h	43h	50h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	S	C	P	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0					1				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	62					63				
Hexadecimal	30h	30h	30h	36h	32h	30h	30h	30h	36h	33h
Character	0	0	0	6	2	0	0	0	6	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	53h	43h	50h	49h	30h
Character		V	X	X	:	S	C	P	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

Note:

- It is available when sub window is RGB1 or RGB2. In other case ER401 is returned.

2.125. P IN P – FRAME LOCK

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	50h	46h	4Ch	3Ah
Character		A	D	Z	Z	;	P	F	L	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	Main Window	Sub Window
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	50h	46h	4Ch	3Ah	*1	03h
Character		P	F	L	:	*2	

Acceptable

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.126. P IN P - TYPE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	50h	54h	50h	3Ah
Character		A	D	Z	Z	;	P	T	P	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	Main Window	Sub Window
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	50h	54h	50h	3Ah	*1	03h
Character		P	T	P	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	x	o	o

2.127. BRIGHTNESS CONTROL (GAIN)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	54h	47h	41h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	T	G	A	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	20%					21%				
Hexadecimal	30h	30h	30h	32h	30h	30h	30h	30h	32h	31h
Character	0	0	0	2	0	0	0	0	2	1
	99%					100%				
Hexadecimal	30h	30h	30h	39h	39h	30h	30h	31h	30h	30h
Character	0	0	0	9	9	0	0	1	0	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	54h	47h	41h	49h	30h
Character		V	X	X	:	T	G	A	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.128. BRIGHTNESS CONTROL (MODE)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	42h	43h	4Dh	49h	30h	3Dh	2Bh	*1	*3	*5
Character	B	C	M	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					AUTO				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	PC									
Hexadecimal	30h	30h	30h	30h	32h					
Character	0	0	0	0	2					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	42h	43h	4Dh	49h	30h
Character		V	X	X	:	B	C	M	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	o	o	o

2.129. BRIGHTNESS CONTROL (LINK)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	42h	43h	4Ch	49h	30h	3Dh	2Bh	*1	*3	*5
Character	B	C	L	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					GROUP A				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	GROUP B					GROUP C				
Hexadecimal	30h	30h	30h	30h	32h	30h	30h	30h	30h	33h
Character	0	0	0	0	2	0	0	0	0	3
	GROUP D									
Hexadecimal	30h	30h	30h	30h	34h					
Character	0	0	0	0	4					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	42h	43h	4Ch	49h	30h
Character		V	X	X	:	B	C	L	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	o	o	o

2.130. BRIGHTNESS CONTROL START

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	42h	43h	53h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	B	C	S	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	START				
Hexadecimal	30h	30h	30h	30h	31h
Character	0	0	0	0	1

Response (Call Back)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	42h	43h	53h	49h	30h
Character		V	X	X	:	B	C	S	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	o	o	o

2.131. SCHEDULE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	53h	43h	48h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	S	C	H	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameter (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

Response (CallBack)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	53h	43h	48h	49h	30h
Character		V	X	X	:	S	C	H	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.132. SCHEDULE (PROGRAM EDIT)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	53h	50h	47h	49h	*1	3Dh	2Bh	*3	*5	*7
Character	S	P	G	I	*2	=	+	*4	*6	*8
Hexadecimal	*9	*11	03h							
Character	*10	*12								

Parameters (*1,*2)

	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Hexadecimal	30h	31h	32h	33h	34h	35h	36h
Character	0	1	2	3	4	5	6

Parameter*3, *4, *5, *6, *7, *8, *9, *10, *11, *12)

	OFF					PROGRAM 1					PROGRAM 2				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	PROGRAM 3					PROGRAM 4					PROGRAM 5				
Hexadecimal	30h	30h	30h	30h	33h	30h	30h	30h	30h	34h	30h	30h	30h	30h	35h
Character	0	0	0	0	3	0	0	0	0	4	0	0	0	0	5
	PROGRAM 6					PROGRAM 7									
Hexadecimal	30h	30h	30h	30h	36h	30h	30h	30h	30h	37h					
Character	0	0	0	0	6	0	0	0	0	7					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	53h	50h	47h	49h	*1
Character		V	X	X	:	S	P	G	I	*2
Hexadecimal	3Dh	2Bh	*3	*5	*7	*9	*11	03h		
Character	=	+	*4	*6	*8	*10	*12			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.133. SCHEDULE (TIME, COMMAND)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	53h	43h	43h	53h	*1	3Dh	*3	*5	*7	*9
Character	S	C	C	S	*2	=	*4	*6	*8	*10
Hexadecimal	*11	*13	*15	*17	03h					
Character	*12	*14	*16	*18						

Parameters (*1,*2)

	PROGRAM 1		PROGRAM 2		PROGRAM 3		PROGRAM 4	
Hexadecimal	31h		32h		33h		34h	
Character	1		2		3		4	
	Program 5		Program 6		Program 7			
Hexadecimal	35h		36h		37h			
Character	5		6		7			

Parameters (*3, *4, *5, *6)

	COMMAND 1		COMMAND 2		COMMAND 3		COMMAND 4	
Hexadecimal	30h		31h		30h		34h	
Character	0		1		0		4	
	COMMAND 13		COMMAND 14		COMMAND 15		COMMAND 16	
Hexadecimal	31h		33h		31h		36h	
Character	1		3		1		6	

Parameters (*7, *8, *9, *10)

	COMMAND DELETING		STANBY		PPOWER ON		SHUTTER OPEN		SHUTTER COLOSED	
Hexadecimal	30h	30h	31h	30h	31h	31h	32h	30h	32h	31h
Character	0	0	1	0	1	1	2	0	2	1
	RGB1 INPUT		RGB2 INPUT		Video INPUT		S-Video INPUT		DVI INPUT	
Hexadecimal	33h	31h	33h	32h	34h	31h	34h	32h	35h	31h
Character	3	1	3	2	4	1	4	2	5	1
	SDI INPUT		HDMI INPUT		LUMP POWER HIGH		LAMP POWER LOW		SINGLE LAMP	
Hexadecimal	35h	32h	35h	33h	37h	30h	37h	31h	38h	31h
Character	5	2	5	3	7	0	7	1	8	1
	DUAL LAMP		P IN P OFF		P IN P USER 1		P IN P USER 2		P IN P USER 3	
Hexadecimal	38h	32h	39h	30h	39h	31h	39h	32h	39h	33h
Character	8	2	9	0	9	1	9	2	9	3

	00:00				00:01				00:02			
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	1	0	0	0	2
	23:57				23:58				23:59			
Hexadecimal	32h	33h	35h	37h	32h	33h	35h	38h	32h	33h	35h	39h
Character	2	3	5	7	2	3	5	8	2	3	5	9

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	53h	43h	43h	53h	*1	
Character		V	X	X	:	S	C	C	S	*2	
Hexadecimal	3Dh	2Bh	*3	*5	*7	*9	*11	*13	*15	*17	03h
Character	=	+	*4	*6	*8	*10	*12	*14	*16	*18	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.134. NO SIGNAL SHUT - OFF

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	41h	46h	3Ah
Character		A	D	Z	Z	;	O	A	F	:
Hexadecimal	*1	*3	03h							
Character	*2	*4								

Parameters (*1,*2,*3,*4)

	DISABLE		10MIN.		20MIN.		30MIN.		40MIN.	
Hexadecimal	30h	30h	31h	30h	32h	30h	33h	30h	34h	30h
Character	0	0	1	0	2	0	3	0	4	0
	50MIN.		60MIN.		70MIN.		80MIN.		90Min.	
Hexadecimal	35h	30h	36h	30h	37h	30h	38h	30h	39h	30h
Character	5	0	6	0	7	0	8	0	9	0

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	44h	41h	46h	3Ah	*1	03h
Character		O	A	F	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.135. AJUST CLOCK (Date)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	54h	53h	44h	3Ah
Character		A	D	Z	Z	;	T	S	D	:
Hexadecimal	*y1	*y2	*y3	*y4	*m1	*m2	*d1	*d2	*w	03h
Character										

Parameters

*y1-*y4: Year (4 digits)

*m1-*m2: Month (2 digits)

*d1-*d2: Day (2 digits)

*w: Day of the week(Mon=1, Tue=2, Wed=3, Thu=4, Fri=5, Sat=6, Sun=7)

Set it by UTC (Coordinated Universal Time)

Example: Thursday, August 17, 2010

	*y1	*y2	*y3	*y4	*m1	*m2	*d1	*d2	*w
Hexadecimal	32h	30h	31h	30h	30h	38h	31h	37h	32h
Character	2	0	1	0	0	8	1	7	2

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	54h	53h	44h	3Ah	*y1	*y2	
Character		T	S	D	:			
Hexadecimal	*y3	*y4	*m1	*m2	*d1	*d2	*w	03h
Character								

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.136. ADJUST CLOCK (Time)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	54h	53h	54h	3Ah
Character		A	D	Z	Z	;	T	S	T	:
Hexadecimal	*h1	*h2	*m1	*m2	*s1	*s2	03h			
Character										

Parameters

*h1-*h2: Hour (2 digits)

*m1-*m2: Minute (2 digits)

*s1-*s2: Second (2 digits)

Set it by UTC (Coordinated Universal Time)

Example: 3 seconds at 3:45 p.m.

	*h1	*h2	*m1	*m2	*s1	*s2
Hexadecimal	31h	35h	34h	35h	30h	33h
Character	1	5	4	5	0	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	54h	53h	54h	3Ah		
Character		T	S	T	:		
Hexadecimal	*h1	*h2	*m1	*m2	*s1	*s2	03h
Character							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	x	o	o

2.137. INPUT GUIDE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	49h	44h	3Ah
Character		A	D	Z	Z	;	O	I	D	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	ON
Hexadecimal	30h	31h
Character	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	44h	49h	44h	3Ah	*1	03h
Character		O	I	D	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.138. Warning MESSAGE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	57h	4Dh	44h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	W	M	D	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	57h	4Dh	44h	49h	30h
Character		V	X	X	:	W	M	D	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	o	x	o	o	x	o	o

2.139. OSD DESIGN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	4Fh	44h	3Ah
Character		A	D	Z	Z	;	M	O	D	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	1	2	3	4	5	6
Hexadecimal	30h	31h	32h	33h	34h	35h
Character	0	1	2	3	4	5

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	4Fh	44h	3Ah	*1	03h
Character		M	O	D	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.140. OSD POSITION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	44h	50h	3Ah
Character		A	D	Z	Z	;	O	D	P	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	Top Left	Left Center	Bottom Left	Top Center	Center	Bottom Center
Hexadecimal	31h	32h	33h	34h	35h	36h
Character	1	2	3	4	5	6
	Top Right	Right Center	Bottom Right			
Hexadecimal	37h	38h	39h			
Character	7	8	9			

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	44h	50h	3Ah	*1	03h
Character		O	D	P	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.141. OSD MEMORY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	4Fh	4Dh	59h	49h	30h	3Dh	2Bh	*1	*3	*5
Character	O	M	Y	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	33h
Character	0	0	0	0	0	0	0	0	0	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	4Fh	4Dh	59h	49h	30h
Character		V	X	X	:	O	M	Y	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
Character	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.142. STARTUP LOGO

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	4Ch	4Fh	3Ah
Character		A	D	Z	Z	;	M	L	O	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	OFF	LOGO 1	LOGO 2
Hexadecimal	30h	31h	32h
Character	0	1	2

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	4Ch	4Fh	3Ah	*1	03h
Character		M	L	O	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.143. BACK COLOR

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Fh	42h	43h	3Ah
Character		A	D	Z	Z	;	O	B	C	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	BLUE	BLACK	LOGO 1	LOGO 2
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	42h	43h	3Ah	*1	03h
Character		O	B	C	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	x	o	o	o	o	o

2.144. ACF CONTROL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	4Dh	46h	53h	3Ah
Character		A	D	Z	Z	;	M	F	S	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	Rewind filter	Filter type: NORMAL	Filter type: SPECIAL
Hexadecimal	30h	33h	34h
Character	0	3	4

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Dh	46h	53h	3Ah	*1	03h
Character		M	F	S	:	*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	x	x	o	o	o	o	o

2.145. STANDBY MODE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	56h	58h	58h	3Ah
Character		A	D	Z	Z	;	V	X	X	:
Hexadecimal	53h	54h	4Dh	49h	30h	3Dh	2Bh	*1	*3	*5
Character	S	T	M	I	0	=	+	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	NOMAL					ECO				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	33h
Character	0	0	0	0	0	0	0	0	0	3

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	58h	58h	3Ah	53h	54h	4Dh	49h	30h
Character		V	X	X	:	S	T	M	I	0
Hexadecimal	3Dh	2Bh	*1	*3	*5	*7	*9	03h		
	=	+	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
x	o	o	o	o	o	o	o

2.146. Query Power

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	50h	57h	03h
Character		A	D	Z	Z	;	Q	P	W	

Response (Callback)

OFF

Hexadecimal	02h	30h	30h	31h	03h
Character		0	0	0	

ON

Hexadecimal	02h	30h	30h	31h	03h
Character		0	0	1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	o	o	o	o	o	o	o

2.147. Query FREEZ

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	46h	5Ah	03h
Character		A	D	Z	Z	;	Q	F	Z	

Response (Callback)

OFF

Hexadecimal	02h	31h	03h
Character		0	

ON

Hexadecimal	02h	31h	03h
Character		1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

2.148. Query SHUTTER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	48h	03h
Character		A	D	Z	Z	;	Q	S	H	

Response (Callback)

OFF

Hexadecimal	02h	31h	03h
Character		0	

ON

Hexadecimal	02h	31h	03h
Character		1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.149. Query INPUT SELECT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	49h	4Eh	03h
Character		A	D	Z	Z	;	Q	I	N	

Response (Callback)

RGB1

Hexadecimal	02h	52h	47h	31h	03h
Character		R	G	1	

RGB2

Hexadecimal	02h	52h	47h	32h	03h
Character		R	G	2	

VIDEO

Hexadecimal	02h	56h	49h	44h	03h
Character		V	I	D	

S- VIDEO

Hexadecimal	02h	53h	56h	44h	03h
Character		S	V	D	

DVI

Hexadecimal	02h	44h	56h	49h	03h
Character		D	V	I	

HDMI

Hexadecimal	02h	48h	44h	31h	03h
Character		H	D	1	

SDI(PT-DZ8700/DS8500 only)

Hexadecimal	02h	53	44	49h	03h
Character		S	D	I	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.150. Query TEST PATTERN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	54h	53h	03h
Character		A	D	Z	Z	;	Q	T	S	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	03h
Character		*2	*4	

Parameters (*1,*2,*3,*4)

	OFF		White		Black		Flag		Reversed flag	
Hexadecimal	30h	30h	30h	31h	30h	32h	30h	33h	30h	34h
Character	0	0	0	1	0	2	0	3	0	4
	Window		Reversed window		Focus		Color bar (length)		Lamp	
Hexadecimal	30h	35h	30h	36h	30h	37h	30h	38h	30h	39h
Character	0	5	0	6	0	7	0	8	0	h
	Red		Green		Blue		10% luminance (white)		5% luminance (white)	
Hexadecimal	32h	32h	32h	33h	32h	34h	32h	35h	32h	36h
Character	2	2	2	3	2	4	2	5	2	6
	Cyan		Magenta		Yellow		Color bar (side)			
Hexadecimal	32h	38h	32h	39h	33h	30h	35h	31h		
Character	2	8	2	9	3	0	5	1		

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

2.151. Query ON SCREEN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Fh	53h	03h
Character		A	D	Z	Z	;	Q	O	S	

Response (Callback)

OFF

Hexadecimal	02h	31h	03h
Character		0	

ON

Hexadecimal	02h	31h	03h
Character		1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

2.152. Query INSTALLATION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	50h	03h
Character		A	D	Z	Z	;	Q	S	P	

Response (Callback)

FRONT / FLOOR

Hexadecimal	02h	30h	03h
Character		0	

REAR / FLOOR

Hexadecimal	02h	31h	03h
Character		1	

FRONT / CEILING

Hexadecimal	02h	32h	03h
Character		2	

REAR / CEILING

Hexadecimal	02h	33h	03h
Character		3	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.153. Query FAN CONTROL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	44h	52h	03h
Character		A	D	Z	Z	;	Q	D	R	

Response (Callback)

FLOOR

	FLOOR			VERTICAL UP		
Hexadecimal	02h	30h	03h	02h	32h	03h
Character		0			2	

CEILING

	CEILING			VERTICAL DOWN		
Hexadecimal	02h	31h	03h	02h	33h	03h
Character		1			3	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.154. Query HIGH ALTITUDE MODE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	46h	4Dh	03h
Character		A	D	Z	Z	;	Q	F	M	

Response

STANDARD

Hexadecimal	02h	30h	03h
Character		0	

HIGH ALTITUDE

Hexadecimal	02h	32h	03h
Character		1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.155. Query PROJECTOR ROUTINE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	54h	03h
Character		A	D	Z	Z	;	Q	S	T	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	*9	03h
Character		*2	*4	*6	*8	*10	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0h					1h				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	99998h					99999h				
Hexadecimal	39h	39h	39h	39h	38h	39h	39h	39h	39h	39h
Character	9	9	9	9	8	9	9	9	9	9

2.156. Query LAMP 1 RUNTIME

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	24h	4Ch	3Ah
Character		A	D	Z	Z	;	Q	\$	L	:
Hexadecimal	31h	03h								
Character	1									

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

Answered time = (LAMP RUNTIME in HIGH power) + ((LAMP RUNTIME in LOW power) × 3÷4)

	0 h					1 h				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	31h	
Character	0	0	0	0	0	0	0	0	1	
	9998 h					9999 h				
Hexadecimal	39h	39h	39h	38h	39h	39h	39h	39h	39h	
Character	9	9	9	8	9	9	9	9	9	

2.157. Query LAMP2 RUNTIME

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	24h	4Ch	3Ah
Character		A	D	Z	Z	;	Q	\$	L	:
Hexadecimal	32h	03h								
Character	2									

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

Answered time = (LAMP RUNTIME in HIGH power) + ((LAMP RUNTIME in LOW power) × 3÷4)

	0 h				1 h			
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	1
	9998 h				9999 h			
Hexadecimal	39h	39h	39h	38h	39h	39h	39h	39h
Character	9	9	9	8	9	9	9	9

2.158. Query LAMP SELECT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	4Ch	03h
Character		A	D	Z	Z	;	Q	S	L	

Response (Callback)

DUAL

Hexadecimal	02h	30h	03h
Character		0	

SINGLE

Hexadecimal	02h	31h	03h
Character		1	

LAMP1

Hexadecimal	02h	31h	03h
Character		2	

LAMP2

Hexadecimal	02h	33h	03h
Character		3	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

2.159. Query LAMP Status

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	24h	53h	03h
Character		A	D	Z	Z	;	Q	\$	S	

Response (Callback)

Lamp ON

Hexadecimal	02h	30h	03h
Character		0	

In turning ON

Hexadecimal	02h	31h	03h
Character		1	

Lamp ON

Hexadecimal	02h	32h	03h
Character		2	

Lamp cleaning

Hexadecimal	02h	33h	03h
Character		3	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

2.160. Query LAMP POWER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	50h	03h
Character		A	D	Z	Z	;	Q	L	P	

Response (Callback)

HIGH

Hexadecimal	02h	30h	03h
Character		0	

LOW

Hexadecimal	02h	31h	03h
Character		1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

2.161. Query LAMP SELECT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	53h	03h
Character		A	D	Z	Z	;	Q	L	S	

Response (Callback)

Lamp1 OFF, Lamp2 OFF

Hexadecimal	02h	30h	03h
Character		0	

Lamp1 ON, Lamp2 OFF

Hexadecimal	02h	31h	03h
Character		1	

Lamp1 OFF, Lamp2 ON

Hexadecimal	02h	32h	03h
Character		2	

Lamp1 ON, Lamp2 ON

Hexadecimal	02h	33h	03h
Character		3	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

2.162. Query LAMP RELAY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	88h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	4Ch	52h	59h	49h	30h	03h				
Character	L	R	Y	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Ch	52h	59h	49h	30h	3Dh	2Bh
Character		L	R	Y	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					00:01					00:02				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	23:58					23:59					00:00				
Hexadecimal	30h	32h	33h	35h	38h	30h	32h	33h	35h	39h	30h	32h	34h	30h	30h
Character	0	2	3	5	8	0	2	3	5	9	0	2	4	0	0

2.163. Query ID ALL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	59h	03h
Character		A	D	Z	Z	;	Q	V	Y	

Response (Callback)

OFF

Hexadecimal	02h	30h	03h
Character		0	

ON

Hexadecimal	02h	31h	03h
Character		1	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.164. Query FUNCTION BUTTON

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	46h	43h	03h
Character		A	D	Z	Z	;	Q	F	C	

Response (Callback)

DISABLE

Hexadecimal	02h	30h	03h
Character		0	

SYSTEM SELECTOR

Hexadecimal	02h	31h	03h
Character		1	

SYSTEM DAYLIGHT VIEW

Hexadecimal	02h	32h	03h
Character		2	

SUB MEMORY LIST

Hexadecimal	02h	33h	03h
Character		3	

FREEZE

Hexadecimal	02h	34h	03h
Character		4	

P IN P

Hexadecimal	02h	35h	03h
Character		5	

WAVEFORM MONITOR

Hexadecimal	02h	36h	03h
Character		6	

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.165. Query Usage Condition of Sub MEMORY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	42h	03h
Character		A	D	Z	Z	;	Q	S	B	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	03h
Character		*2	*4	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4)

Calls back ER401 when the sub memory is not used.

	01		02		03		04	
Hexadecimal	30h	31h	30h	32h	30h	33h	30h	34h
Character	0	1	0	2	0	3	0	4
	93		94		95		96	
Hexadecimal	39h	33h	39h	34h	39h	35h	39h	36h
Character	9	3	9	4	9	5	9	6

2.166. Query PICTURE MODE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	50h	4Dh	03h
Character		A	D	Z	Z	;	Q	P	M	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	Natural			Standard			Dynamic		
Hexadecimal	4Eh	41h	54h	4Eh	41h	54h	4Eh	41h	54h
Character	N	A	T	N	A	T	N	A	T
	Cinema			Graphic			Simple DICOM		
Hexadecimal	43h	49h	4Eh	43h	49h	4Eh	43h	49h	4Eh
Character	C	I	N	C	I	N	C	I	N
	USER								
Hexadecimal	55h	53h	52h						
Character	U	S	R						

2.167. Query COLOR

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	43h	03h
Character		A	D	Z	Z	;	Q	V	C	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-31			-30			-29		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	+29			+30			+31		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

2.168. Query TINT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	54h	03h
Character		A	D	Z	Z	;	Q	V	T	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-31			-30			-29		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	+29			+30			+31		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

2.169. Query COLOR TEMPERATURE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	54h	45h	03h
Character		A	D	Z	Z	;	Q	T	E	

Response (Callback)

DEFAULT

Hexadecimal	02h	31h	30h	03h
Character		1	0	

USER1

Hexadecimal	02h	34h	03h
Character		4	

USER2

Hexadecimal	02h	39h	03h
Character		9	

When color temperature value is setting.

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

DEFAULT/USE1/USER2

	3200K				3300K			
Hexadecimal	33h	32h	30h	30h	33h	33h	30h	30h
Character	3	2	0	0	3	3	0	0
	9200K				9300K			
Hexadecimal	39h	32h	30h	30h	39h	33h	30h	30h
Character	9	2	0	0	9	3	0	0

2.170. Query WHITE BALANCE LOW - RED

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Fh	52h	03h
Character		A	D	Z	Z	;	Q	O	R	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	124			125			126		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

2.171. Query WHITE BALANCE LOW - GREEN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Fh	47h	03h
Character		A	D	Z	Z	;	Q	O	G	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	31h	30h	30h	31h	30h	30h	31h
Character	0	0	1	0	0	1	0	0	1
	124			125			126		
Hexadecimal	32h	35h	33h	32h	35h	33h	32h	35h	33h
Character	2	5	3	2	5	3	2	5	3

2.172. Query WHITE BALANCE LOW - BLUE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Fh	42h	03h
Character		A	D	Z	Z	;	Q	O	B	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	31h	30h	30h	31h	30h	30h	31h
Character	0	0	1	0	0	1	0	0	1
	124			125			126		
Hexadecimal	32h	35h	33h	32h	35h	33h	32h	35h	33h
Character	2	5	3	2	5	3	2	5	3

2.173. Query WHITE BALANCE HIGH - RED

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	48h	52h	03h
Character		A	D	Z	Z	;	Q	H	R	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

2.174. Query WHITE BALANCE HIGH - GREEN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	48h	47h	03h
Character		A	D	Z	Z	;	Q	H	G	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

2.175. Query WHITE BALANCE HIGH - BULE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	48h	42h	03h
Character		A	D	Z	Z	;	Q	H	B	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

2.176. Query CONTRAST

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	52h	03h
Character		A	D	Z	Z	;	Q	V	R	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-31			-30			-29		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	+29			+30			+31		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

2.177. Query BRIGHTNESS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	42h	03h
Character		A	D	Z	Z	;	Q	V	B	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-31			-30			-29		
Hexadecimal	30h	30h	31h	30h	30h	32h	30h	30h	33h
Character	0	0	1	0	0	2	0	0	3
	+29			+30			+31		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

2.178. Query GAMMA

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	47h	42h	03h
Character		A	D	Z	Z	;	Q	G	A	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	1.0			1.8			2.0		
Hexadecimal	31h	2Eh	30h	31h	2Eh	31h	32h	2Eh	30h
Character	1	.	0	1	.	8	2	.	0
	2.1			2.2			2.3		
Hexadecimal	32h	2Eh	31h	32h	2Eh	32h	32h	2Eh	33h
Character	2	.	1	2	.	2	2	.	3

	2.4			2.5			2.6		
Hexadecimal	32h	2Eh	34h	32h	2Eh	35h	32h	2Eh	36h
Character	2	.	4	2	.	5	2	.	6
	2.7			2.8			USER1		
Hexadecimal	32h	2Eh	37h	32h	2Eh	38h	55h	53h	31h
Character	2	.	7	2	.	8	U	S	1
	USER2			DICOM			DEFAULT		
Hexadecimal	55h	53h	32h	44h	49h	43h	44h	45h	46h
Character	U	S	2	D	I	C	D	E	F

2.179. Query SYSTEM DAYLIGHT VIEW

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	88h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	44h	4Ch	56h	49h	30h	03h				
Character	D	L	V	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	44h	4Ch	56h	49h	30h	3Dh	2Bh
Character		D	L	V	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	x	x	o	o	o	o	o

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					1					2				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	3														
Hexadecimal	30h	30h	30h	30h	33h										
Character	0	0	0	0	3										

2.180. Query SHARPNESS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	53h	03h
Character		A	D	Z	Z	;	Q	V	S	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	x	x	x	o	o	o	o

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	13			14			15		
Hexadecimal	30h	31h	33h	30h	31h	34h	30h	31h	35h
Character	0	1	3	0	1	4	0	1	5

2.181. Query NOISE REDUCTION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Eh	53h	03h
Character		A	D	Z	Z	;	Q	N	S	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	x	x	x	o	o	o	o

Parameters (*1,*2)

	OFF		1		2		3	
Hexadecimal	30h		31h		32h		33h	
Character	0		1		2		3	

2.182. Query DYNAMIC IRIS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	41h	49h	03h
Character		A	D	Z	Z	;	Q	A	I	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2)

	OFF	1	2	3
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

2.183. Query DYNAMIC IRIS (AOUT)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	41h	49h	3Ah
Character		A	D	Z	Z	;	Q	A	I	:
Hexadecimal	41h	*1	*3	*5	03h					
Character	A	*2	*4	*6						

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	OFF			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

2.184. Query DYNAMIC IRIS (MANUAL)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	41h	49h	3Ah
Character		A	D	Z	Z	;	Q	A	I	:
Hexadecimal	4Dh	*1	*3	*5	03h					
Character	M	*2	*4	*6						

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	OFF			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

2.185. Query DYNAMIC IRIS (GAMMA)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	41h	49h	3Ah
Character		A	D	Z	Z	;	Q	A	I	:
Hexadecimal	44h	*1	03h							
Character	D	*2								

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2)

	OFF	1	2	3
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

2.186. Query DIGITAL CINEMA REALITY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	50h	44h	03h
Character		A	D	Z	Z	;	Q	P	D	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2)

	AUTO	OFF	30p/25p FIXED
Hexadecimal	30h	31h	31h
Character	0	1	1

2.187. Query TV - SYSTEM

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	47h	03h
Character		A	D	Z	Z	;	Q	S	G	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	AUTO			NTSC						
Hexadecimal	41h	54h	31h	4Eh	54h	53h				
Character	A	T	1	N	T	S				
	NTSC4.43			PAL			PAL-M			
Hexadecimal	4Eh	34h	34h	50h	41h	4Ch	50h	41h	4Dh	
Character	N	4	4	P	A	L	P	A	M	
	PAL-N			SECAM			PAL60			
Hexadecimal	50h	41h	4Eh	53h	45h	43h	50h	36h	30h	
Character	P	A	N	S	E	C	P	6	0	

2.188. Query SHIFT HORIZONTAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	54h	48h	03h
Character		A	D	Z	Z	;	Q	T	H	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	0				1				2			
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	1	0	0	0	2
	4093				4094				4095			
Hexadecimal	34h	30h	39h	33h	34h	30h	39h	34h	34h	30h	39h	35h
Character	4	0	9	3	4	0	9	4	4	0	9	5

2.189. Query SHIFT VERTICAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	54h	56h	03h
Character		A	D	Z	Z	;	Q	T	V	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	1				2				3			
Hexadecimal	30h	30h	30h	31h	30h	30h	30h	32h	30h	30h	30h	33h
Character	0	0	0	1	0	0	0	2	0	0	0	3
	4092				4093				4095			
Hexadecimal	34h	30h	39h	32h	34h	30h	39h	33h	34h	30h	39h	35h
Character	4	0	9	2	4	0	9	3	4	0	9	5

2.190. Query RASTER POSITION HORIZONTAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	52h	48h	03h
Character		A	D	Z	Z	;	Q	R	H	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	-2048				-2047			
Hexadecimal	32h	39h	35h	32h	32h	39h	35h	33h
Character	2	9	5	2	2	9	5	3
	+2046				+2047			
Hexadecimal	37h	30h	34h	36h	37h	30h	34h	37h
Character	7	0	4	6	7	0	4	7

2.191. Query RASTER POSITION VERTICAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	52h	56h	03h
Character		A	D	Z	Z	;	Q	R	V	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	-2048				-2047			
Hexadecimal	32h	39h	35h	32h	32h	39h	35h	33h
Character	2	9	5	2	2	9	5	3
	+2046				+2047			
Hexadecimal	37h	30h	34h	36h	37h	30h	34h	37h
Character	7	0	4	6	7	0	4	7

2.192. Query ASPECT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	45h	03h
Character		A	D	Z	Z	;	Q	S	E	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	03h
Character		*2	*4	

Acceptability

SECURITY	STNDBY	ECO SYNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4)

Input terminal: VIDEO, Input signal: NTSC

	VID AUTO		4:3		16:9		THROUGH		HV FIT		
Hexadecimal	30h		31h		32h		35h		36h		
Character	0		1		2		5		6		
	H FIT		V FIT								
Hexadecimal	39h		31h		30h						
Character	9		1		0						

Input terminal: VIDEO, Input signal: Other than NTSC

	STANDARD		4:3		16:9		THROUGH		HV FIT			
Hexadecimal	30h		31h		32h		35h		36h			
Character	0		1		2		5		6			
	H FIT		V FIT									
Hexadecimal	39h		31h								30h	
Character	9		1								0	

Input terminal: S-VIDEO, Input signal: NTSC

	VID AUTO (Prior)		4:3		16:9		THROUGH		HV FIT	
Hexadecimal	30h		31h		32h		35h		36h	
Character	0		1		2		5		6	
	H FIT		V FIT		S1 AUTO		VID AUTO			
Hexadecimal	39h		31h		30h		32h		33h	
Character	9		1		0		2		3	

Input terminal: S-VIDEO, Input signal: Other than NTSC

	STANDARD	4:3	16:9	THROUGH	HV FIT
Hexadecimal	30h	31h	32h	35h	36h
Character	0	1	2	5	6
	H FIT	V FIT			
Hexadecimal	39h	31h	30h		
Character	9	1	0		

Input terminal: Other than VIDEO/S-VIDEO

	STANDARD	4:3	16:9	THROUGH	HV FIT
Hexadecimal	30h	31h	32h	35h	36h
Character	0	1	2	5	6
	H FIT	V FIT			
Hexadecimal	39h	31h	30h		
Character	9	1	0		

2.193. Query ZOOM - H

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	5Ah	48h	03h
Character		A	D	Z	Z	;	Q	Z	H	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	×	○

Parameters (*1,*2,*3,*4,*5,*6)

	50			51			52		
Hexadecimal	30h	35h	30h	30h	35h	31h	30h	35h	32h
Character	0	5	0	0	5	1	0	5	2
	997			998			999		
Hexadecimal	39h	39h	37h	39h	39h	38h	39h	39h	39h
Character	9	9	7	9	9	8	9	9	9

2.194. Query ZOOM - V

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	5Ah	56h	03h
Character		A	D	Z	Z	;	Q	Z	V	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	×	○

Parameters (*1,*2,*3,*4,*5,*6)

	50			51			52		
Hexadecimal	30h	35h	30h	30h	35h	31h	30h	35h	32h
Character	0	5	0	0	5	1	0	5	2
	997			998			999		
Hexadecimal	39h	39h	37h	39h	39h	38h	39h	39h	39h
Character	9	9	7	9	9	8	9	9	9

2.195. Query ZOOM - H V

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	5Ah	4Fh	03h
Character		A	D	Z	Z	;	Q	Z	O	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	×	○

Parameters (*1,*2,*3,*4,*5,*6)

	50			51			52		
Hexadecimal	30h	35h	30h	30h	35h	31h	30h	35h	32h
Character	0	5	0	0	5	1	0	5	2
	997			998			999		
Hexadecimal	39h	39h	37h	39h	39h	38h	39h	39h	39h
Character	9	9	7	9	9	8	9	9	9

2.196. Query ZOOM INTERLOCKED

Hexadecimal I	02h	41h	44h	5Ah	5Ah	3Bh	51h	5Ah	53h	03h
Character		A	D	Z	Z	;	Q	Z	S	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	x	x	x	○	○	x	○

Parameters (*1,*2)

	OFF	ON
Hexadecimal	30h	31h
Character	0	1

2.197. Query CLOCK PHASE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	43h	50h	03h
Character		A	D	Z	Z	;	Q	C	P	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY		STNDBY		ECO STNDBY		NO SIGNAL		SHUTTER		FREEZE		TEST PATTERN		REMOTE2	
○		x		x		x		○		○		○		○	
VIDEO		S-VIDEO		RGB1	RGB2	YP _B P _R 1		YP _B P _R 2		DVI		HDMI		SDI	
x		x		○	○	○		○		x		x		x	

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	61			62			63		
Hexadecimal	30h	36h	31h	30h	36h	32h	30h	36h	33h
Character	0	6	1	0	6	2	0	6	3

2.198. Query INPUT RESOLUTION – TOTAL DOTS

Hexadecimal I	02h	41h	44h	5Ah	5Ah	3Bh	51h	54h	44h	03h
Character		A	D	Z	Z	;	Q	T	D	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY		NO SIGNAL		SHUTTER		FREEZE		TEST PATTERN		REMOTE2	
○	x	x		x		○		○		○		○	
VIDEO	S-VIDEO	RGB1	RGB2	YP _B P _R 1		YP _B P _R 2		DVI		HDMI		SDI	
x	x	○	○	x		x		x		x		x	

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	330				331			
Hexadecimal	30h	33h	33h	30h	30h	33h	33h	31h
Character	0	3	3	0	0	3	3	1
	4095				4096			
Hexadecimal	34h	30h	39h	35h	34h	30h	39h	36h
Character	4	0	9	5	4	0	9	6

2.199. Query INPUT RESOLUTION – DISPLAY DOTS

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	44h	44h	03h
Character		A	D	Z	Z	;	Q	D	D	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2	
○	x	x	x	○	○	○	○	
VIDEO	S-VIDEO	RGB1	RGB2	YP _B P _R 1	YP _B P _R 2	DVI	HDMI	SDI
x	x	○	○	x	x	x	x	x

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	300				301			
Hexadecimal	30h	33h	30h	30h	30h	33h	30h	31h
Character	0	3	0	0	0	3	0	1
	2065				2066			
Hexadecimal	32h	30h	36h	35h	32h	30h	36h	36h
Character	2	0	6	5	2	0	6	6

2.200. Query INPUT RESOLUTION - TOTAL LINES

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	54h	4Ch	03h
Character		A	D	Z	Z	;	Q	T	L	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY		NO SIGNAL		SHUTTER		FREEZE		TEST PATTERN		REMOTE2	
○	×	×		×		○		○		○		○	
VIDEO	S-VIDEO	RGB1	RGB2	YP _B PR1		YP _B PR2		DVI		HDMI		SDI	
×	×	○	○	×		×		×		×		×	

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	306				307			
Hexadecimal	30h	33h	30h	36h	30h	33h	30h	37h
Character	0	3	0	6	0	3	0	7
	2046				2047			
Hexadecimal	32h	30h	34h	36h	32h	30h	34h	37h
Character	2	0	4	6	2	0	4	7

2.201. Query INPUT RESOLUTION - DISPLAY LINES

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	44h	4Ch	03h
Character		A	D	Z	Z	;	Q	D	L	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	*7	03h
Character		*2	*4	*6	*8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2	
○	×	×	×	○	○	○	○	
VIDEO	S-VIDEO	RGB1	RGB2	YP _B PR1	YP _B PR2	DVI	HDMI	SDI
×	×	○	○	×	×	×	×	×

Parameters (*1,*2,*3,*4,*5,*6,*7,*8)

	300				301			
Hexadecimal	30h	33h	30h	30h	30h	33h	30h	31h
Character	0	3	0	0	0	3	0	1
	1199				1200			
Hexadecimal	31h	31h	39h	39h	31h	32h	30h	30h
Character	1	1	9	9	1	2	0	0

2.202. Query BLANKING - UPPER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	55h	03h
Character		A	D	Z	Z	;	Q	L	U	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	0				1		2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2

PT-DZ8700

	597			598			599		
Hexadecimal	35h	39h	37h	35h	39h	37h	35h	39h	37h
Character	5	9	7	5	9	7	5	9	7

PT-DS8500

	522			523			524		
Hexadecimal	35h	32h	32h	35h	32h	32h	35h	32h	32h
Character	5	2	2	5	2	2	5	2	2

PT-DW8300

	381			382			383		
Hexadecimal	33h	38h	31h	33h	38h	31h	33h	38h	31h
Character	3	8	1	3	8	1	3	8	1

2.203. Query BLANKING - LOWER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	42h	03h
Character		A	D	Z	Z	;	Q	L	B	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2

PT-DZ8700

	597			598			599		
Hexadecimal	35h	39h	37h	35h	39h	37h	35h	39h	37h
Character	5	9	7	5	9	7	5	9	7

PT-DS8500

	522			523			524		
Hexadecimal	35h	32h	32h	35h	32h	32h	35h	32h	32h
Character	5	2	2	5	2	2	5	2	2

PT-DW8300

	381			382			383		
Hexadecimal	33h	38h	31h	33h	38h	31h	33h	38h	31h
Character	3	8	1	3	8	1	3	8	1

2.204. Query BLANKING - RIGHT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	52h	03h
Character		A	D	Z	Z	;	Q	L	R	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

PT-DZ8700

	957			958			959		
Hexadecimal	39h	35h	37h	39h	35h	37h	39h	35h	37h
Character	9	5	7	9	5	7	9	5	7

PT-DS8500

	697			698			699		
Hexadecimal	36h	39h	37h	36h	39h	37h	36h	39h	37h
Character	6	9	7	6	9	7	6	9	7

PT-DW8300

	680			681			682		
Hexadecimal	36h	38h	30h	36h	38h	30h	36h	38h	30h
Character	6	8	0	6	8	0	6	8	0

2.205. Query BLANKING - LEFT

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	4Ch	03h
Character		A	D	Z	Z	;	Q	L	L	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2

PT-DZ8700

	957			958			959		
Hexadecimal	39h	35h	37h	39h	35h	37h	39h	35h	37h
Character	9	5	7	9	5	7	9	5	7

PT-DS8500

	697			698			699		
Hexadecimal	36h	39h	37h	36h	39h	37h	36h	39h	37h
Character	6	9	7	6	9	7	6	9	7

PT-DW8300

	680			681			682		
Hexadecimal	36h	38h	30h	36h	38h	30h	36h	38h	30h
Character	6	8	0	6	8	0	6	8	0

2.206. Query FRAME DELAY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	46h	44h	59h	49h	30h	03h				
Character	F	D	Y	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	46h	44h	59h	49h	30h	3Dh	2Bh
Character		F	D	Y	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	Standard					Short				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

2.207. Query EDGE BLENDING

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	45h	44h	42h	49h	30h	03h				
Character	E	D	B	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	45h	44h	42h	49h	30h	3Dh	2Bh
Character		E	D	B	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	オフ					オン					ユーザー				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2

2.208. Query COLOR MATCHING

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	43h	4D4h	41h	49h	30h	03h				
Character	C	M	A	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	43h	4D4h	41h	49h	30h	3Dh	2Bh
Character		C	M	A	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					3COLORS					7COLORS				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	709MODE					MEASURED									
Hexadecimal	30h	30h	30h	30h	33h	30h	30h	30h	30h	34h					
Character	0	0	0	0	3	0	0	0	0	4					

2.209. Query CLAMP POSITION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	54h	03h
Character		A	D	Z	Z	;	Q	L	T	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2	
○	x	x	x	○	○	○	○	
VIDEO	S-VIDEO	RGB1	RGB2	YP _B P _R 1	YP _B P _R 2	DVI	HDMI	SDI
x	x	○	○	○	○	x	x	x

Parameter (*1,*2,*3,*4,*5,*6)

	0			1			2		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	253			254			255		
Hexadecimal	32h	35h	33h	32h	35h	34h	32h	35h	35h
Character	2	5	3	2	5	4	2	5	5

2.210. Query KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Bh	53h	03h
Character		A	D	Z	Z	;	Q	K	S	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	x	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	+125			+126			+127		
Hexadecimal	32h	35h	32h	32h	35h	33h	32h	35h	34h
Character	2	5	2	2	5	3	2	5	4

Note:

- For PT-DZ8700/DS8500, ER401 is returned.

2.211. Query SUB KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	4Bh	03h
Character		A	D	Z	Z	;	Q	S	K	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	x	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-63			-62			-61		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	+61			+62			+63		
Hexadecimal	31h	32h	34h	31h	32h	35h	31h	32h	36h
Character	1	2	4	1	2	5	1	2	6

Note:

- For PT-DZ8700/DS8500, ER401 is returned.

2.212. Query LINEARITY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	49h	03h
Character		A	D	Z	Z	;	Q	L	I	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	-127			-126			-125		
Hexadecimal	30h	30h	30h	30h	30h	31h	30h	30h	32h
Character	0	0	0	0	0	1	0	0	2
	+125			+126			+127		
Hexadecimal	32h	35h	32h	32h	35h	33h	32h	35h	34h
Character	2	5	2	2	5	3	2	5	4

Note:

- For PT-DZ8700/DS8500, ER401 is returned.

2.213. Query GEOMETRY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	4Dh	49h	30h	03h				
Character	G	M	M	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	4Dh	49h	30h	3Dh	2Bh	*1	*3
Character		G	M	M	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					KEYSTONE				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	CURVED					PC				
Hexadecimal	30h	30h	30h	30h	32h	30h	30h	30h	30h	33h
Character	0	0	0	0	2	0	0	0	0	3

Note:

- For PT-DW8300, ER401 is returned.

2.214. Query GEOMETRY: KEYSTONE - VERTICAL KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	4Bh	49h	31h	03h				
Character	G	M	K	I	1					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	4Bh	49h	31h	3Dh	*1	*3	*5
Character		G	M	K	I	1	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DW8300, ER401 is returned.

2.215. Query GEOMETRY: KEYSTONE - VERTICAL SUB KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	4Bh	49h	32h	03h				
Character	G	M	K	I	2					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	4Bh	49h	32h	3Dh	*1	*3	*5
Character		G	M	K	I	2	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-63						-62					
Hexadecimal	2Dh	30h	30h	30h	36h	33h	2Dh	30h	30h	30h	36h	32h
Character	—	0	0	0	6	3	—	0	0	0	6	2
	62						63					
Hexadecimal	2Bh	30h	30h	30h	36h	32h	2Bh	30h	30h	30h	36h	33h
Character	+	0	0	0	6	2	+	0	0	0	6	3

Note:

- For PT-DW8300, ER401 is returned.

2.216. Query GEOMETRY: KEYSTONE - HORIZONTAL KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	4Bh	49h	35h	03h				
Character	G	M	K	I	5					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	4Bh	49h	35h	3Dh	*1	*3	*5
Character		G	M	K	I	5	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DW8300, ER401 is returned.

2.217. Query GEOMETRY: KEYSTONE - HORIZONTAL SUB KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	4Bh	49h	36h	03h				
Character	G	M	K	I	6					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	4Bh	49h	36h	3Dh	*1	*3	*5
Character		G	M	K	I	6	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-63						-62					
Hexadecimal	2Dh	30h	30h	30h	36h	33h	2Dh	30h	30h	30h	36h	32h
Character	—	0	0	0	6	3	—	0	0	0	6	2
	62						63					
Hexadecimal	2Bh	30h	30h	30h	36h	32h	2Bh	30h	30h	30h	36h	33h
Character	+	0	0	0	6	2	+	0	0	0	6	3

Note:

- For PT-DW8300, ER401 is returned.

2.218. Query GEOMETRY: KEYSTONE - LINEARITY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	4Bh	49h	33h	03h				
Character	G	M	K	I	3					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	4Bh	49h	33h	3Dh	*1	*3	*5
Character		G	M	K	I	3	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DW8300, ER401 is returned.

2.219. Query GEOMETRY: CURVED - LENS THROW RATIO

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	43h	53h	30h	03h				
Character	G	M	C	S	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	43h	53h	30h	3Dh	*1	*3	*5
Character		G	M	C	S	0	=	*2	*4	*6
Hexadecimal	*7	*9	03h							
Character	*8	*10								

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0.70					0.90				
Hexadecimal	30h	2Eh	37h	30h		30h	2Eh	39h	30h	
Character	0	.	7	0		0	.	9	0	
	16.40					16.50				
Hexadecimal	31h	36h	2Eh	34h	30h	31h	36h	2Eh	35h	30h
Character	1	6	.	4	0	1	6	.	5	0

Note:

- For PT-DW8300, ER401 is returned.

2.220. Query GEOMETRY: CURVED - VERTICAL KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	43h	49h	31h	03h				
Character	G	M	C	I	1					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	43h	49h	31h	3Dh	*1	*3	*5
Character		G	M	C	I	1	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DW8300, ER401 is returned.

2.221. Query GEOMETRY: CURVED - HORIZONTAL KEYSTONE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	43h	49h	35h	03h				
Character	G	M	C	I	5					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	43h	49h	35h	3Dh	*1	*3	*5
Character		G	M	C	I	5	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DW8300, ER401 is returned.

2.222. Query GEOMETRY: CURVED – VERTICAL ARK

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	43h	49h	33h	03h				
Character	G	M	C	I	3					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	43h	49h	33h	3Dh	*1	*3	*5
Character		G	M	C	I	3	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DW8300, ER401 is returned.

2.223. Query GEOMETRY: CURVED – HORIZONTAL ARC

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	43h	49h	37h	03h				
Character	G	M	C	I	7					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	43h	49h	37h	3Dh	*1	*3	*5
Character		G	M	C	I	7	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DW8300, ER401 is returned.

2.224. GEOMETRY: CURVED - VERICAL BALANCE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	43h	49h	32h	03h				
Character	G	M	C	I	2					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	43h	49h	32h	3Dh	*1	*3	*5
Character		G	M	C	I	2	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DZ8700/DS8500, ER401 is returned.

2.225. Query GEOMETRY: CURVED - HORIZONTAL BALNCE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	47h	4Dh	43h	49h	36h	03h				
Character	G	M	C	I	6					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	47h	4Dh	43h	49h	36h	3Dh	*1	*3	*5
Character		G	M	C	I	6	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	-127						-126					
Hexadecimal	2Dh	30h	30h	31h	32h	37h	2Dh	30h	30h	31h	32h	36h
Character	—	0	0	1	2	7	—	0	0	1	2	6
	126						127					
Hexadecimal	2Bh	30h	30h	31h	32h	36h	2Bh	30h	30h	31h	32h	37h
Character	+	0	0	1	2	6	+	0	0	1	2	7

Note:

- For PT-DW8300, ER401 is returned.

2.226. Query DISPLAY LANGUAGE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	47h	03h
Character		A	D	Z	Z	;	Q	L	G	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	English			German			French		
Hexadecimal	45h	4Eh	47h	44h	45h	55h	46h	52h	41h
Character	E	N	G	D	E	U	F	R	A
	Spanish			Italian			Japanese		
Hexadecimal	45h	53h	50h	49h	54h	4Ch	4Ah	50h	4Eh
Character	E	S	P	I	T	L	J	P	N
	Chinese			Russian			Korean		
Hexadecimal	43h	48h	49h	52h	55h	53h	4Bh	4Fh	52h
Character	C	H	I	R	U	S	K	O	R

2.227. Query SCREEN FORMAT

Hexadecimal I	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	46h	03h
Character		A	D	Z	Z	;	Q	S	F	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	x	○	○	○	○	○

Parameters (*1,*2)

	16:10 □1	16:9	4:3
Hexadecimal	30h	31h	32h
Character	0	1	2

*1: This is returned to PT-DZ8700

Note:

- For PT-DW8300, ER401 is returned.

2.228. Query SCREEN POSITION Vertical

Hexadecimal I	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal I	56h	53h	50h	49h	30h	03h				
Character	V	S	P	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	53h	50h	49h	30h	3Dh	*1	*3	*5
Character		V	S	P	I	0	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	x	x	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

PT-DZ8700, SCREEN FORMAT: 16:9

	-60						-59					
Hexadecimal	2Dh	30h	2Dh	30h	2Dh	30h	2Dh	30h	2Dh	30h	2Dh	30h
Character	—	0	—	0	—	0	—	0	—	0	—	0
	59						60					
Hexadecimal	2Bh	30h	2Bh	30h	2Bh	30h	2Bh	30h	2Bh	30h	2Bh	30h
Character	+	0	+	0	+	0	+	0	+	0	+	0

PT-DS8500, SCREEN FORMAT: 16:9

	-132						-131					
Hexadecimal	2Dh	30h	2Dh	30h	2Dh	30h	2Dh	30h	2Dh	30h	2Dh	30h
Character	—	0	—	0	—	0	—	0	—	0	—	0
	130						131					
Hexadecimal	2Bh	30h	2Bh	30h	2Bh	30h	2Bh	30h	2Bh	30h	2Bh	30h
Character	+	0	+	0	+	0	+	0	+	0	+	0

Notes:

- For PT-DW8300, ER401 is returned.
- For PT-DZ8700, with SCREEN FORMAT: 4:3 or 16:9, ER401 is returned
- For PT-DS8500, with SCREEN FORMAT: 4:3, ER401 is returned

2.229. Query SCREEN POSITION Horizontal

Hexadecimal I	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal I	48h	53h	50h	49h	30h	03h				
Character	H	S	P	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	48h	53h	50h	49h	30h	3Dh	*1	*3	*5
Character		H	S	P	I	0	=	*2	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	x	x	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

PT-DZ8700, SCREEN FORMAT: 4:3

	-160						-159					
Hexadecimal	2Dh	30h	30h	31h	36h	30h	2Dh	30h	30h	31h	35h	39h
Character	—	0	0	1	6	0	—	0	0	1	5	9
	159						160					
Hexadecimal	2Bh	30h	30h	31h	35h	39h	2Bh	30h	30h	31h	36h	30h
Character	+	0	0	1	5	9	+	0	0	1	6	0

Note:

- If specifying it for PT-DS8500/DW8300, ER401 is returned.
- For PT-DZ8700, with SCREEN FORMAT: 16:9 or 16:10, ER401 is returned.

2.230. Query Temperature

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	54h	4Dh	3Ah
Character		A	D	Z	Z	;	Q	T	M	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	INTAKE AIR TEMP.	AROUND LAMP TEMP.	OPTICS MODULE TEMP.
Hexadecimal	30h	31h	32h
Character	0	1	2

Response (Callback)

For 20 degrees Celsius

		Celsius						Fahrenheit			
Hexadecimal	02h	2Dh	30h	32h	30h	2Fh	2Dh	30h	30h	34h	03h
Character		-	0	2	0	/	-	0	0	4	

For 120 degrees Celsius

		Celsius						Fahrenheit			
Hexadecimal	02h	30h	31h	32h	30h	2Fh	30h	32h	34h	38h	03h
Character		0	1	2	0	/	0	2	4	8	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.231. Query Date

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	47h	44h	03h
Character		A	D	Z	Z	;	Q	G	D	

Response (Callback)

Hexadecimal	02h	*y1	*y2	*y3	*y4	*m1	*m2	*d1	*d2	*w	03h
Character											

Parameters

*y1-*y4: Year (4 digits)

*m1-*m2: Month (2 digits)

*d1-*d2: Day (2 digits)

*w: Day of the week (Mon=1, Tue=2, Wed=3, Thu=4, Fri=5, Sat=6, Sun=7)

Set it by UTC (Coordinated Universal Time)

Example: Thursday, August 17, 2010

	*y1	*y2	*y3	*y4	*m1	*m2	*d1	*d2	*w
Hexadecimal	32h	30h	31h	30h	30h	38h	31h	37h	32h
Character	2	0	1	0	0	8	1	7	2

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.232. Query Time

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	47h	54h	03h
Character		A	D	Z	Z	;	Q	G	T	

Response (callback)

Hexadecimal	02h	*h1	*h2	*m1	*m2	*s1	*s2	03h
Character								

Parameters

*h1-*h2: Hour (2 digits)

*m1-*m2: Minute (2 digits)

*s1-*s2: Second (2 digits)

Set it by UTC (Coordinated Universal Time)

Example: 3 seconds at 3:45 p.m.

	*h1	*h2	*m1	*m2	*s1	*s2
Hexadecimal	31h	35h	34h	35h	30h	33h
Character	1	5	4	5	0	3

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

2.233. Query Model (Series) Name

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	49h	44h	03h
Character		A	D	Z	Z	;	Q	I	D	

Response (Callback)

In the period when the command can be accepted

PT-DZ8700

Hexadecimal	02h	44h	5Ah	38h	37h	30h	30h	03h
Character		D	Z	8	7	0	0	

PT-DS8500

Hexadecimal	02h	44h	53h	38h	35h	30h	30h	03h
Character		D	S	8	5	0	0	

PT-DW8300

Hexadecimal	02h	44h	57h	38h	33h	30h	30h	03h
Character		D	W	8	3	0	0	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

2.234. Query System Setting

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	52h	46h	03h
Character		A	D	Z	Z	;	Q	R	F	

Response (Callback)

VGA60

Hexadecimal	02h	30h	03h
Character		0	

YPbPr/YCbCr

Hexadecimal	02h	31h	03h
Character		1	

480pRGB

Hexadecimal	02h	33h	03h
Character		3	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	×	○	○	○	○

2.235. Query WAVEFORM MONITOR

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	47h	4Dh	03h
Character		A	D	Z	Z	;	Q	W	M	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2)

	OFF	LINE SELECT (Luminance)	LINE SELECT (RED)	LINE SELECT (GREEN)	LINE SELECT (BLUE)
Hexadecimal	30h	35h	36h	37h	38h
Character	0	5	6	7	8

Note:

- For PT-DS8500/ DW8300, ER401 is returned.

2.236. Query WAVEFORM MONITOR LINE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	57h	4Dh	4Ch	49h	30h	03h				
Character	W	M	L	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	57h	4Dh	4Ch	49h	30h	3Dh	2Bh
Character		W	M	L	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0					1				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	1198					1199				
Hexadecimal	30h	31h	31h	39h	38h	30h	31h	31h	39h	39h
Character	0	1	1	9	8	0	1	1	9	9

Note:

- For PT-DS8500/ DW8300, ER401 is returned.

2.237. Query AUTO SIGNAL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	41h	41h	53h	49h	30h	03h				
Character	A	A	S	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	41h	41h	53h	49h	30h	3Dh	2Bh
Character		A	A	S	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

2.238. QUERY AUTO SETUP (MODE)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	41h	4Dh	03h
Character		A	D	Z	Z	;	Q	A	M	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2)

	USER	STANDARD	WIDE
Hexadecimal	30h	31h	32h
Character	0	1	2

2.239. QUERY AUTO SETUP (POSITION)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	41h	50h	41h	49h	30h	03h				
Character	A	P	A	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	41h	50h	41h	49h	30h	3Dh	2Bh
Character		A	P	A	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

2.240. Query AUTO SETUP (SIGNAL LEVEL)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	41h	53h	4Ch	49h	30h	03h				
Character	A	S	L	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	41h	53h	4Ch	49h	30h	3Dh	2Bh
Character		A	S	L	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

2.241. Query DVI EDID

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	45h	44h	03h
Character		A	D	Z	Z	;	Q	E	D	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2)

	EDID1	EDID2(PC)	EDID3
Hexadecimal	31h	32h	33h
Character	1	2	3

2.242. Query DVI SIGNAL LEVEL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	44h	56h	49h	49h	30h	03h				
Character	D	V	I	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	44h	56h	49h	49h	30h	3Dh	2Bh
Character		D	V	I	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0-255:PC					16-235				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

2.243. Query HDMI SIGNAL LEVEL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	48h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
1	48h	53h	4Ch	49h	30h	03h				
Hexadecimal										
Character	H	S	L	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	48h	53h	4Ch	49h	30h	3Dh	2Bh
Character		H	S	L	I	0	=	+
Hexadecimal	*1	*3	*5	*7	*9	03h		
Character	*2	*4	*6	*8	*10			

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0-1023					64-940				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

2.244. Query SDI SIGNAL LEVEL

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	42h	4Ch	3Ah
Character		A	D	Z	Z	;	Q	E	D	:
Hexadecimal	53h	44h	49h	2Dh	4Ch	45h	56h	45h	4Ch	03h
Character	S	D	I	-	L	E	V	E	L	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2)

	Standard	Expansion
Hexadecimal	30h	31h
Character	0	1

2.245. Query P IN P

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	50h	50h	03h
Character		A	D	Z	Z	;	Q	P	P	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	×	○	○

Parameters (*1,*2)

	OFF	USER1	USER2	USER3
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

2.246. P IN P - MAIN WINDOW

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	49h	4Dh	03h
Character		A	D	Z	Z	;	Q	I	M	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	RGB1			RGB2			Video		
Hexadecimal	52h	47h	31h	52h	47h	32h	56h	49h	44h
Character	R	G	1	R	G	2	V	I	D
	S-Video			DVI			HDMI		
Hexadecimal	53h	56h	44h	44h	56h	49h	48h	44h	30h
Character	S	V	D	D	V	I	H	D	1
	SDI								
Hexadecimal	53h	44h	49h						
Character	S	D	I						

2.247. Query P IN P - MAIN WINDOW SIZE - INTERLOCKED

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	4Dh	3Ah
Character		A	D	Z	Z	;	Q	S	M	:
Hexadecimal	*1	03h								
Character	*2									

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	2Ch	56h	*5	*7	*9	2Ch	48h
Character		*2	*4	,	V	*6	*8	*10	,	H
Hexadecimal	*11	*13	*15	2Ch	56h	48h	*17	*19	*21	03h
Character	*12	*14	*16	,	H	V	*18	*20	*22	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1,*2,*3,*4)

INTELOCKED

	OFF		ON	
Hexadecimal	4Fh	46h	4Fh	4Eh
Character	O	F	O	N

Parameters (*5,*6,*7,*8,*9,*10)

VERTICAL SIZE

	10			11			12		
Hexadecimal	30h	31h	30h	30h	31h	31h	30h	31h	32h
Character	0	1	0	0	1	1	0	1	2
	98			99			100		
Hexadecimal	30h	39h	38h	30h	39h	39h	31h	30h	30h
Character	0	9	8	0	9	9	1	0	0

Parameters (*11,*12,*13,*14,*15,*16)

HORIZONTAL SIZE

	10			11			12		
Hexadecimal	30h	31h	30h	30h	31h	31h	30h	31h	32h
Character	0	1	0	0	1	1	0	1	2
	98			99			100		
Hexadecimal	30h	39h	38h	30h	39h	39h	31h	30h	30h
Character	0	9	8	0	9	9	1	0	0

Parameters (*17,*18,*19,*20,*21,*22)

HORIZONTAL VERTICAL SIZE

	10			11			12		
Hexadecimal	30h	31h	30h	30h	31h	31h	30h	31h	32h
Character	0	1	0	0	1	1	0	1	2
	98			99			100		
Hexadecimal	30h	39h	38h	30h	39h	39h	31h	30h	30h
Character	0	9	8	0	9	9	1	0	0

2.248. Query P IN P - MAIN WINDOW POSITION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	50h	40h	3Ah
Character		A	D	Z	Z	;	Q	P	A	:
Hexadecimal	*1	03h								
Character	*2									

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	*1	*3	*5	*7	2Ch
Character		V	*2	*4	*6	*8	,
Hexadecimal	48h	*9	*11	*13	*15	03h	
Character	H	*10	*12	*14	*16		

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,)

VERTICAL SIZE

PT-DZ8700

	-580				-579				-578			
Hexadecimal	2Dh	35h	38h	30h	2Dh	35h	37h	39h	2Dh	35h	37h	38h
Character	-	5	8	0	-	5	7	9	-	5	7	8
	+578				+579				+580			
Hexadecimal	2Bh	35h	37h	38h	2Bh	35h	37h	39h	2Bh	35h	38h	30h
Character	+	5	7	8	+	5	7	9	+	5	8	0

PT-DS8500

	-505				-504				-503			
Hexadecimal	2Dh	35h	30h	35h	2Dh	35h	30h	34h	2Dh	35h	30h	33h
Character	-	5	0	5	-	5	0	4	-	5	0	3
	+503				+504				+505			
Hexadecimal	2Bh	35h	30h	33h	2Bh	35h	30h	34h	2Bh	35h	30h	35h
Character	+	5	0	3	+	5	0	4	+	5	0	5

PT-DW8300

	-364				-363				-362			
Hexadecimal	2Dh	33h	36h	34h	2Dh	33h	36h	33h	2Dh	33h	36h	32h
Character	-	3	6	4	-	3	6	3	-	3	6	2
	+362				+363				+364			
Hexadecimal	2Bh	33h	36h	32h	2Bh	33h	36h	33h	2Bh	33h	36h	34h
Character	+	3	6	2	+	3	6	3	+	3	6	4

Parameters (*9,*10,*11,*12,*13,*14,*15,*16)

HORIZONTAL SIZE
PT-DZ8700

	-928				-927				-926			
Hexadecimal	2Dh	39h	32h	38h	2Dh	39h	32h	37h	2Dh	39h	32h	36h
Character	-	9	2	8	-	9	2	7	-	9	2	6
	+926				+927				+928			
Hexadecimal	2Bh	39h	32h	36h	2Bh	39h	32h	37h	2Bh	39h	32h	38h
Character	+	9	2	6	+	9	2	7	+	9	2	8

PT-DS8500

	-668				-667				-666			
Hexadecimal	2Dh	36h	36h	38h	2Dh	36h	36h	37h	2Dh	36h	36h	36h
Character	-	6	6	8	-	6	6	7	-	6	6	6
	+666				+667				+668			
Hexadecimal	2Bh	36h	36h	36h	2Bh	36h	36h	37h	2Bh	36h	36h	38h
Character	+	6	6	6	+	6	6	7	+	6	6	8

PT-DW8300

	-651				-650				-649			
Hexadecimal	2Dh	36h	35h	31h	2Dh	36h	35h	30h	2Dh	36h	34h	39h
Character	-	6	5	1	-	6	5	0	-	6	4	9
	+649				+650				+651			
Hexadecimal	2Bh	36h	34h	39h	2Bh	36h	35h	30h	2Bh	36h	35h	31h
Character	+	6	4	9	+	6	5	0	+	6	5	1

2.249. Query P IN P - SUB WINDOW

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	49h	53h	03h
Character		A	D	Z	Z	;	Q	I	S	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	*5	03h
Character		*2	*4	*6	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1,*2,*3,*4,*5,*6)

	RGB1			RGB2			Video		
Hexadecimal	52h	47h	31h	52h	47h	32h	56h	49h	44h
Character	R	G	1	R	G	2	V	I	D
	S-Video			DVI			HDMI		
Hexadecimal	53h	56h	44h	44h	56h	49h	48h	44h	30h
Character	S	V	D	D	V	I	H	D	1
	SDI								
Hexadecimal	53h	44h	49h						
Character	S	D	I						

2.250. Query P IN P - SUB WINDOW SIZE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	53h	3Ah
Character		A	D	Z	Z	;	Q	S	S	:
Hexadecimal	*1	03h								
Character	*2									

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	2Ch	56h	*5	*7	*9	2Ch	48h
Character		*2	*4	,	V	*6	*8	*10	,	H
Hexadecimal	*11	*13	*15	2Ch	56h	48h	*17	*19	*21	03h
Character	*12	*14	*16	,	H	V	*18	*20	*22	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1,*2,*3,*4)

INTERLOCKED

	OFF		ON	
Hexadecimal	4Fh	46h	4Fh	4Eh
Character	O	F	O	N

Parameters (*5,*6,*7,*8,*9,*10)

VERTICAL SIZE

	10			11			12		
Hexadecimal	30h	31h	30h	30h	31h	31h	30h	31h	32h
Character	0	1	0	0	1	1	0	1	2
	98			99			100		
Hexadecimal	30h	39h	38h	30h	39h	39h	31h	30h	30h
Character	0	9	8	0	9	9	1	0	0

Parameters (*11,*12,*13,*14,*15,*16)

HORIZONTAL SIZE

	10			11			12		
Hexadecimal	30h	31h	30h	30h	31h	31h	30h	31h	32h
Character	0	1	0	0	1	1	0	1	2
	98			99			100		
Hexadecimal	30h	39h	38h	30h	39h	39h	31h	30h	30h
Character	0	9	8	0	9	9	1	0	0

Parameters (*17, *18, *19, *20, *21, *22)

HORIZONTAL VERTICAL SIZE

	10			11			12		
Hexadecimal	30h	31h	30h	30h	31h	31h	30h	31h	32h
Character	0	1	0	0	1	1	0	1	2
	98			99			100		
Hexadecimal	30h	39h	38h	30h	39h	39h	31h	30h	30h
Character	0	9	8	0	9	9	1	0	0

2.251. Query P IN P - SUB WINDOW POSITION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	50h	53h	3Ah
Character		A	D	Z	Z	;	Q	P	S	:
Hexadecimal	*1	03h								
Character	*2									

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	56h	*1	*3	*5	*7	2Ch
Character		V	*2	*4	*6	*8	,
Hexadecimal	48h	*9	*11	*13	*15	03h	
Character	H	*10	*12	*14	*16		

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1, *2, *3, *4, *5, *6, *7, *8,)

VERTICAL SIZE

PT-DZ8700

	-580				-579				-578			
Hexadecimal	2Dh	35h	38h	30h	2Dh	35h	37h	39h	2Dh	35h	37h	38h
Character	-	5	8	0	-	5	7	9	-	5	7	8
	+578				+579				+580			
Hexadecimal	2Bh	35h	37h	38h	2Bh	35h	37h	39h	2Bh	35h	38h	30h
Character	+	5	7	8	+	5	7	9	+	5	8	0

PT-DS8500

	-505				-504				-503			
Hexadecimal	2Dh	35h	30h	35h	2Dh	35h	30h	34h	2Dh	35h	30h	33h
Character	-	5	0	5	-	5	0	4	-	5	0	3
	+503				+504				+505			
Hexadecimal	2Bh	35h	30h	33h	2Bh	35h	30h	34h	2Bh	35h	30h	35h
Character	+	5	0	3	+	5	0	4	+	5	0	5

PT-DW8300

	-364				-363				-362			
Hexadecimal	2Dh	33h	36h	34h	2Dh	33h	36h	33h	2Dh	33h	36h	32h
Character	-	3	6	4	-	3	6	3	-	3	6	2
	+362				+363				+364			
Hexadecimal	2Bh	33h	36h	32h	2Bh	33h	36h	33h	2Bh	33h	36h	34h
Character	+	3	6	2	+	3	6	3	+	3	6	4

Parameters (*9, *10, *11, *12, *13, *14, *15, *16)

HRIZONTAL SIZE

PT-DZ8700

	-928				-927				-926			
Hexadecimal	2Dh	39h	32h	38h	2Dh	39h	32h	37h	2Dh	39h	32h	36h
Character	-	9	2	8	-	9	2	7	-	9	2	6
	+926				+927				+928			
Hexadecimal	2Bh	39h	32h	36h	2Bh	39h	32h	37h	2Bh	39h	32h	38h
Character	+	9	2	6	+	9	2	7	+	9	2	8

PT-DS8500

	-668				-667				-666			
Hexadecimal	2Dh	36h	36h	38h	2Dh	36h	36h	37h	2Dh	36h	36h	36h
Character	-	6	6	8	-	6	6	7	-	6	6	6
	+666				+667				+668			
Hexadecimal	2Bh	36h	36h	36h	2Bh	36h	36h	37h	2Bh	36h	36h	38h
Character	+	6	6	6	+	6	6	7	+	6	6	8

	-651				-650				-649			
Hexadecimal	2Dh	36h	35h	31h	2Dh	36h	35h	30h	2Dh	36h	34h	39h
Character	-	6	5	1	-	6	5	0	-	6	4	9
	+649				+650				+651			
Hexadecimal	2Bh	36h	34h	39h	2Bh	36h	35h	30h	2Bh	36h	35h	31h
Character	+	6	4	9	+	6	5	0	+	6	5	1

2.252. Query P IN P - SUB WINDOW - CLOCK PHASE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	53h	43h	50h	49h	30h	03h				
Character	S	C	P	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	43h	50h	49h	30h	3Dh	2Bh	*1	*3
Character		S	C	P	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	0					1				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	62					63				
Hexadecimal	30h	30h	30h	36h	32h	30h	30h	30h	36h	33h
Character	0	0	0	6	2	0	0	0	6	3

2.253. Query P IN P - FRAME LOCK

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	50h	46h	03h
Character		A	D	Z	Z	;	Q	P	F	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1,*2)

	MAIN WINDOW	SUB WINDOW
Hexadecimal	30h	31h
Character	0	1

2.254. Query P IN P - TYPE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	50h	54h	03h
Character		A	D	Z	Z	;	Q	P	T	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	×	○	○

Parameters (*1,*2)

	MAIN WINDOW	SUB WINDOW
Hexadecimal	30h	31h
Character	0	1

2.255. Query BRIGHTNESS CONTROL (GAIN)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
1	54h	47h	41h	49h	30h	03h				
Character	T	G	A	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	54h	47h	41h	49h	30h	3Dh	2Bh	*1	*3
Character		T	G	A	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	20%					21%				
Hexadecimal	30h	30h	30h	32h	30h	30h	30h	30h	32h	31h
Character	0	0	0	2	0	0	0	0	2	1
	99%					100%				
Hexadecimal	30h	30h	30h	39h	39h	30h	30h	31h	30h	30h
Character	0	0	0	9	9	0	0	1	0	0

2.256. Query BRIGHTNESS CONTROL (MODE)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	42h	43h	4Dh	49h	30h	03h				
Character	B	C	M	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	42h	43h	4Dh	49h	30h	3Dh	2Bh	*1	*3
Character		B	C	M	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					AUTO				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	PC									
Hexadecimal	30h	30h	30h	30h	32h					
Character	0	0	0	0	2					

2.257. Query BRIGHTNESS CONTROL (LINK)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	42h	43h	4Ch	49h	30h	03h				
Character	B	C	L	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	42h	43h	4Ch	49h	30h	3Dh	2Bh	*1	*3
Character		B	C	L	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					GROUP A				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1
	GROUP B					GROUP C				
Hexadecimal	30h	30h	30h	30h	32h	30h	30h	30h	30h	33h
Character	0	0	0	0	2	0	0	0	0	3
	GROUP D									
Hexadecimal	30h	30h	30h	30h	34h					
Character	0	0	0	0	4					

2.258. Query SCHEDULE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	53h	43h	48h	49h	30h	03h				
Character	S	C	H	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	43h	48h	49h	30h	3Dh	2Bh	*1	*3
Character		S	C	H	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	o	x	o	o	o	o	o

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

2.259. Query SCHEDULE (PROGRAM EDIT)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	53h	50h	47h	49h	*1	03h				
Character	S	P	G	I	*2					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	50h	47h	49h	*1	3Dh	2Bh	*3	*5
Character		S	P	G	I	*2	=	+	*4	*6
Hexadecimal	*7	*9	*11	03h						
Character	*8	*10	*12							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	o	x	o	o	o	o	o

Parameters (*1,*2)

	SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
Hexadecimal	30h	31h	32h	33h	34h	35h	36h
Character	0	1	2	3	4	5	6

Parameters (*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

	OFF					PROGRAM 1					PROGRAM 2				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	PROGRAM 3					PROGRAM 4					PROGRAM 5				
Hexadecimal	30h	30h	30h	30h	33h	30h	30h	30h	30h	34h	30h	30h	30h	30h	35h
Character	0	0	0	0	3	0	0	0	0	4	0	0	0	0	5
	PROGRAM 6					PROGRAM 7									
Hexadecimal	30h	30h	30h	30h	36h	30h	30h	30h	30h	37h					
Character	0	0	0	0	6	0	0	0	0	7					

2.260. Query SCHEDULE (TIME, COMMAND)

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	53h	43h	43h	53h	*1	3Dh	*3	*5	03h	
Character	S	C	C	S	*2	=	*4	*6		

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	43h	43h	53h	*1	3Dh	2Bh	*3	*5
Character		S	C	C	S	*2	=	+	*4	*6
Hexadecimal	*7	*9	*11	*13	*15	*17	03h			
Character	*8	*10	*12	*14	*16	*18				

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
o	o	x	o	o	o	o	o

Parameters (*1,*2)

	PROGRAM 1	PROGRAM 2	PROGRAM 3	PROGRAM 4
Hexadecimal	31h	32h	33h	34h
Character	1	2	3	4
	PROGRAM 5	PROGRAM 6	PROGRAM 7	
Hexadecimal	35h	36h	37h	
Character	5	6	7	

Parameters (*3,*4,*5,*6)

	COMMAND 1	COMMAND 2	COMMAND 3	COMMAND 4
Hexadecimal	30h	31h	30h	32h
Character	0	1	0	2
	COMMAND 13	COMMAND 14	COMMAND 15	COMMAND16
Hexadecimal	31h	33h	31h	34h
Character	1	3	1	4

Parameters (*7, *8, *9, *10)

	COMMAND DELETING		STANDBY		POWER ON		SHUTTER OPEN		SHUTTER CLOSED	
Hexadecimal	30h	30h	31h	30h	31h	31h	32h	30h	32h	31h
Character	0	0	1	0	1	1	2	0	2	1
	RGB1 INPUT		RGB2 INPUT		Video INPUT		S-Video INPUT		DVI INPUT	
Hexadecimal	33h	31h	33h	32h	34h	31h	34h	32h	35h	31h
Character	3	1	3	2	4	1	4	2	5	1
	SDI INPUT		HDMI INPUT		LAMP OUTPUT HIGH		LAMP OUTPUT LOW		SINGLE LAMP	
Hexadecimal	35h	32h	35h	33h	37h	30h	37h	31h	38h	31h
Character	5	2	5	3	7	0	7	1	8	1
	DUAL LAMP		P IN P OFF		P IN P USER		P IN P USER 2		P IN P USER 3	
Hexadecimal	38h	32h	39h	30h	39h	31h	39h	32h	39h	33h
Character	8	2	9	0	9	1	9	2	9	3

Parameters (*11, *12, *13, *14, *15, *16, *17, *18)

	00:00				00:01				00:02			
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	31h	30h	30h	30h	32h
Character	0	0	0	0	0	0	0	1	0	0	0	2
	23:57				23:58				23:59			
Hexadecimal	32h	33h	35h	37h	32h	33h	35h	38h	32h	33h	35h	39h
Character	2	3	5	7	2	3	5	8	2	3	5	9

2.261. Query NO SIGNAL SHUT - OFF

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	41h	46h	03h
Character		A	D	Z	Z	;	Q	A	F	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	03h
Character		*2	*4	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1, *2, *3, *4)

	DISABLE		10MIN.		20MIN.		30MIN.		40MIN.	
Hexadecimal	30h	30h	31h	30h	32h	30h	33h	30h	34h	30h
Character	0	0	1	0	2	0	3	0	4	0
	50MIN.		60MIN.		70MIN.		80MIN.		90MIN.	
Hexadecimal	35h	30h	36h	30h	37h	30h	38h	30h	39h	30h
Character	5	0	6	0	7	0	8	0	9	0

2.262. Query INPUT GUIDE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	44h	49h	03h
Character		A	D	Z	Z	;	Q	D	I	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1, *2)

	OFF	ON
Hexadecimal	30h	31h
Character	0	1

2.263. Query WARNING MESSAGE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	57h	4Dh	44h	49h	30h	03h				
Character	W	M	D	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	48h	4Dh	44h	49h	30h	3Dh	2Bh	*1	*3
Character		W	M	D	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	OFF					ON				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	31h
Character	0	0	0	0	0	0	0	0	0	1

2.264. Query OSD DESIGN

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Fh	44h	03h
Character		A	D	Z	Z	;	Q	O	D	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2)

	1	2	3	4	5	6
Hexadecimal	30h	31h	32h	33h	34h	35h
Character	0	1	2	3	4	5

2.265. Query OSD POSITION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	44h	50h	03h
Character		A	D	Z	Z	;	Q	D	P	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2)

	Top Left	Left Center	Bottom Left	Top Center	Center	Bottom Center
Hexadecimal	31h	32h	33h	34h	35h	36h
Character	1	2	3	4	5	6
	Top Right	Right Center	Bottom Right			
Hexadecimal	37h	38h	39h			
Character	7	8	9			

2.266. Query OSD MEMORY

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	4Fh	4Dh	59h	49h	30h	03h				
Character	O	M	Y	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Fh	4Dh	59h	49h	30h	3Dh	2Bh	*1	*3
Character		O	M	Y	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	オフ					オン				
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	33h
Character	0	0	0	0	0	0	0	0	0	3

2.267. Query STRATUP LOGO

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	4Ch	4Fh	03h
Character		A	D	Z	Z	;	Q	L	O	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	×	○	○	○	○	○

Parameters (*1,*2)

	OFF	LOGO 1	LOGO 2
Hexadecimal	30h	31h	32h
Character	0	1	2

2.268. Query BACK COLOR

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	42h	43h	03h
Character		A	D	Z	Z	;	Q	B	C	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	03h
Character		*2	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	○	○	○	○

Parameters (*1,*2)

	BLUE	BLACK	LOGO 1	LOGO 2
Hexadecimal	30h	31h	32h	33h
Character	0	1	2	3

2.269. Query SERIAL NUMBER

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	53h	4Eh	03h
Character		A	D	Z	Z	;	Q	S	N	

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*1	*3	~	*21	*23	03h
Character		*2	*4		*22	*24	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4 ~*21,*22,*23,*24)

The set serial number is returned.

Example: Serial number unsetting

Hexadecimal	02h	03h
Character		

Example: When SW0101234 is set to the serial number

Hexadecimal	02h	53h	57h	30h	31h	30h	31h	32h	33h	34h	03h
Character		S	W	0	1	0	1	2	3	4	

2.270. Query LAMP unit Part No.

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	4Ch	4Dh	4Eh	53h	30h	03h				
Character	L	M	N	S	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	4Ch	4Dh	4Eh	53h	30h	3Dh	*1	*3	*5
Character		L	M	N	S	0	=	*2	*4	*6
Hexadecimal	*7	*9	*11	*13	*15	*17	03h			
Character	*8	*10	*12	*14	*16	*18				

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4 ~*15,*16,*17,*18)

The set serial number is returned.

Example: For PT-DZ8700/DS8500/DW8300

Hexadecimal	45h	54h	2Dh	4Ch	41h	44h	33h	31h	30h
Character	E	T	—	L	A	D	3	1	0

2.271. Query ACF unit Part No.

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	46h	4Dh	4Eh	53h	30h	03h				
Character	F	M	N	S	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	46h	4Dh	4Eh	53h	30h	3Dh	*1	*3	*5
Character		F	M	N	S	0	=	*2	*4	*6
Hexadecimal	*7	*9	*11	*13	*15	*17	03h			
Character	*8	*10	*12	*14	*16	*18				

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4 ~*15,*16,*17,*18)

The set serial number is returned.

Example: For PT-DZ8700/DS8500/DW8300, ACF unit

Hexadecimal	45h	54h	2Dh	41h	43h	46h	33h	31h	30h
Character	E	T	—	A	C	F	3	1	0

Example: For PT-DZ8700/DS8500/DW8300, Smoke Cut Filter

Hexadecimal	45h	54h	2Dh	53h	43h	46h	33h	31h	30h
Character	E	T	—	S	C	F	3	1	0

2.272. Query ACF INFORMATION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	45h	49h	3Ah
Character		A	D	Z	Z	;	Q	F	I	:
Hexadecimal	*1	03h								
Character	*2									

Parameters (*1,*2)

	Runtime	Rewinding number of times	Filter kind	Elapsed time after rewinding	Remaining time	Remaining percentage
Hexadecimal	30h	31h	32h	34h	35h	36h
Character	0	1	2	4	5	6

Response (Callback)

Query Runtime (QFI: 0)

Hexadecimal	02h	*3	*5	*7	*9	*11	03h
Character		*4	*6	*8	*10	*12	

Query Rewinding number of times (QFI: 1)

Hexadecimal	02h	*13	*15	03h
Character		*14	*16	

Query Filter kind (QFI: 2)

Hexadecimal	02h	*17	03h
Character		*18	

Query Elapsed time after rewinding (QFI: 4)

Hexadecimal	02h	*21	*23	*25	*27	03h
Character		*22	*24	*26	*28	

Query Remaining time (QFI: 5)

Hexadecimal	02h	*29	*31	*33	*35	*37	03h
Character		*30	*32	*34	*36	*38	

Query Remaining percentage (QFI: 6)

Hexadecimal	02h	*39	*41	*43	03h
Character		*40	*42	*44	

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*3,*4,*5,*6 ~*41,*42,*43,*44)

Query Runtime (QFI: 0)

Example: When the runtime time is 8000 h

Hexadecimal	20h	38h	30h	30h	30h
Character		8	0	0	0

Query Rewinding number of times (QFI: 1)

	0		1		2	
Hexadecimal	20h	30h	20h	31h	20h	32h
Character		0		1		2
	10		11		12	
Hexadecimal	31h	30h	31h	31h	31h	32h
Character	1	0	1	1	1	2

Query Filter kind (QFI: 2)

	Normal	Smoke	Not installed
Hexadecimal	30h	31h	32h
Character	0	1	2

Query Elapsed time after rewinding (QFI: 4)

Example: When the elapsed time after rewinding is 1 500 h

Hexadecimal	31h	35h	30h	30h
文字	1	5	0	0

Query Remaining time (QFI: 5)

Example: When the remaining time is 4 550 h

Hexadecimal	20h	34h	35h	30h	30h
Character		4	5	0	0

Query Remaining percentage

	0			1			2		
Hexadecimal	20h	20h	30h	20h	20h	31h	20h	02h	32h
Character			0			1			2
	98			99			100		
Hexadecimal	20h	39h	38h	20h	39h	39h	31h	30h	30h
Character		9	8		9	9	1	0	0

Note:

- When the remaining time is 10 000 h or more, 10000 is always returned as a response of the query.

2.273. Query STANDBY MODE

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	53h	54h	4Dh	49h	30h	03h				
Character	S	T	M	I	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	54h	4Dh	49h	30h	3Dh	2Bh	*1	*3
Character		S	T	M	I	0	=	+	*2	*4
Hexadecimal	*5	*7	*9	03h						
Character	*6	*8	*10							

Acceptability

SECURITY	STANDBY	ECO STANDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10)

	NORMAL	ECO								
Hexadecimal	30h	30h	30h	30h	30h	30h	30h	30h	30h	33h
Character	0	0	0	0	0	0	0	0	0	3

2.274. Query MAIN VERSION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	53h	56h	52h	53h	30h	03h				
Character	S	V	R	S	0					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	54h	4Dh	49h	30h	3Dh	*1	*3	*5
Character		S	T	M	I	0	=	*2	*4	*6
Hexadecimal	*7	*9	*11	*13	*15	03h				
Character	*8	*10	*12	*14	*16					

Acceptability

SECURITY	STANDBY	ECO STANDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12,*13,*14,*15,*16)

Example: When the main CPU software version is 1.00

Hexadecimal	31h	2Eh	30h	30h
Character	1	.	0	0

Note:

- Software version responses in variable length.

2.275. Query NETWORK VERSION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	53h	56h	52h	53h	31h	03h				
Character	S	V	R	S	1					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	54h	4Dh	49h	31h	3Dh	*1	*3	*5
Character		S	T	M	I	1	=	*2	*4	*6
Hexadecimal	*7	*9	*11	*13	*15	03h				
Character	*8	*10	*12	*14	*16					

Acceptability

SECURITY	STANDBY	ECO STANDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

Example: When the network CPU software is 1.00

Hexadecimal	31h	2Eh	30h	30h
Character	1	.	0	0

Note:

- Software version responses in variable length.

2.276. Query SUB VERSION

Hexadecimal	02h	41h	44h	5Ah	5Ah	3Bh	51h	56h	58h	3Ah
Character		A	D	Z	Z	;	Q	V	X	:
Hexadecimal	53h	56h	52h	53h	32h	03h				
Character	S	V	R	S	2					

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	53h	54h	4Dh	49h	32h	3Dh	*1	*3	*5
Character		S	T	M	I	2	=	*2	*4	*6
Hexadecimal	*7	*9	*11	*13	*15	03h				
Character	*8	*10	*12	*14	*16					

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters (*1,*2,*3,*4,*5,*6,*7,*8,*9,*10,*11,*12)

Example: When the sub CPU software is

Hexadecimal	30h	31h	30h	30h	30h	30h
文字	0	1	0	0	0	0

Note:

- Software version responses in variable length.

3. Extended Control Command

Start (STX)	ID	Command	Parameters	END (ETX)
1 byte	1 byte	1 byte or 2 byte	Undefined length	1 byte

ID of the extended control command

ID	Hexadecimal (1 byte)	ID	Hexadecimal (1 byte)	ID	Hexadecimal (1 byte)	ID	Hexadecimal (1 byte)
ID ALL	00	ID23	17	ID46	2E	Group E	84
ID1	01	ID24	18	ID47	2F	Group F	85
ID2	02	ID25	19	ID48	30	Group G	86
ID3	03	ID26	1A	ID49	31	Group H	87
ID4	04	ID27	1B	ID50	32	Group I	88
ID5	05	ID28	1C	ID51	33	Group J	89
ID6	06	ID29	1D	ID52	34	Group K	8A
ID7	07	ID30	1E	ID53	35	Group L	8B
ID8	08	ID31	1F	ID54	36	Group M	8C
ID9	09	ID32	20	ID55	37	Group N	8D
ID10	0A	ID33	21	ID56	38	Group O	8E
ID11	0B	ID34	22	ID57	39	Group P	8F
ID12	0C	ID35	23	ID58	3A	Group Q	90
ID13	0D	ID36	24	ID59	3B	Group R	91
ID14	0E	ID37	25	ID60	3C	Group S	92
ID15	0F	ID38	26	ID61	3D	Group T	93
ID16	10	ID39	27	ID62	3E	Group U	94
ID17	11	ID40	28	ID63	3F	Group V	95
ID18	12	ID41	29	ID64	40	Group W	96
ID19	13	ID42	2A	Group A	80	Group X	97
ID20	14	ID43	2B	Group B	81	Group Y	98
ID21	15	ID44	2C	Group C	82	Group Z	99
ID22	16	ID45	2D	Group D	83		

3.1. Lens Control

Hexadecimal	02h	*1	B1h	7Ch	*2	*3	*4	03h
Remarks	STX	ID	Command	Parameters				ETX

Parameters (*2)

	LENS SHIFT H	LENS SHIFT V	LENS FOCUS	LENS ZOOM
Hexadecimal	00h	01h	02h	03h

Parameters (*3)

	Slowly	Normal	Fast	HOME POSITION*
Hexadecimal	00h	01h	02h	80h

Parameters (*4)

	Right / Up/ Forward/ In / Cancel	Left / Down / Backward / Out/ Start
Hexadecimal	00h	01h

Note:

- HOME POSITION is available only when parameters (2*) is LENS SHIFT H (00h) or LENS SHIFT V (01h)

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*5	B3h	7Ch	*2	*3	*4	03h
	STX	ID	Callback	Parameters				ETX

In the period when the command cannot be accepted

Hexadecimal	02h	*5	FFh	03h
	STX	ID	Error	ETX

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	×	×	○	×	○	○	○

3.2. SELF CHECK Information

Hexadecimal	02h	*1	FEh	03h
Remarks	STX	ID	Command	ETX

Response (Callback)

In the period when the command can be accepted

Hexadecimal	02h	*5	FEh	*2	*3	*4	*5	*6	*7	*8	*9	03h
	STX	ID		Parameters 1				Parameters 2				ETX

Acceptability

SECURITY	STNDBY	ECO STNDBY	NO SIGNAL	SHUTTER	FREEZE	TEST PATTERN	REMOTE2
○	○	○	○	○	○	○	○

Parameters 1(*2,*3,*4,*5)

	*2							*3							*4							*5								
Bit	31						24	23							16	15							8	7						0

Bit	Name	Description	Condition of Clear Bit
bit31	Main CPU error	The main CPU circuit is abnormal. It is a breakdown when not recovering even if the power is turned on again.	Power On
bit30	Fan error	The fan and/or fan drive circuit is abnormal. It is a breakdown when not recovering even if the power is turned on again.	Power On
bit29	Optical module temperature error	Abnormally high temperature is detected inside this projector and the shutdown has occurred.	Power On
bit28	Intake air temperature error	- The ventilation holes may be closed.	Power On
bit27	Lamp surroundings error	- The ambient temperature in the place of use may be too high. - The air filter may accumulate dust	Power On
bit26	ACF installation error	The air filter has not been installed properly	Filter reset or Power On
bit25	LAMP2 time error (Shutdown)	The lamp ON time exceeds specified cumulative usage time, and becomes a period when the lamp unit is replaced.	LAMP2 reset
bit24	LAMP1 time error (Shutdown)		LAMP1 reset
bit23	LAMP2 turning ON failure	It fails in the turning ON the lamp. - The power may have been turned on straight away after it was turned off.	LAMP2 ON success or POWER ON
bit22	LAMP1 turning ON failure		LAMP1 On success or POWER ON
bit21	Iris error	It fails in the operation of the Iris unit.	MAIN POWER ON
bit20	Shutter error	It fails in the operation of the shutter. It is a breakdown when not recovering even if the power is turned on again.	Power ON
bit19	Optical module thermo sensor disconnected	The thermo sensor has breaking of wire, or connector G14 is disconnected.	MAIN POWER ON
bit18	Intake air thermo sensor disconnected	The intake air thermo sensor has breaking of wire, or connector RL10/M11 is disconnected.	MAIN POWER ON
bit17	Lamp surroundings thermo sensor disconnected	The lamp surroundings thermo sensor has breaking of wire, or connector R34/M11 is disconnected.	MAIN POWER ON
bit16	Warning of battery for clock	It is necessary to replace the battery (CR2032) on the battery holder B3401.	After battery replacement, MAIN POWER ON

Bit	Name	Description	Condition of Clear Bit
bit15	Warning of optical module low temperature	The ambient temperature in the place of use may be 0 degrees Celsius or lower. If the temperature inside this projector dose not rise within 5 minutes after the turning on the lamp, the shutdown occurs.	- Becomes higher than the warning release temperature during power-on - POWER ON
bit14	Warning of optical module high temperature	The temperature inside this projector has become high. If the temperature rises any further, the shutdown occurs. - The ventilation holes may be closed. - The ambient temperature in the place of use may be too high. - The air filter may accumulate dust	- Becomes lower than the warning release temperature during power-on. - POWER ON
bit13	Warning of intake air high		
bit12	Warning of lamp surroundings high temperature		
bit11	For test	The value is undefined.	MAIN POWER ON
bit10	For extension	The value is undefined.	—
bit09	ACF time warning	The ACF runtime exceeds specified cumulative usage time, and becomes a period when the air filter is replaced.	Filter rest
bit08	Filter rotation error	It failed in the air filter rewinding in ACF.	Filter reset
bit07	LAMP2 time warning	It becomes a period when the lamp unit is replaced. Prepare a new lamp unit. The shutdown will occur within 200 hours.	LAMP2 reset
bit06	LAMP1 time warning		LAMP1 reset
bit05	Filter blocked error	The air filter in ACF has no quality, or it may accumulate dust.	Filter reset
bit04	Low voltage warning	The voltage of AC is less than 90 V.	POWER ON
bit03	Airflow sensor disconnected	The airflow sensor has breaking of wire, or connector RL9/M21 is disconnected.	MAIN POWER ON
bit02	For extension	The value is undefined.	—
bit01	Cover open error	Dose the lamp unit cover open?	Close the lamp unit cover and turn on MAIN POWER.
bit00	Luminance sensor error	The luminance sensor has breaking of wire, connector RL14/M31 is disconnected, or the value of luminance sensor is abnormal.	MAIN POWER ON

Parameters 2(*6,*7,*8,*9)
For extension, the value is undefined.