

PDS-4K



User guide

Barco Inc., Image Processing
11080 White Rock Rd. Suite 100, Rancho Cordova, CA 95670, USA

Registered office: Barco NV
President Kennedypark 35, 8500 Kortrijk, Belgium

Copyright ©

All rights reserved. No part of this document may be copied, reproduced or translated. It shall not otherwise be recorded, transmitted or stored in a retrieval system without the prior written consent of Barco.

Changes

Barco provides this manual 'as is' without warranty of any kind, either expressed or implied, including but not limited to the implied warranties or merchantability and fitness for a particular purpose. Barco may make improvements and/or changes to the product(s) and/or the program(s) described in this publication at any time without notice.

This publication could contain technical inaccuracies or typographical errors. Changes are periodically made to the information in this publication; these changes are incorporated in new editions of this publication.

The latest edition of Barco manuals can be downloaded from the Barco web site www.barco.com or from the secured Barco web site <https://www.barco.com/en/signin>.

Product Security Incident Response

As a global technology leader, Barco is committed to deliver secure solutions and services to our customers, while protecting Barco's intellectual property. When product security concerns are received, the product security incident response process will be triggered immediately. To address specific security concerns or to report security issues with Barco products, please inform us via contact details mentioned on <https://www.barco.com/psirt>. To protect our customers, Barco does not publically disclose or confirm security vulnerabilities until Barco has conducted an analysis of the product and issued fixes and/or mitigations.

Patent protection

Please refer to www.barco.com/about-barco/legal/patents.

Trademarks

Brand and product names mentioned in this manual may be trademarks, registered trademarks or copyrights of their respective holders. All brand and product names mentioned in this manual serve as comments or examples and are not to be understood as advertising for the products or their manufacturers.

Table of contents

1	Safety	7
1.1	International safety standards	8
1.2	General safety	8
1.3	Important safety instructions	9
2	Product overview	11
2.1	PDS-4K presentation switcher overview	12
2.2	PDS-4K presentation switcher features	12
2.3	Terms and definitions	13
2.4	Unpacking and inspection	14
2.5	Installation requirements	15
3	Hardware Orientation	17
3.1	Front panel	18
3.2	Rear panel	20
3.3	PDS-4K DisplayPort1.2 Input and Audio Card	22
4	Setup and operation	23
4.1	Rear-panel connections	24
4.2	Power-up initialization	24
5	Menu orientation	25
5.1	Status Menu	26
5.2	Setup Menu and submenus	26
5.3	Setup Menu: Auto System Setup	27
5.4	Setup Menu: AV Settings	29
5.5	AV Settings: Input	30
5.6	AV Settings: Output	57
5.7	AV Settings: Multiviewer	86
5.8	AV Settings: Still Stores	97
5.9	AV Settings: Audio	107
5.10	Setup Menu: LED Setup	119
5.11	Setup Menu: System	126
5.12	System: Reset menu	172
6	Event Master Toolset	177
6.1	Screen layout presentation	178

6.2	EMTS GUI: Configuration menu	178
6.3	EMTS GUI: Programming menu	180
6.4	EMTS GUI: Cue menu	182
6.5	EMTS GUI: Multiviewer (MVR) menu	184
6.6	EMTS GUI: Settings menu	185
A	Specifications	187
A.1	Specifications for PDS-4K	188
B	Remote Control Protocol	191
B.1	PDS-4K ASCII remote control	192
B.2	PDS-4K JSON RPC remote control	193
C	Regulatory information	207
C.1	General statements	208
C.2	Product compliance	208
C.2.1	Product compliance EU	208
C.2.2	Product compliance US	209
C.2.3	Product compliance UK	209
C.2.4	Product compliance Korea	209
C.2.5	Product compliance Taiwan	209
C.2.6	Product compliance China	209
C.3	RoHS compliance	210
C.3.1	Taiwan RoHS compliance	210
C.3.2	China RoHS compliance	211
C.3.3	Turkey RoHS compliance	212
C.4	Disposal information	212
C.5	Software and licenses	212
C.6	Contact information	213
	Index	215

Safety

1

1.1	International safety standards	8
1.2	General safety	8
1.3	Important safety instructions	9

About this chapter

Please read this chapter carefully, it contains important information to prevent personal injury while installing and operating the PDS-4K presentation switcher. Furthermore, it includes several cautions to prevent damage to the device. Ensure that you understand and follow all safety guidelines, safety instructions and warnings mentioned in this chapter before you begin installation. After this chapter, additional “warnings” and “cautions” are given depending on the installation procedure. Read and follow these “warnings” and “cautions” as well.

Clarification of the term “PDS-4K” used in this document

When referring in this document to the term “PDS-4K” means that the content is applicable for the following Barco products:

- LCS-1.5U-MDL1
- LCS-1.5U-MDL2

1.1 International safety standards

Standards overview

This equipment is built in accordance with the requirements of the international safety standards EN 62368-1, UL 62368-1, CAN/CSA C22.2 No.62368-1, which are the safety standards of information technology equipment including electrical business equipment. These safety standards impose important requirements on the use of safety critical components, materials and insulation, in order to protect the user or operator against risk of electric shock and energy hazard and having access to live parts. Safety standards also impose limits to the internal and external temperature rises, radiation levels, mechanical stability and strength, enclosure construction and protection against the risk of fire. Simulated single fault condition testing ensures the safety of the equipment to the user even when the equipment's normal operation fails.

1.2 General safety

General safety instructions

- Before operating this equipment please read the PDS-4K User Guide thoroughly and retain it for future reference.
- The PDS-4K is intended to be used by **professionals** only.
- All warnings in this documentation manual must be adhered to.
- All instructions for operating and use of this equipment must be followed precisely.
- All local installation codes must be adhered to.

Environment

Do not place this equipment on an unstable cart, stand, or table. The product may fall, causing serious damage to it.

To prevent risk, personal injury, and PDS-4K screen switcher damage

Please read this chapter carefully. It contains important information to prevent personal injury while installing the PDS-4K screen switcher. Furthermore, it includes several cautions to prevent damage to the device. Ensure that you understand and follow all safety guidelines, safety instructions and warnings mentioned in this chapter before installing the PDS-4K screen switcher. After this chapter, additional “warnings” and “cautions” are given depending on the installation procedure. Read and follow these “warnings” and “cautions” as well.

- Read these instructions.
- Keep these instructions.
- Heed all warnings.
- Follow all instructions.
- Only trained technicians may install an PDS-4K screen switcher.
- Installation of the PDS-4K screen switcher must be done in a dust free area.
- Only use attachments/accessories specified by the manufacturer.
- **CAUTION:** Troubleshooting must be performed by a trained technician. To reduce the risk of electrical shock, do not attempt to service this equipment unless you are qualified to do so.
- Refer all servicing to qualified service personnel. Servicing is required when the system has been damaged in any way, such as liquid has been spilled or objects have fallen into the system, or the system has been exposed to rain or moisture, does not operate normally, or has been dropped.
- **FRAGILE:** The PDS-4K screen switcher is fragile. Handle the unit with care at all times.
- Do not remove the top cover during normal operation. Removal of the top cover exposes dangerous voltages. To avoid personal injury, do not remove the top cover. Do not operate the unit without the cover installed.
- During maintenance operations, always switch off the unit and unplug the power cords before removing the cover, unless otherwise stated.
- Always wear a wrist band which is connected to the ground while handling the ESD sensitive parts.
- Wear insulating gloves during the execution of the installation and maintenance actions to avoid short-circuit.
- Be careful never to drop anything into the PDS-4K screen switcher assembly during the procedure. The fall of a tool or a spare part in the unit could have catastrophic consequences when the system restarts.

- Be careful to always follow strict procedures during maintenance operations (spare parts replacement).
- This product is intended to operate from a power source that will not apply more than 240 volts rms between the supply conductors or between both supply conductor and ground. A protective ground connection by way of grounding conductor in the power cord is essential for safe operation.
- This product is grounded through the grounding conductor of the power cord. To avoid electrical shock, plug the power cord into a properly wired receptacle before connecting to the product input or output terminals. A protective-ground connection by way of the grounding conductor in the power cord is essential for safe operation.
- Use only the power cord and connector specified for your product. Use only a power cord that is in good condition. Refer cord and connector changes to qualified service personnel.
- To avoid fire hazard, use only the fuse having identical type, voltage rating, and current rating characteristics. Refer fuse replacement to qualified service personnel.
- Replace spare parts only with the same or equivalent type recommended by the manufacturer.
- Save the original shipping carton and packing material. They will come in handy if you ever have to ship your equipment. For maximum protection, repack your set as it was originally packed at the factory.
- Rated maximum ambient operating temperature, $t_a = 40^\circ\text{C}$ (104°F).
- To avoid explosion, do not operate this product in an explosive atmosphere.

1.3 Important safety instructions

Safety data sheets for hazardous chemicals

For safe handling information on chemical products, consult the Safety Data Sheet (SDS). SDSs are available upon request via safetydatasheets@barco.com.

Product overview

2

2.1	PDS-4K presentation switcher overview	12
2.2	PDS-4K presentation switcher features	12
2.3	Terms and definitions	13
2.4	Unpacking and inspection	14
2.5	Installation requirements	15

2.1 PDS-4K presentation switcher overview

About the PDS-4K presentation switcher



Image 2–1 The PDS-4K presentation switcher

- 4K I/O with full screen mix capabilities
 - Seamless switching
 - Preview and Program
 - 2x PIP on a still background per output
 - 2x 4K60 destinations + MVR
 - 4x 4K30 destinations + MVR
 - MVR is always 4K60 capable, displaying all inputs and outputs
- Intuitive to set up, operate and monitor
Change between layouts and sources with 1 press on a button
- External control
You can remotely control all PDS-4K features from a computer, using the Event Master Toolset (EMTS) GUI and via JSON RPC commands.
- Built to survive a long lifetime on the road
Rugged chassis and designed for frequent transport

2.2 PDS-4K presentation switcher features

Features of the PDS-4K presentation switcher

The PDS-4K presentation switcher has the following features:

- Chassis
 - 1.5 RU
 - Single power input
- Control
 - Front-panel control
 - External control with the Event Master Toolset (EMTS) GUI
- Inputs
 - 6x HDMI2.0 inputs
 - 2x 12G SDI inputs
- Outputs
 - 4x HDMI 2.0 outputs
 - 4x 12G SDI outputs
 - 1x MVR (HDMI2.0)
- Option card slot for adding audio (de)embedding, passthrough, and 2x DisplayPort 1.2 inputs

2.3 Terms and definitions

BG (Background layer)

The Background layer is the lowest layer in a composition. For the PDS-4K the background can be either a user selectable matte color or a still store image.

Breakout session/room

A smaller room at a convention or meeting that holds a smaller number of people for a deeper dive into a topic.

A Keynote session is generally in a larger room that holds all the attendees, while breakout sessions are used to focus on topics of interest to the attendees.

DSM (Down Stage Monitor)

A display used by the presenter to help them know either what is coming next, notes to remember, or a duplicate of a program output. Can be anything a presenter needs to support them while on stage.

Full Screen mode

A front panel mode that allows for direct selection of sources that will completely fill the PGM (Program) outputs.

Input

Input is the signal coming into a specific input connector.

Mixing PIP (Picture-in-Picture)

A single opaque image on top of a background that can seamlessly mix between two sources. Requires two scalars.

MVR (Multiviewer)

Shows inputs and outputs of the system. Typically used by an operator of the system. Also has labels on each input or output to indicate how they are used. The under-monitor display (UMD) is where this info is displayed.

Operator

The person in control of the system. Sometimes the presenter and the operator are the same person.

Option slot

An Input/Output slot used for future upgrade cards: The DisplayPort1.2 inputs plus Audio (de) embed is available as of Q4 2021.

PAP (Picture-and-Picture)

Two scaled images placed next to each other without overlapping.

PGM (Program)

The live output. Main outputs that drive displays.

PIP (Picture-in-Picture)

An opaque image layered on top of another opaque image.

Presenter

The person on stage during the show. Can be multiple people. Also known as the talent.

PST/CUE (Preset and Cue)

Same as in Event Master.

PVW (Preview)

Shown in the MVR (Multiviewer), a look-ahead for what will be transitioned next.

Source

Source is the input file that has sizing, color, and other settings needed to properly set up the scaler to display the source based on user input.

2.4 Unpacking and inspection

General

Before shipment, all the devices were inspected and found to be free of mechanical and electrical defects. As soon as the devices are unpacked, inspect for any damage that may have occurred in transit. Save all packing material until the inspection is completed. If damage is found, file claim with carrier immediately. The Barco Sales and Service office should be notified as soon as possible.

Unpacking

At delivery, all devices are packed in a shipping case. Place the shipping case of the device on a stable (solid), flat and insulated support during all the unpacking. Open the case from the top. Remove the device that is packaged in an antistatic bag. Check the box content after unpacking.



After unpacking let the device acclimate to the room temperature which must be higher than 0°C (32°F) and lower than 40°C (104°F). Neglecting this may result in startup failure of the device.



When shipping a PDS-4K presentation switcher in a Barco-supplied case, make sure that the rear connector protectors are installed to prevent damage.



Save the original shipping case and packing material, these will be necessary if you ever have to ship your device. For maximum protection, repack your device as it was originally packed at the factory.

Box content

It is recommended to verify if all accessories are included in the box.

The following accessories are included with the PDS-4K of choice:

- 1x - European power cord¹
- 1x - US power cord¹
- 1x - China power cord²
- 1x - ImagePRO-II rear rack support
- 2x - PDS-4K rack ears
- 2x - Rear connector protectors
- 4x - Screws for each rack ear and rear connector protector
- 4x - Rubber feet with their respective screws
- 1x - USB Thumb Drive containing:
 - User guide
 - System software
 - Control GUI (Graphical User Interface)
- 1x - Safety manual

1. Not included in the chinese variants

2. Only included in the chinese variants

- 1x - Quick Start Guide
- 1x - Customer registration card

Mechanical check

This check should confirm that there are no broken parts and the unit is free of dents or scratches. Notify the Barco Sales representative as soon as possible when this is not the case.

2.5 Installation requirements

Environmental conditions

The unit must always be mounted in a manner which ensures both air inlets and outlets are free. For installations in environments where the device is subject to excessive dust, it is highly advisable to take measures to prevent the dust from reaching the unit. If this is not a feasible, then the unit should be relocated to a different dust-free location.

It is the customer's responsibility to ensure at all times that the device is protected from the harmful effects of hostile airborne particles in the environment of the device. The manufacturer reserves the right to refuse repair if a device has been subject to negligence, abandon or improper use.

The table below summarizes the physical environment in which the PDS-4K presentation switcher may be safely operated or stored.

Environment	Operating	Non-Operating
Ambient Temperature	0°C (32°F) to 40°C (104°F)	-10°C (14°F) to 60°C (140°F)
Air cleanliness	Clean office environment (equivalent with cleanroom standard ISO 14644-1 ISO Class 9)	n.a.
Humidity	5% to 85% RH Non-Condensed	0% to 95% RH Non-Condensed
Altitude	-60 (-197Ft) to 3000m (9843Ft) ³	-60 (-197Ft) to 10000m (32810Ft)

Rack-mount installation

The PDS-4K chassis is designed to be rack mounted and is supplied with front rack-mount hardware.



The PDS-4K chassis can also be used in a "tabletop" configuration, without rack mounting.

When rack mounting the PDS-4K chassis, remember the following important points:

- The PDS-4K chassis is 1.5 RU in height.
- The maximum ambient operating temperature is 40°C (104°F).
- Leave at least one inch of space (front and rear) to ensure that the airflow through the fan and vent holes is not restricted.
- When installing multiple units into a rack, distribute them evenly to prevent hazardous conditions that may be created by uneven weight distribution.
- Connect the unit only to a properly rated supply circuit.
- Reliable grounding (earthing) of rack-mounted equipment should be maintained.
- Rack mount the unit from the front rack ears, using four rack screws (not supplied). Threads may be metric or otherwise, depending upon the rack type.

PDS-4K units are shipped with side rails included in the shipping case and not installed onto the chassis. These side rails, when they are properly installed and adjusted, assist with the distribution of chassis (and cable) weight within your rack. Use the following steps to properly adjust the side rails:

1. Measure and install the two supplied mounting brackets on your rear rack rails.

3. For PRC (People's Republic of China) the certified altitude is specified on the product label.



Image 2-2 Mounting bracket

2. Measure the distance between the front and rear rack rails. Remove the mounting screws that secure each side rail to the chassis, and then adjust the spacing of each side rail as necessary. The PDS-4K uses two mounting screws on each side rail.




Image 2-3 PDS-4K chassis with side rail and mounting screws

- 1 Chassis rear
- 2 Side rail
- 3 Mounting screws

3. Re-install the mounting screws. When properly adjusted, the end of each side rail will protrude through the slot in the rear mounting bracket, once the chassis is rack mounted.
4. Lift the chassis and, while supporting it, slide the side rails through the slots in the rear mounting brackets.
5. While continuing to support the chassis, install and tighten the two lower screws.
6. Finally, install and tighten the two upper screws in the rack rail.

Site preparation

The environment in which you install your PDS-4K presentation switcher should be clean, properly lit, free from static, and have adequate power, ventilation, and space for all components.

Do not install the device in a site near heat sources such as radiators or air ducts, or in a place subject to direct sunlight, excessive dust or humidity. Be aware that room heat rises to the ceiling; check that temperature near the installation site is not excessive.

Cable and adapter information

The table below provides information regarding cables used with the PDS-4K.. When connecting to a PDS-4K, use high-quality shielded cables.

Cable	Description	Notes
RJ-45 Ethernet cable	For use with external controllers or Web Interface and EMTS GUI	For remote connections; customer supplied
AC power cord	AC Power, 7 foot, 10A	For power connection; 1 cord supplied

Power cord and line voltage selection

The PDS-4K is rated to operate with the following specifications:

- Input Power: 100-240 VAC, 50-60 Hz
- Power Consumption: 1.8A maximum

The PDS-4K performs line voltage selection automatically. No user controls are required. The AC power cords must be accessible so that they can be removed during field servicing.



WARNING: Only use the power cords supplied by Barco, or use power cords that match the voltage of the power outlet and have been approved by and comply with the safety standards of the country. Disconnect the power cord to remove all power to the PDS-4K.

Hardware Orientation

3

3.1	Front panel.....	18
3.2	Rear panel	20
3.3	PDS-4K DisplayPort1.2 Input and Audio Card.....	22

About this chapter

This chapter explains the PDS-4K presentation switcher's hardware in detail.

3.1 Front panel

About the front panel

See [Image 3–1](#) for an illustration of the PDS-4K front panel.




Image 3–1 Front panel

- | | |
|---|--|
| <ul style="list-style-type: none"> 1 USB port 2 Display screen 3 Adjust knob 4 ESC (Escape) button 5 Source buttons, top row 6 Logo / Matte button, top row | <ul style="list-style-type: none"> 7 Freeze button, top row 8 Take button, top row 9 Source buttons, bottom row 10 Logo / Matte button, bottom row 11 Freeze button, bottom row 12 Take button, bottom row |
|---|--|

The front-panel controls can be used in each of the following modes:

- Full Screen mode
- PVW/PGM mode
- Preset/Cue mode

General functions

The USB port, the display screen, the adjust knob, and the ESC button have the same functions in all three modes.

1. USB port
Use the USB port to import and export PNG images or to perform Backup/Restore operations and firmware upgrades.
2. Display screen
The LCD color video display shows all PDS-4K menus, sub-menus, and messages.
3. Adjust knob
 - Turn the Adjust knob to scroll up or down through the menus.
 - Turn the knob clockwise to scroll down.
 - Turn the knob counter-clockwise to scroll up.
 - Press the Adjust knob to select menu items.
4. **ESC** (Escape) button
Press the ESC button to exit a menu without making changes, to cancel an operation, to answer "No" to menu queries, or to return to the Status Menu. Each press takes you back up the menu tree one level.

Full Screen mode

In Full Screen mode, the top row and bottom row each control a separate screen or group of screens. When "Auto Take" is off, selecting a source places that source in PVW for the assigned output. When "Auto Take" is on, selecting a source transitions that source immediately to PGM for the assigned output. Full Screen mode is the default operational mode for the front panel.

The following are descriptions of the front-panel control features in **Full Screen mode**.

1. Source buttons, top/bottom row
 - Use these buttons to select sources for the output that is assigned to the row of buttons.
 - Each button places a source in PVW when "Auto Take" is turned off.

- Each button transitions a source to PGM when “Auto Take is turned on.
- 2. **Logo / Matte** button, top and bottom row
 - Use this button to select the Logo or Matte color for the output that is assigned to the source buttons in the top/bottom row.
 - This button places a Logo/Matte in PVW when “Auto Take” is turned off.
 - This button transitions a Logo/Matte to PGM when “Auto Take is turned on.
- 3. **Freeze** button, top and bottom row
 - Operates based upon the user setting in the System> Operation Setup> Front Panel Setup> Freeze Menu.
 - **PGM:** Freezes the active source on PGM for the output assigned to top or bottom row.
 - **PVW:** Freezes the active source that is in PVW and awaits the operator to transition the frozen source to PGM.
 - **Off:** Disables the Freeze buttons.
 - To thaw a frozen image on PGM, press the same source button and transition it to PGM.
- 4. **Take** button, top and bottom row
 - Use this button to transition the source in PVW to PGM for the output assigned in the top/bottom row.
 - Set the duration of the transition in the Output Menu/Trans Time.
 - When “Auto Take” is turned on, this button is disabled, but it still indicates that a transition is taking place by shifting from dim red to bright amber during the transition.

Preset/Cue mode

The following are descriptions of the front-panel control features in **Preset/Cue mode**.

1. Source buttons (1–10), top and bottom row
 - Map the top-row and bottom-row source buttons to presets or cues.
 - Each button either recalls a preset or selects a cue when “Auto Take” is turned off.
 - Press the top-row **Take** button to either transition the preset to PGM or start the cue.
 - Each button immediately either recalls a preset and transitions or starts a cue when “Auto Take” is turned on.
 - The top-row **Take** button pauses or resumes a running cue, as does the Play/Pause button on an EC-210 controller.
 - The bottom-row **Take** button stops a running cue, as does the Stop button on an EC controller.
 - The current recalled preset or selected cue is indicated by a bright white button (presets) or a bright cyan button (cues). After a preset has transitioned to PGM or a cue has stopped, the button returns to dim white or cyan.
2. **Logo / Matte** button, top and bottom row
 - Press the top-row **Logo / Matte** button to take a Logo or Matte color directly to PGM for all outputs.
 - Press the bottom-row **Logo / Matte** button to place a Logo or Matte color into PVW for all outputs, then press the top-row **Take** button to transition the Logo or Matte color to PGM for all outputs.
3. **Freeze** button, top and bottom row
 - The **Freeze** buttons act as global freeze buttons, affecting all PGM outputs.
 - Top-row and bottom-row **Freeze** buttons have the same function; they **freeze** or **thaw** all layers on PGM.
4. **Take** button, top row

When a preset or cue is recalled/pending the top-row **Take** button is lit bright amber to indicate it should be pressed to transition the preset to PGM or start the cue.

 - Press the top-row **Take** button to transition the preset to PGM or start the cue.
The button is dim amber until the preset has finished transitioning, or the cue has ended at which time the button's light will be off.
 - Press the top-row **Take** button while a cue is playing to pause the cue, just like the **Play/Pause** button on EC-210.
When a cue is paused the button is lit bright amber.
 - Press the top-row **Take** button while the cue is paused to resume the cue.
When a cue is resumed the button is lit dim amber.
5. **Take** button, bottom row
 - Use the bottom-row **Take** button to Stop a cue, just like the Stop button on an EC controller.
 - While a cue is running the button is lit dim amber.

- After the button is pressed to stop a cue, the button light is turned off, and the source button for the cue returns to dim cyan.

3.2 Rear panel

About the rear panel

There are two base models of the PDS-4K presentation switcher:

- **Model 1:** LCS-1.5U-MDL1
 - 6x HDMI2.0 inputs
 - 4x HDMI2.0 outputs
 - 1x HDMI2.0 MVR output
- **Model 2:** LCS-1.5U-MDL2
 - 6x HDMI2.0 inputs
 - 2x 12G-SDI inputs
 - 4x HDMI2.0 outputs
 - 4x 12G-SDI outputs
 - 1x HDMI2.0 MVR output




Image 3-2 Rear panel: LCS-1.5U-MDL1: HDMI only

- | | |
|-----------------|-----------------------------|
| 1 Power | 6 Output 1A (PGM 1A) |
| 2 USB port | 7 Output 1B (PGM 1B) |
| 3 Ethernet port | 8 Output 2A (PGM 2A) |
| 4 Option slot | 9 Output 2B (PGM 2B) |
| 5 Inputs | 10 MVR (Multiviewer) output |




Image 3-3 Rear panel: LCS-1.5U-MDL2: HDMI and SDI

- | | |
|-----------------|-----------------------------|
| 1 Power | 6 Output 1A (PGM 1A) |
| 2 USB port | 7 Output 1B (PGM 1B) |
| 3 Ethernet port | 8 Output 2A (PGM 2A) |
| 4 Option slot | 9 Output 2B (PGM 2B) |
| 5 Inputs | 10 MVR (Multiviewer) output |

Rear-panel description

1. Power
 - Power On/Off switch
 - 100–240V, 50–60Hz, 1.8A
2. USB port
Use the USB port to import Stills, to perform Backup/Restore operations and firmware upgrades, or for a Wi-Fi/Bluetooth receiver (for wireless GUI control).
3. Ethernet port
Use the Ethernet port for external control by connecting to the Event Master Toolset and for firmware upgrade via web app.
4. Inputs
 - **LCS-1.5U-MDL1**: has six HDMI2.0 input connectors
 - **LCS-1.5U-MDL2**: has six HDMI2.0 and two 12G-SDI input connectors
5. Outputs
 - **LCS-1.5U-MDL1**: has four HDMI2.0 output connectors
 - **LCS-1.5U-MDL2**: has four HDMI2.0 and four 12G-SDI output connectors
6. MVR (Multiviewer)
Both models have one HDMI 2.0 MVR output connector.

Specifications of input and output video connections

On the system's rear panel, each of the input and output connectors map to a corresponding Source or Take button on the front panel.

HDMI specifications

- HDMI per 2.0 specification
- Pixel clock up to 600 MHz
 - Max pixel clock at 24 bits/pixel = 600 Mpix/sec
 - Max pixel clock at 30 bits/pixel = 480 Mpix/sec
 - Max pixel clock at 36 bits/pixel = 400 Mpix/sec
- Supported formats:
 - Formats from as low as 1024x768@47.95 up to 2560x1600@60 and 3840x1200@60 (30 bits)
 - 4K/UHD supported:
 - 3840x2400/ 50/59.94/60 input via 1x HDMI
 - 3840x2160/ 50/59.94/60 input via 1x HDMI
- EDID version 1.3 compatible
- HDCP version 1.4 and version 2.2 compatible

SDI specifications

- Supported formats:

Signal type	Standard	Examples
HD	SMPTE 292M	1920x1080i @ 50/59.54 1920x1080p @ 23.98/24/25/29.97/30
3G	SMPTE 424M Barcolink	1920x1080p @ 50/59.94/60 1920x1200p @ 50/59.94/60
6G	SMPTE 2081-10	3840x2160p @ 23.98/24/25/29.97/30
12G	SMPTE 2082-10 Barcolink Ultra	3840x2160 @ 50/59.94/60 3840x2400p @ 50/59.94/60

3.3 PDS-4K DisplayPort1.2 Input and Audio Card

About the PDS-4K DisplayPort1.2 Input and Audio Card

The PDS-4K DisplayPort 1.2 Input and Audio Card can be installed into the option slot on the rear of the PDS-4K for added functionality as long as firmware version 9.0.4876 (or higher) is installed on the unit. This card allows embedded audio to pass through from the inputs to the program outputs as well as disembed the audio to Dante®. Audio from Dante® may be embedded onto the program outputs via the Dante® Controller Software running on a computer attached to the audio network.




Image 3-4 PDS-4K DisplayPort1.2 Input and Audio Card

- 1 Dante® Audio network port 1
- 2 Dante® Audio network port 2
- 3 Input 9
- 4 Input 10

Audio card description

1. Audio network
 - There are two audio network connectors
2. Inputs
 - There are two DisplayPort1.2 inputs

Specifications of input and output video connections

On the PDS-4K DisplayPort1.2 Input and Audio Card, each of the input connectors map to a corresponding Source or Take button on the front panel.

DisplayPort1.2 specifications

- DisplayPort per 1.2 specification
- Pixel clock up to 600 MHz
 - Max pixel clock at 24 bits/pixel = 600 Mpix/sec
 - Max pixel clock at 30 bits/pixel = 480 Mpix/sec
 - Max pixel clock at 36 bits/pixel = 400 Mpix/sec
- Supported formats:
 - Formats from as low as 1024x768@47.95 up to 2560x1600@60 and 3840x1200@60 (30 bits)
 - 4K/UHD supported:
 - 3840x2400/ 50/59.94/60 input via 1x DisplayPort
 - 3840x2160/ 50/59.94/60 input via 1x DisplayPort
- EDID version 1.3 compatible

Setup and operation

4

4.1	Rear-panel connections	24
4.2	Power-up initialization	24

About this chapter

This chapter describes how to quickly set up and begin operating your system, follow the steps in this section. Links are provided to the appropriate sections in this guide, if you require more information.

4.1 Rear-panel connections

Rear panel

1. **Connect inputs** – Connect all input sources to the PDS-4K.
2. **Connect outputs** – Connect the output(s) on the PDS-4K to your projector(s) or other target devices. Plug primary displays in to PGM 1A and PGM 2A outputs.
3. **(Optional) Connect Ethernet cable** – Connect an Ethernet cable from the PDS-4K to a computer running the EMTS.
4. **Connect power** – Ensure that power is properly connected to the PDS-4K presentation switcher.
5. **Turn on power** – Turn on power to the PDS-4K, your connected display devices, and to all peripheral equipment.
6. Perform a **Factory** reset.

4.2 Power-up initialization

How to power up the PDS-4K

Connect power to the PDS-4K, then locate the power switch on the rear panel and turn power On. While the system is initializing, the front-panel buttons light up, and the Barco logo is displayed.




Image 4-1 Barco logo and front-panel buttons

While the unit is initializing, the display shows an “In Progress” screen with the software version, the OS version, and a progress bar, and the top and bottom row buttons are not lit.




Image 4-2 “In Progress” screen and front-panel buttons

When initialization is complete the PDS-4K displays the status of the system. Different buttons may be lit, depending on the configuration of the system.



Image 4-3 Status screen and front-panel buttons

The status screen displays the IP address and PGM output formats plus a message telling the user to push the Adjust knob to access the menus.

Menu orientation

5.1	Status Menu.....	26
5.2	Setup Menu and submenus.....	26
5.3	Setup Menu: Auto System Setup	27
5.4	Setup Menu: AV Settings.....	29
5.5	AV Settings: Input	30
5.6	AV Settings: Output	57
5.7	AV Settings: Multiviewer.....	86
5.8	AV Settings: Still Stores.....	97
5.9	AV Settings: Audio	107
5.10	Setup Menu: LED Setup.....	119
5.11	Setup Menu: System.....	126
5.12	System: Reset menu.....	172

About this chapter

This chapter describes the PDS-4K system menus, including how they are accessed and the functions or parameters that are available. The principal menu trees are presented in block diagram format throughout the chapter.

5.1 Status Menu

General

This section provides information about the Status Menu.

Status Menu

The Status Menu has a single screen that shows the front-panel operation mode, Auto Take status, IP Address, PGM resolution and frame rate.




Image 5-1

5.2 Setup Menu and submenus

General

The Setup Menu allows access to all menus other than the Status Menu.

Setup menu tree

Refer to [Image 5-2](#) for an illustration of the Setup Menu menu tree.

Blue menu tree options indicate this menu option is only available with the Audio Card installed.




Image 5–2 PDS-4K Setup Menu menu tree

5.3 Setup Menu: Auto System Setup

General

The Auto System Setup menu has no submenus.

Auto System Setup

1. Press the **Adjust knob** to enter the Setup Menu.




Image 5–3 Setup Menu: Auto System Setup

Auto System Setup is the first submenu of the Setup Menu; it is already highlighted in gray.

2. Select **Auto System Setup**.

The system displays a warning message.




Image 5–4

3. Select **Yes** to begin the auto setup, or select **No** to return to the Setup Menu.

Auto System Setup performs two operations.

- For every destination, the system reads the EDID of the display attached to the primary HDMI output connector and applies the display's preferred format as the format for the destination.
- The system finds the destination with the highest output format and programs the HDMI (and optional DisplayPort) inputs' EDID with that format.

Possible errors

The PDS-4K presentation switcher supports displays operating at 23.98 Hz, 24 Hz, 25 Hz, 30 Hz, 50 Hz, 59.94 Hz, and 60 Hz. If a connected HDMI display does not operate at 23.98 Hz, 24 Hz, 25 Hz, 30 Hz, 50 Hz, 59.94 Hz, or 60 Hz, or if no HDMI display is connected to an output, the system displays error messages.




Image 5–5 Sample error messages

In the setup that generated the sample error messages shown in [Image 5–5](#) no video cables were connected to the PDS-4K.

5.4 Setup Menu: AV Settings

General

The AV Settings menu has the following submenus:

- Input
- Output
- Multiviewer
- Still Stores

Scroll to and select **AV Settings** on the Settings Menu.




Image 5–6 Setup Menu: AV Settings

AV Settings menu tree

Refer to [Image 5–7](#) for an illustration of the Setup Menu menu tree.




Image 5–7 Settings Menu: AV Settings menu tree

5.5 AV Settings: Input

General

Use the AV Settings: Input menu to set up and use inputs. To enter the Input menu from the AV Setup menu, scroll to and select **Input**.




Image 5–8 AV Settings: Input menu

Use the Input menu to adjust all parameters related to inputs.

The Input menu has the following submenus:

- Format
- Format Adjustment
- Adjust Row
- Source Name
- Auto Acquire
- Film Mode
- Audio (if Audio Option card installed)
- Sizing & Aspect Ratio
- Color Adjustment
- EDID
- HDCP
- Capture New Still
- Save Input
- Back

AV Settings: Input menu tree

Refer to [Image 5–7](#) for an illustration of the AV Settings: Input menu tree.




Image 5–9

Input: Format

1. Select **Format** on the Input menu.




Image 5-10 Input: Format selection

Once **Format** is selected, the highlight bar turns from gray to cyan. Turning the adjust knob scrolls through the available formats.

2. Scroll to and select the desired format.




Image 5-11 Input: Format adjustment

Input: Format Adjustment

1. Select **Format Adjustment** on the Input menu




Image 5–12 Input: Format Adjustment selection

2. Scroll to and select **Color Space** on the Format Adjustment menu.




Image 5–13 Format Adjustment: Color Space selection

Once Color Space is selected, the highlight bar turns from gray to cyan.

3. Scroll through the available color spaces and select the desired color space.
The available color spaces are:
 - RGB
 - SMPTE
4. Scroll to and select **Color Range** on the Format Adjustment menu.




Image 5–14 Format Adjustment: Color Range selection

Once Color Range is selected, the highlight bar turns from gray to cyan.

5. Scroll through the available color ranges and select the desired color range. The available color spaces are:
 - Full Range
 - Reduced Range
6. Scroll to and select **Bit Depth** on the Format Adjustment menu.




Image 5–15 Format Adjustment: Bit Depth selection

Bit Depth is a status-only selection; it displays the bit depth of the selected input.

Back returns to the Input menu.

Input: Adjust Row

1. Select **Adjust Row** on the Input menu.




Image 5–16 Adjust Row selection

2. Scroll to and select either **Bottom** or **Top**.




Image 5–17 Adjust Row adjustment

Input: Source Name

1. Select **Source Name** on the Input menu.




Image 5–18 Input: Source Name selection

Source Name is a status-only selection; it displays the source name of the selected input.

Input: Auto Acquire

1. Select **Auto Acquire** on the Input menu.




Image 5–19 Auto Acquire selection

2. Scroll to and select either **On** or **Off**.




Image 5–20 Auto Acquire adjustment

- If Auto Acquire is **On**, the system detects and acquires the input type and resolution. Default is **On**.
- If Auto Acquire is **Off**, the input format must be selected. The input source must then output the chosen format in order for its signal to be acquired.

Input: Film Mode

1. Select **Film Mode** on the Input menu.




Image 5–21 Film Mode selection



Input: Film Mode is not applicable for progressive input formats and is automatically applied only for interlaced formats on SDI inputs only.

Input: Audio

If the Audio Card is installed, the **Audio** sub-menu will be visible.

1. Scroll to and select **Audio** from the **Input** menu.




Image 5–22 Input: Audio

2. Scroll to **Active Audio Ch**. Use this to select the number of Active Audio Channels for the input to be either two or mute (no audio). Eight audio channels will be available in a future release.



Image 5–23 Audio: Active Audio Ch

3. Scroll to **Audio Ch Satus**. This line indicates the number of audio channels present on the input signal.




Image 5–24 Audio: Audio Ch Status

- 4. Scroll to and select **Back** to return to the **Input** menu.

Input: Sizing & Aspect Ratio

Use the Input: Sizing & Aspect Ratio menu to adjust the aspect ratio, visible size and position of the input source. Use the Input: Sizing & Aspect Ratio menu also to apply these changes to the selected input on either the preview (PVW) or program (PGM) outputs.

- 1. Select **Sizing & Aspect Ratio** on the Input menu.




Image 5–25 Input: Sizing & Aspect Ratio selection

The system displays the Sizing & Aspect Ratio menu.




Image 5–26 Sizing & Aspect Ratio menu

Sizing & Aspect Ratio: Adjust On

- 1. Scroll to and select **Adjust On** on the Sizing & Aspect Ratio menu




Image 5–27 Adjust On selection

Once Adjust On is selected, the highlight bar turns from gray to cyan.

2. Scroll to and select either **PVW** (preview) or **PGM** (program).

Sizing & Aspect Ratio: Source Name

1. Select **Source Name** on the Sizing & Aspect Ratio menu.




Image 5–28 Sizing & Aspect Ratio: Source Name selection

Source Name is a status-only selection; it displays the source name of the selected input.

Sizing & Aspect Ratio: Mode

1. Scroll to and select Mode on the Sizing & Aspect Ratio menu.




Image 5–29 Sizing & Aspect Ratio: Mode selection

Once Mode is selected, the highlight bar turns from gray to cyan.




Image 5–30 Sizing & Aspect Ratio: Mode adjustment

The modes are:

- 3:1
- 16:9
- 16:10
- 3:2
- 4:3
- 5:4
- 1:1
- Custom

2. Scroll to and select the desired mode.

Sizing & Aspect Ratio: Ratio

1. Scroll to and select **Ratio** on the Sizing & Aspect Ratio menu to adjust the ratio of the width of the input source to its height.




Image 5–31 Sizing & Aspect Ratio: Ratio selection

Once Ratio is selected, the highlight bar turns from gray to cyan.




Image 5–32 Sizing & Aspect Ratio: Ratio adjustment

2. Use the Adjust knob to adjust and select the desired ratio.

Adjusting the Ratio automatically adjusts the Mode. If, for example, Ratio is 1.77, the Mode is 16:9. Turning the adjust knob counter-clockwise, users can adjust the ratio to any custom setting, for example from 2.99 to 1.78. Setting the Ratio to 1.51 sets the Mode to 3:2.

Setting the ratio to a value that does not match a mode sets the mode to "Custom."




Image 5–33 Aspect ratio adjustment with "Custom" mode

Sizing & Aspect Ratio: H Size, V Size, H Pos, V Pos, Save Source, and Reset

Use the Sizing & Aspect Ratio size and position menus to adjust or reset the size and position of the input source. The adjustment procedure for H Size, V Size, H Pos, and V Pos is the same for all four adjustments. The H Size adjustment is illustrated here.

Reset returns the sizing and position adjustments to their original settings.

1. Select **H Size** from the Sizing & Aspect Ratio menu.




Image 5–34 Sizing & Aspect Ratio: H Size selection

Once H Size is selected, the highlight bar turns from gray to cyan.

2. Use the Adjust knob to adjust the H-size value.




Image 5–35 Sizing & Aspect Ratio: H Size adjustment

V Size, H Pos, and V Pos are updated in the same manner as H Size is updated. Once all updates are made, save the source.

3. Scroll to and select **Save Source**.




Image 5–36 Sizing & Aspect Ratio: Save Source

The system flashes an "Input/Source is saved" message.



Image 5–37 “Input/Source is saved” message

Reset returns the Sizing & Aspect Ratio adjustments to their original settings, even if the source has been saved.

Back returns to the Input menu.

Input: Color Adjustment

1. Select **Color Adjustment** on the Input menu.




Image 5–38 Input: Color Adjustment selection

Selecting Color Adjustment opens the Color Adjustment menu.

Select Color Adjustment to adjust the following color aspects of the input source:

- **Overall Contrast:** Range: 50 to 150; Default: 100
- **Red Contrast:** Range: 25 to 150; Default: 100
- **Green Contrast:** Range: 25 to 150; Default: 100
- **Blue Contrast:** Range: 25 to 150; Default: 100
- **Overall Brightness:** Range: 50 to 150; Default: 100
- **Red Brightness:** Range: 25 to 150; Default: 100
- **Green Brightness:** Range: 25 to 150; Default: 100
- **Blue Brightness:** Range: 25 to 150; Default: 100
- **Hue:** Range: -90 to 90; Default: 0
- **Gamma:** Range: 0.30 to 3.29; Default: 1.00
- **Saturation:** Range: 0 to 150; Default: 100


The adjustment procedure is the same for all eleven adjustments. The Overall Contrast adjustment is illustrated here.

Save Source saves all adjustments to the source.

Reset returns the color adjustments to their initial settings.

Back returns to the Input menu.

2. Scroll to and select **Overall Contrast** on the Color Adjustment menu.




The image shows a 'Color Adjustment' menu with a dark background. The 'Overall Contrast' option is highlighted with a light gray background. The other options are 'Red Contrast', 'Green Contrast', 'Blue Contrast', and 'Overall Brightness', all with a value of 100.

Color Adjustment	
Overall Contrast	100
Red Contrast	100
Green Contrast	100
Blue Contrast	100
Overall Brightness	100

Image 5–39 Overall Contrast selection

3. Use the Adjust knob to adjust the Overall Contrast value.



The image shows the same 'Color Adjustment' menu, but now the 'Overall Contrast' option is highlighted with a bright cyan background and its value has been changed to 125. The other options remain at 100.

Color Adjustment	
Overall Contrast	125
Red Contrast	100
Green Contrast	100
Blue Contrast	100
Overall Brightness	100

Image 5–40 Overall Contrast adjustment

Once all updates are made, save the source.

4. Scroll to and select **Save Source**.




Image 5–41 Color Adjustment: Save Source

The system flashes a “Source is saved” message.




Image 5–42 “Source is saved” message

Reset returns the source settings to their original state, even if the source has been saved.

Back returns to the Input menu.

Input: EDID

Use the EDID menu to set up and apply an EDID for an input. Note Some EDID settings are only available when the Audio Card installed.



EDID is not applicable to SDI inputs.

1. Select **EDID** on the Input menu.




Image 5-43 Input: EDID selection

Selecting EDID opens the EDID menu.

2. Scroll to Status on the EDID menu.




Image 5-44 EDID: Status OK

EDID: Status is a status-only selection; it displays the status of the input selected on the **Adjust Row** and **Adjust On** menus.

3. Scroll to and select **Format** on the EDID menu.




Image 5-45 EDID: Format selection

Once Format is selected, the highlight bar turns from gray to cyan.




Image 5-46 EDID: Format selection

4. Use the Adjust knob to scroll through and select the desired EDID format from the available formats.
5. Scroll to and select **Bit Depth** on the EDID menu.




Image 5-47 EDID: Bit Depth adjustment

6. Use the Adjust knob to adjust the bit-depth value.
7. Scroll to and select **Max Audio Channels** to choose the desired number of audio channels. Only available with optional audio card.




Image 5-48 EDID: Max Audio Channels adjustment

8. Scroll to and select **Max Audio Sample Rate** to choose the desired sample rate. Only available with optional audio card.




Image 5-49 EDID: Max Audio Sample Rate adjustment

9. Scroll to and select **Max Audio Bit Depth** to choose the desired bit depth. Only available with optional audio card..




Image 5–50 EDID: Max Audio Bit Depth adjustment

10. Scroll to and select **Apply EDID** to apply the updated EDID settings to an input, or scroll to and select **Back** to return to the Input menu, without keeping the EDID changes.




Image 5–51 EDID: Apply EDID selection

The system displays a "New EDID has been applied" message.




Image 5–52 "New EDID has been applied" message

11. Press the Adjust knob to select "OK."
The system applies the adjusted EDID.
12. Scroll to and select **Back** to return to the Input menu.

Input: HDCP

The default HDCP mode setting for HDMI is Off.



HDCP Mode is not applicable to SDI inputs.

1. Select **HDCP** on the Input menu to set up and apply HDCP settings for the input.




Image 5–53 Input: HDCP selection

2. Scroll to and select **HDCP Mode** on the Input menu.




Image 5–54 HDCP Mode adjustment

3. Use the Adjust knob to adjust the HDCP-version value.
Status shows "N/A" if no HDCP encryption is negotiated on the input, or it shows "OK" and the HDCP type negotiated with the input device.
4. Select **Back** to return to the Input menu.




Image 5–55 HDCP: Back—return to Input menu

Input: Capture New Still

1. Scroll to and select **Capture New Still** on the Input menu.




Image 5–56 Input: Capture New Still

2. Press the Adjust knob to capture the new still.
The system displays a progress screen while it captures the Still.




Image 5–57 StillStore in progress

Once the Still is captured, the system returns to the Input menu and displays a message that contains the name of the Still.



Image 5–58 "StillStore is captured" message



The "StillStore is captured" message, with the name of the Still, is displayed only briefly.

Once the Still is captured, the system returns to the Input menu.




Image 5-59 AV Settings: Input menu

Input: Save Input

1. Scroll to and select **Save Input** on the Input menu.




Image 5-60 Input: Save Input selection

The system displays the following message:

2. Press the Adjust knob to save the input.



Image 5-61 "Input/Source is saved" message

Once the input is saved, the system returns to the Input menu.




Image 5-62 Input menu

3. Scroll to and select **Back** to return to the Setup menu.




Image 5-63 Input: Back selection

5.6 AV Settings: Output

General

Use the AV Settings: Output menu to set up and use outputs. To enter the Output menu from the AV Setup menu, scroll to and select **Output**.




Image 5–64 AV Settings: Output menu

Use the Output menu to adjust all parameters relating to outputs. Using this menu, you can set all of the configuration options for the selected output.

The AV Settings: Output menu has the following submenus:

- Screen
- Format
- Transition Time
- Auto Configure Output Format
- Layer Scaling Mode
- Test Pattern
- Area of Interest
- Color Adjustment
- Logo/Matte
- Background
- HDCP
- Color/Sample/Bit
- HDMI Soft Reset
- SDI Setup
- Audio (if Audio Option card installed)
- Back

AV Settings: Output menu tree

Refer to [Image 5–65](#) and [Image 5–66](#) for an illustration of the AV Settings: Output menu tree.




Image 5–65 AV Settings: Output menu tree




Image 5–66 AV Settings: Output menu tree (continued)

Output: Screen

- 1. Select **Screen** on the Output menu.




Image 5–67 Output: Screen selection

- Once screen is selected, the highlight bar turns from gray to cyan.
- 2. Turning the adjust knob scrolls through the available outputs.




Image 5–68 Output: Screen adjustment



In 4K60 mode the options are PGM1 and PGM2; in 4K30 mode the options are PGM1A, PGM1B, PGM2A, and PGM2B.

Output: Format

1. Select **Format** on the Output menu.




Image 5–69 Output: Format selection

Once Format is selected, the highlight bar turns from gray to cyan.




Image 5-70 Output: Format adjustment

- Turn the **Adjust knob** to scroll through the available formats.




Image 5-71 Adjusting Output Format

- Press the **Adjust knob** to select the desired output format, when it is displayed.

Output: Transition Time

Use Transition Time to adjust the duration of a transition time in seconds. Value ranges from "0.0" to "12.0." A transition time of "0.0" specifies a **Cut** transition.

- Select **Transition Time** on the Output menu.




Image 5-72 Output: Transition Time selection

Once Transition Time is selected, the highlight bar turns from gray to cyan.

2. Turn the adjust knob to adjust the transition time.




Image 5-73 Output: Transition Time adjustment

The Transition Time is adjusted in tenths of a second.

3. Press the Adjust knob to select the desired transition time, when it is displayed.

Output: Auto Configure Output Format

Use Auto Configure Output Format to automatically detect and acquire the preferred output format for the primary HDMI display.

1. Scroll to and select **Auto Configure Output Format** from the Output menu.




Image 5–74 Output: Auto Configure Output Format selection

Output: Layer Scaling Mode

The layer scaling mode can be adjusted by using the Adjust knob and selecting **Layer Scaling Mode**.




Image 5–75 Output: Layer Scaling Mode

The following layer scaling modes are available:

1. All
2. Center Cut
3. Custom

Output: Layer Mode

The **Layer Mode** can be highlighted by scrolling to it using the Adjust knob.




Image 5–76 Output: Layer Mode

Output: Test Pattern

Use Test Pattern to select and adjust output test patterns.

1. Scroll to and select **Test Pattern** on the Output menu.




Image 5–77 Output: Test Pattern selection

The system displays the Test Pattern menu.

Test Pattern: Type

Use Type to select the desired test pattern.

1. Scroll to and select **Type** from the Test Pattern menu.
The system displays the Test Pattern menu.

Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	Off

Image 5–78 Test Pattern: Type selection

Once Type is selected, the highlight bar turns from gray to cyan.

Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	Off

Image 5–79 Test Pattern: Type adjustment

The following test patterns are available:

- Horizontal Ramp
- Vertical Ramp
- 100% Color Bars
- 16x16 Grid
- 32x32 Grid
- Burst
- 75% Color Bars
- 50% Gray
- Horizontal Steps
- Vertical Steps
- White
- Black
- SMPTE Bars
- Circle Alignment
- Red
- Green
- Blue

2. Use the Adjust knob to scroll through and select the desired test pattern.

Test Pattern	
Type	100% Color Bars
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	Off

Image 5–80 Selecting test-pattern type “100% Color Bars”

Test Pattern: AOI Raster Box


Use AOI Raster Box to turn On and turn Off a border box around the area of interest (AOI). The AOI raster box is green.

1. Scroll to and select **AOI Raster Box** from the Test Pattern menu.

Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	Off

Image 5–81 Test Pattern: AOI Raster Box selection

Once AOI Raster Box is selected, the highlight bar turns from gray to cyan.



Test Pattern	
Type	Off
AOI Raster Box	On
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	Off


Image 5–82 Test Pattern: AOI Raster Box adjustment

2. Use the Adjust knob to toggle the AOI raster box between **Off** and **On**.

Test Pattern: Output Raster Box

Use Output Raster Box to turn On and turn Off a border box around the entire output. The output raster box is white.

1. Scroll to and select **Output Raster Box** from the Test Pattern menu.



Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	Off

Image 5–83 Test Pattern: Output Raster Box selection

Once Output Raster Box is selected, the highlight bar turns from gray to cyan.

Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	On
Diagonal Motion	Off
Test Tone	Off

Image 5–84 Test Pattern: Output Raster Box adjustment

2. Use the Adjust knob to toggle the output raster box between **Off** and **On**.

Test Pattern: Diagonal Motion

Use Diagonal Motion to add motion to a test pattern. In most cases the motion is diagonal; in some cases the motion is either horizontal or vertical.

1. Scroll to and select **Diagonal Motion** from the Test Pattern menu.

Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	Off

Image 5–85 Test Pattern: Diagonal Motion selection

Once Diagonal Motion is selected, the highlight bar turns from gray to cyan.

Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	On
Test Tone	Off

Image 5–86 Test Pattern: Diagonal Motion adjustment

2. Use the Adjust knob to toggle the diagonal motion between **Off** and **On**.

Back returns to the Output menu.

Test Pattern: Test Tone

If the option card is installed a test tone can be heard on the PGM output(s).

1. Scroll to **Test Tone** from the Test Pattern menu.

Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	Off

Image 5–87 Test Pattern: Test Tone selection

Once Test Tone is selected, the highlight bar turns from gray to cyan.

Test Pattern	
Type	Off
AOI Raster Box	Off
Output Raster Box	Off
Diagonal Motion	Off
Test Tone	On

Image 5–88 Test Pattern: Test Tone adjustment

2. Use the Adjust knob to toggle the test tone between **off** and **on**.

Output: Area of Interest

Use the Area of Interest menu to adjust the H Size, V Size, H Pos, and V Pos of the area of interest (AOI) of the output. The adjustment procedure is the same for all four adjustments. The H Pos adjustment is illustrated here.

1. Select **Area of Interest** on the Output menu.

Output	
Layer Scaling Mode	
All	
Layer Mode	Mixer
Test Pattern	
Area of Interest	

Image 5–89 Output: Area of Interest selection

Selecting Area of Interest opens the Area of Interest menu.

2. Scroll to and select **H Pos** on the Area of Interest menu.




Image 5-90 AOI: H Pos selection

Once H Pos is selected, the highlight bar turns from gray to cyan.




Image 5-91 AOI: H Pos adjustment

- Use the Adjust knob to adjust the H-position value.
H Size, V Size, and V Pos are updated in the same manner as H Pos is updated.

Reset returns the AOI adjustments to their initial settings.

Back returns to the Output menu.

Output: Color Adjustment

Output -Color Adjustment works in the same manner as Input -Color Adjustment works, except that Output -Color Adjustment has no "Save Source" option.

- Select **Color Adjustment** on the Output menu.




Image 5-92 Output: Color Adjustment selection

Selecting Color Adjustment opens the Color Adjustment menu.

Select Color Adjustment to adjust the following color aspects of the output:

- **Overall Contrast:** Range: 50 to 150; Default: 100
- **Red Contrast:** Range: 25 to 150; Default: 100
- **Green Contrast:** Range: 25 to 150; Default: 100
- **Blue Contrast:** Range: 25 to 150; Default: 100
- **Overall Brightness:** Range: 50 to 150; Default: 100
- **Red Brightness:** Range: 25 to 150; Default: 100
- **Green Brightness:** Range: 25 to 150; Default: 100
- **Blue Brightness:** Range: 25 to 150; Default: 100
- **Hue:** Range: -90 to 90; Default: 0
- **Gamma:** Range: 0.30 to 3.29; Default: 1.00
- **Saturation:** Range: 0 to 150; Default: 100
- **Reset:** returns the color adjustments to their initial settings.
- **Back:** returns to the Input menu.

The adjustment procedure is the same for all eleven adjustments. The Overall Brightness adjustment is illustrated here.

2. Scroll to and select **Overall Brightness** on the Color Adjustment menu.



Image 5-93 Overall Brightness selection

Once Overall Brightness is selected, the highlight bar turns from gray to cyan.

Color Adjustment	
Blue Contrast	100
Overall Brightness	75
Red Brightness	100
Green Brightness	100
Blue Brightness	100

Image 5–94 Overall Brightness adjustment

- Use the Adjust knob to adjust the Overall Brightness value.

Reset returns the color adjustments to their initial settings.

Back returns to the Output menu.

Output: Logo/Matte

This section provides information about setting up and using logos and mattes. To enter the Logo menu from the Output menu, scroll to and select Logo/Matte.



Logo/Matte is configured per PGM output. The default setting is “Matte,” and the default matte is “Black.”

- Scroll to and select **Logo/Matte** to enter the Logo menu from the Output menu.

Logo/Matte	
Select Type	Matte
Red	0
Green	0
blue	0
Logo Mutes PGM Audio	

Image 5–95 Output: Logo/Matte menu

- Select **Select Type** on the Logo/Matte menu.




Image 5–96 Logo/Matte: Select Type selection

Once Select Type is selected, the highlight bar turns from gray to cyan.




Image 5–97 Logo/Matte: Select Type adjustment

3. Use the Adjust knob to select either **Matte** or **Still**.

Logo/Matte: Matte

If the type is **Matte**, the matte color can be adjusted by using the Red, Green, and Blue selections on the Logo/Matte menu. The Green selection is illustrated here, but the procedure is the same for the Red and Blue options.

1. Select **Green** on the Logo/Matte menu.




Image 5–98 Logo/Matte: Green selected

Once Green is selected, the highlight bar turns from gray to cyan.




Image 5–99 Logo/Matte: Green adjustment

2. Turn the **Adjust knob** to adjust the value of the green color of the matte.
3. Press the **Adjust knob** to select the value of the green color of the matte.
Repeat steps 2 and 3 to adjust the values of the red and blue colors, if desired.
4. Once the desired color values have been adjusted, select **Back** to return to the Output menu.

Logo/Matte: Still

If the type is **Still**, any still stored on the system may be selected.

1. Select **Select Still** on the Logo/Matte menu.
Note that the system displays "None," unless the system has at least one Still Store image.




Image 5-100 Logo/Matte: Select Still selection

Once Select Still is selected, the highlight bar turns from gray to cyan.

2. Turn the **Adjust knob** to choose the desired still from among the available stills..



Image 5-101 Logo/Matte: Select Still adjustment

3. Press the **Adjust knob** to select the chosen still.
4. Turn the **Adjust knob** to select **Logo Mutes PGM Audio** and select **On** or **Off**. **On** will mute the audio on the PGM when the logo is applied.



Image 5–102 Logo/Matte: Logo Mutes PGM Audio selection



A still store image used as a logo is shown centered on the output, at its native resolution.

For example, a 1920x1080 still image, when assigned to a PGM output, the resolution of which is 3840x2160, is displayed as centered in the output raster, with the previously assigned matte color filling the remaining pixels of the output raster.

Conversely, a 3840x2160 still image assigned as logo for a 1920x1080 PGM output shows only the center portion of the image, filling the 1920x1080 output raster.

Output: Background

Use the Background menu to adjust the color of the matte used for the background of an output.

1. Select **Background** on the Output menu.




Image 5–103 Output: Background selection

Selecting Background opens the Background menu.

2. Scroll to and select **Select Type** on the Background menu.




Image 5–104 Background: Select Type selection

Once Select Type is selected, the highlight bar turns from gray to cyan.




Image 5–105 Background: Select Type adjustment

The matte color can be adjusted by using the Red, Green, and Blue selections on the Background menu. The Green selection is illustrated here, but the procedure is the same for the Red and Blue options.

3. Scroll to and select **Green** on the Background menu.




Image 5-106 Background: Green selection

4. Use the Adjust knob to adjust and select the color value.




Image 5-107 Background: Green adjustment

The color values range from 0 to 1023.

Select **Back** to return to the Output menu.

Output: HDCP

HDCP Mode enables the HDCP setting for the selected output. The default HDCP mode setting for HDMI is Off.



HDCP Mode is not applicable to SDI outputs.

1. Select **HDCP** on the Output menu to set up and apply HDCP settings for the output.




Image 5–108 Logo/Matte: Logo Mutes PGM Audio selection

2. Scroll to and select **HDCP Mode** on the Output menu.




Image 5–109 HDCP: Mode selection

Once Mode is selected, the highlight bar turns from gray to cyan.




Image 5–110 HDCP: Mode adjustment

3. Use the Adjust knob to turn HDCP **On** or **Off**.

When HDCP is turned On the system displays the HDCP specification version for the primary output. This is a status-only display; it cannot be selected or adjusted.

Select **Back** to return to the Output menu.

Output: Color/Sample/Bit

Use the Color/Sample/Bit menu to adjust the color space (RGB or YCbCr), sampling rate (4:4:4 – 4:2:2 – 4:2:0), and bit depth (8, 10, or 12) of the output signal.

1. Select **Color/Sample/Bit** on the Output menu.




Image 5–111 Output: Color/Sample/Bit selection

2. Scroll to and select the desired output (for example **HDMI1A**).




Image 5–112 Color/Sample/Bit: output (HDMI1A) selection

Once the output is selected, the highlight bar turns from gray to cyan.




Image 5–113 Color/Sample/Bit: output (HDMI1A) adjustment

3. Use the **Adjust knob** to scroll through the available **Color/Sample/Bit** values.
4. Use the **Adjust knob** to scroll to **HDMI Color Range**, and select either **Full Range** or **Reduced Range**.

Select **Back** to return to the Output menu.

Output: HDMI Soft Reset

1. Scroll to **HDMI Soft Reset**. Select it to perform a soft reset on the HDMI output ports. A soft reset can correct some output issues but will black out all HDMI outputs for a few seconds.




Image 5–114 Output: HDMI Soft Reset

Output: SDI Setup

This section provides information about setting up SDI outputs.

1. Scroll to and select **SDI Setup** on the Output menu.




Image 5–115 Output: SDI Setup menu

2. Select the desired output on the SDI Setup menu, for example **SDI1A**.




Image 5–116 SDI Setup: SDI output selection

Once the SDI output is selected, the highlight bar turns from gray to cyan.

3. Select either **LevelA** or **LevelB**.




Image 5–117 SDI Setup: SDI output adjustment

4. Select **Back** to return to the Output menu.

Output: Audio

This section provides information about setting up audio outputs. This menu will only appear when an Audio Card is installed.

1. Scroll to and select **Audio** from the Output menu.




Image 5–118 Output: Audio

2. Scroll to and select **Audio Mode** to select the desired audio mode.




Image 5–119 Audio: Audio Mode selection

3. Scroll to **Audio Channels** to view the Audio Channels.

Audio	
Audio Mode	Follow Video
Audio Channels	2
Audio Output Rate	48
Audio Bit Depth	24
Delay	

Image 5–120 Audio: Audio Channels

4. Scroll to **Audio Output Rate** to view the Audio Output Rate.

Audio	
Audio Mode	Follow Video
Audio Channels	2
Audio Output Rate	48
Audio Bit Depth	24
Delay	

Image 5–121 Audio: Audio Output Rate

5. Scroll to **Audio Bit Depth** to view the Audio Bit Depth.

Audio	
Audio Mode	Follow Video
Audio Channels	2
Audio Output Rate	48
Audio Bit Depth	24
Delay	

Image 5–122 Audio: Audio Bit Depth

6. Scroll to **Delay** to enter the Delay sub-menu choose the desired Mode.



Image 5-123 Audio: Delay

The **Delay** option has the following submenu items:

- Mode
- Back

The Mode can be toggled between Auto and Manual.

7. Scroll to and select **Test Tone** to turn the Test Tone On or Off.




Image 5-124 Audio: Test Tone selection

8. Scroll to and select **Back** to return to the AV Settings Output menu.

5.7 AV Settings: Multiviewer

General

This section provides information about setting up a multiviewer (MVR).

1. Scroll to and select **Multiviewer** on the AV Settings menu.




Image 5–125 AV Settings: Multiviewer selection

Multiviewer menu tree

Refer to [Image 5–126](#) for an illustration of the Multiviewer menu tree.




Image 5–126 AV Settings: Multiviewer menu tree

Multiviewer: Format

- 1. Scroll to and select **Format** from the Multiviewer menu.




Image 5–127 Multiviewer: Format selection

Once Format is selected, the highlight bar turns from gray to cyan.




Image 5–128 Multiviewer: Format adjustment

2. Turn the **Adjust knob** to scroll through the available formats.




Image 5–129 Adjusting Multiviewer Format

3. Press the **Adjust knob** to select the desired multiviewer format, when it is displayed.

Multiviewer: Auto Configure Output Format

Use Auto Configure Output Format to automatically detect and acquire multiviewer output format.

1. Scroll to and select **Auto Configure Output Format** on the Multiviewer menu.




Image 5-130 Multiviewer: Auto Configure Output Format selection

Multiviewer: Select Layout

Scroll to **Select Layout** and press the Adjust knob to activate the control.

1. Use Select Layout to change among the Multiviewer's four window layout "looks."




Image 5-131 Multiviewer: Select Layout

2. Turn the Adjust knob to scroll through the four Layouts and press the Adjust knob again to apply the change in order to see the new layout on the Multiviewer's output.




Image 5–132 Adjusting Select Layout

3. **Reset Layout** is used to revert any changes made using the Event Master Toolset to the currently displayed Multiviewer Layout.




Image 5–133 Multiviewer: Reset Layout

Multiviewer: Test Pattern

Use the Test Pattern to select and adjust multiviewer output test patterns.

1. Scroll to and select **Test Pattern** on the Multiviewer menu.




Image 5–134 Multiviewer: Test Pattern selection

Multiviewer: Test Pattern: Type

Use Type to select the desired test pattern

1. Scroll to and select **Type** from the Test Pattern menu.




Image 5–135 Multiviewer: Test Pattern: Type selection

Once Type is selected, the highlight bar turns from gray to cyan.




Image 5-136 Multiviewer: Test Pattern: Type adjustment

The following test patterns are available:

- Horizontal Ramp
- Vertical Ramp
- 100% Color Bars
- 16x16 Grid
- 32x32 Grid
- Burst
- 75% Color Bars
- 50% Gray
- Horizontal Steps
- Vertical Steps
- White
- Black
- Red
- Green
- Blue

2. Use the Adjust knob to scroll through and select the desired test pattern.




Image 5-137 Selecting test-pattern type "Horizontal Ramp"

Multiviewer: Test Pattern: Output Raster Box

Use Output Raster Box to turn On and to turn Off a border box around the multiviewer output. The output box is white.

1. Scroll to and select **Output Raster Box** from the Test Pattern menu.




Image 5–138 Test Pattern: Output Raster Box selection

Once Output Raster Box is selected, the highlight bar turns from gray to cyan.




Image 5–139 Test Pattern: Output Raster Box adjustment

2. Use the Adjust knob to toggle the output raster box between Off and On.

Multiviewer: Test Pattern: Diagonal Motion

Use Diagonal Motion to add motion to a test pattern. In most cases the motion is diagonal; in some cases the motion is either horizontal or vertical.

1. Scroll to and select **Diagonal Motion** from the Test Pattern menu.




Image 5-140 Multiviewer: Test Pattern: Diagonal Motion selection

Once Diagonal Motion is selected, the highlight bar turns from gray to cyan.




Image 5-141 Multiviewer: Test Pattern: Diagonal Motion adjustment

2. Use the Adjust knob to toggle the diagonal motion between **Off** and **On**.

Back returns to the Output menu.

Multiviewer: HDCP

HDCP Mode enables the HDCP setting for the multiviewer output. The default HDCP mode setting for HDMI is Off.

1. Select **HDCP** from the Multiviewer menu to set up and apply HDCP settings for the multiviewer.




Image 5–142 Multiviewer: HDCP selection

- 2. Scroll to and select **HDCP Mode** on the Multiviewer menu.




Image 5–143 Multiviewer: HDCP: Mode selection

Once Mode is selected, the highlight bar turns from gray to cyan.




Image 5–144 Multiviewer: HDCP: Mode adjustment

3. Use the **Adjust knob** to turn HDCP **On** or **Off**.

When HDCP is turned On the system displays the HDCP specification version for the Multiviewer. This is a status-only display; it cannot be selected or adjusted.

Select **Back** to return to the Multiviewer menu.

Multiviewer: Color/Sample/Bit

1. Use the **Adjust Knob** to select **Color/Sample/Bit**. Select the desired **Color/Sample/Bit** for the Multiviewer.




Image 5–145 Multiviewer: Color/Sample/Bit Selection

Multiviewer: Color Range

1. Use the **Adjust knob** to select **Color Range**. Select the desired **Color Range**.




Image 5–146 Multiviewer: Color Range

Multiviewer: HDMI Soft Reset

1. Use the **Adjust knob** to select **HDMI Soft Reset**. **HDMI Soft Reset** can fix some display issues on Multiviewer output, but the Multiviewer output will go black for a few seconds.




Image 5–147 Multiviewer: HDMI Soft Reset

Select **Back** to return to the Multiviewer menu.

5.8 AV Settings: Still Stores

General

This section provides information about capturing, naming, and using stills. To enter the Still menu from the Setup menu, scroll to and select **Still**.

1. Scroll to and select Still Stores on the AV Settings menu.




Image 5–148 AV Settings: Still Stores selection

Still Stores menu tree

Refer to [Image 5–149](#) for an illustration of the Still menu tree.




Image 5–149 Still Stores menu tree

Still Stores: Capture From Input

1. Use the **Adjust knob** to scroll to **Capture From Input**. Select **Capture From Input** to enter the **Capture From Input** Menu.
2. Using the **Adjust knob** to scroll to **Source Name**.




Image 5–150 Capture From Input: Source Name selection

3. Select **Source Name**. Choose the desired source that you want to capture a still from.




Image 5-151 Capture From Input: Source Name adjustment

4. Use the **Adjust knob** to scroll to **Capture New Still**. Select it to capture the still image.




Image 5-152 Capture From Input: Capture New Still

Use the **Adjust knob** to scroll to **Back** and return to the **Still Stores** menu.

Still Stores: Select Still

To select a still...

1. Select **Select Still** on the Still Stores menu




Image 5–153 Still Stores: Select Still selection

Once Select Still is selected, the highlight bar turns from gray to cyan. Turning the adjust knob scrolls through the available Stills.



Image 5–154 Still Stores: Select Still adjustment

2. Turn the **Adjust knob** to scroll through the available still stores.
3. Press the **Adjust knob** to select the desired still store.

Still Stores: Name

Use Still Stores: Name to rename the selected still.

1. Scroll to and select **Name** on the Still Stores menu.



Image 5-155 Still Stores: Name selection

The system displays the default name of the selected still store.

Once Name is selected, the highlight bar turns from gray to cyan. The first letter of the name is highlighted in green.



Image 5-156 Still Stores: Name adjustment

2. Turn the **Adjust knob** to scroll through the available characters for the first position.
The available characters are:
 - A – Z
 - a – z
 - 0 – 9
 - - (hyphen)
 - . (period)
 - / (slash)
 - A blank character deletes the space.
3. Press the **Adjust knob** to select the desired character.
4. Repeat steps 2 and 3 as needed to rename the still store.



Image 5–157 Still Stores: Name adjustment (continued-1)



Image 5–158 Still Stores: Name adjustment (continued-2)

5. Select a blank space for the last character of the new name, and press the Adjust knob to select the new name.



Image 5–159 Still Stores: Name selection

6. Select **Back**, or press the **ESC** button, to return to the AV Settings menu.

Still Stores: Assign as Logo

1. Using the **Adjust knob** scroll to **Assign as Logo**.



Image 5–160 Still Stores: Assign as Logo selection

2. Select **Assign as Logo**. Select the **PGM** to assign the selected still to.



Image 5–161 Still Stores: Assign as Logo adjustment

Still Stores: Delete Selected

Use Still Stores: Delete Selected (once a still has been selected) to delete a selected still.

1. Scroll to and select **Delete Selected** on the Still Stores menu.



Image 5–162 Still Stores: Delete Selected selection.

Once Delete Selected has been selected, the system displays a message.




Image 5–163 “Do you really want to delete?” message

2. To delete the selected still store, turn the **Adjust knob** to select “Yes,” and press the **Adjust knob**. (“Yes” is the system default.)
To **not** delete the selected store and return to the Still Stores menu, turn the **Adjust knob** to select “No,” and press the **Adjust knob**.

Still Stores: USB Import/Export

Use Still Stores: USB Import/Export to import stills from, or export stills to a USB flash drive.



To import stills from a USB flash drive, the stills must be located in the **StillsImport** subfolder of the **EM** folder on the USB flash drive. No more than eight stills may be stored in the PDS-4K.

To import Stills from a USB flash drive...

1. Insert the flash drive with the stills to be imported into the unit’s USB port.
2. Scroll to and select **USB Import/Export** on the Still Stores menu.



Image 5–164 Still Stores: USB Import/Export selection

If the system detects a USB flash drive, the “USB Detected” line reads “Yes.”




Image 5–165 USB Detected: “Yes”

3. Scroll to and select **Import PNG** on the USB Import/Export menu.




Image 5–166 USB Import/Export: Import PNG selection

While the import is in progress, the system displays the “Importing” message.




Image 5–167 “Importing” message

Press the Adjust knob to cancel the import.

If the total number of Stills in the system is eight (8), the system displays the “Total number of Stills cannot exceed 8” message.




Image 5–168 “Total number of Stills cannot exceed 8” message

Press the Adjust knob to complete the import.

To export Stills to a USB flash drive...

1. Insert the flash drive with the stills to be exported into the unit's USB port.
2. Scroll to and select **USB Import/Export** on the Still Stores menu.
3. Scroll to and select **Export PNG** on the USB Import/Export menu.




Image 5–169 USB Import/Export: Export PNG selection

While the export is in progress, the system displays the “Please wait” message.




Image 5–170 “Please wait” message

The system places the exported Stills in the **Stills\Export** subfolder of the **EM** folder on the USB flash drive. If the Export subfolder does not already exist, the system creates it.

5.9 AV Settings: Audio

General

Use the AV Settings: Audio menu to setup, adjust, and view the Audio settings. To enter the the Audio menu from the AV Settings menu, scroll to and select **Audio**. The Audio Card must be installed to enter this menu.




Image 5–171 AV Settings: Audio

Use the Audio menu to view and adjust Audio parameters.

The Audio Menu has the following parameters:

- Input
- Output
- Dante
- Back

Audio: Menu tree

Refer to [Image 5–172](#) for an illustration of the Audio menu tree.




Image 5–172 AV Settings: Audio menu tree

Audio: Input

1. In the Audio menu, scroll to and select **Input**.



Image 5–173 Audio: Input

2. Scroll to and select **Source** and choose the desired source.




Image 5-174 Input: Source selection

3. Scroll to and select **Active Audio Ch** and choose the desired number of active audio channels.




Image 5-175 Input: Active Audio Ch

4. Scroll to **Audio Ch Status** to view the status of the Audio Channel.




Image 5-176 Input: Audio Ch Status

5. Scroll to **EDID** to view and adjust the EDID settings.




Image 5-177 Input: EDID

The following EDID settings can viewed or modified:

- Status
- Format
- Bit Depth
- Max Audio Channels
- Max Audio Sample Rate
- Max Audio Bit Depth
- Apply EDID
- Back

6. Scroll to **Back** to return to the Audio menu.

Audio: Output

1. In the Audio menu, scroll to and select **Output**.




Image 5-178 Audio: Output

2. Scroll to and select **Screen** and choose the desired Screen.

Output	
Screen	PGM2
Audio Mode	Follow Video
Audio Channels	2
Audio Output Rate	48
Audio Bit Depth	24

Image 5–179 Output: Screen selection

3. Scroll to and select **Audio Mode** and choose the desired Audio Mode.

Output	
Screen	PGM1
Audio Mode	Dante
Audio Channels	2
Audio Output Rate	48
Audio Bit Depth	24


Image 5–180 Output: Audio Mode selection

4. Scroll to **Audio Channels**.

Output	
Screen	PGM1
Audio Mode	Dante
Audio Channels	2
Audio Output Rate	48
Audio Bit Depth	24

Image 5–181 Output: Audio Channels

5. Scroll to **Audio Output Rate**.




The screenshot shows a dark-themed menu titled 'Output'. It contains five rows of settings. The row 'Audio Output Rate' is highlighted with a light gray background. The values for each setting are: Screen (PGM1), Audio Mode (Dante), Audio Channels (2), Audio Output Rate (48), and Audio Bit Depth (24).

Output	
Screen	PGM1
Audio Mode	Dante
Audio Channels	2
Audio Output Rate	48
Audio Bit Depth	24

Image 5-182 Output: Audio Output Rate

6. Scroll to **Audio Bit Depth**.



The screenshot shows the same 'Output' menu as before, but now the 'Audio Bit Depth' row is highlighted with a light gray background. The values remain: Screen (PGM1), Audio Mode (Dante), Audio Channels (2), Audio Output Rate (48), and Audio Bit Depth (24).

Output	
Screen	PGM1
Audio Mode	Dante
Audio Channels	2
Audio Output Rate	48
Audio Bit Depth	24

Image 5-183 Output: Audio Bit Depth

7. Scroll to and select **Delay** and choose the desired Delay settings.




Image 5–184 Output: Delay

8. Scroll to and select **Test Tone** to turn the Test Tone On or Off.




Image 5–185

9. Scroll to and select **Back** to return to the Audio menu.

Audio: Dante

The **Dante** menu provides statuses of parameters that may be configured using the Dante® Controller software on a computer whose network interface is on the same network as the Dante Network ports on the back of the Audio Card.

1. Scroll to and select **Dante** from the Audio menu.




Image 5–186 Audio: Dante

- To view the Audio Card's friendly name, scroll to **Friendly Name**. The Friendly Name may be changed by using the Dante® Controller Software.




Image 5–187 Dante: Friendly Name

- To view the Audio Card's default name, scroll to **Default Name**.




Image 5–188 Dante: Default Name

4. To view the Audio Card's firmware version, scroll to **Firmware Version**.




Image 5–189 Dante: Firmware Version

5. To view the Audio Card's product version, scroll to **Product Version**.




Image 5–190 Dante: Product Version

6. To view or Adjust the Audio Card's network settings, scroll to and select **Network**.




Image 5–191 Dante: Network

The Dante: Network has the following sub-menu items:

- Mode
- Network1
- Network2
- Back

Network1 and Network2 display general network settings such as Link Status, IP Address, Subnet Mask, Gateway, and Mac Address.

7. To view the Audio Card's Sample Rate, scroll to **Sample Rate**.




Image 5–192 Dante: Sample Rate

8. To view the Audio Card's Bit Depth, scroll to **Bit Depth**.




Image 5–193 Dante: Bit Depth

9. To view the Audio Card's AES67 Status, scroll to **AES67 Status**.




Image 5–194 Dante: AES67 Status

10. To view the Audio Card's Reset menu, scroll to and select **Device Resets**.




Image 5–195 Dante: Device Resets

The Dante: Device Resets menu has the following sub-menu options:

- Reboot Dante Card
- Clear Dante Config (Keep IP)
- Clear Dante Config
- Back

11. To return to the AV Settings: Audio menu, scroll to and select Back.

5.10 Setup Menu: LED Setup

General

Use the Setup Menu: LED Setup menu to setup and adjust the LED attributes. To enter the LED Setup menu from the Setup menu, scroll to and select **LED Setup**.




Image 5–196 Setup Menu: LED Setup

Use the LED Setup Menu to adjust LED parameters.

The LED Setup menu has the following parameters:

- Output
- Wall Size (AOI)
- LED Test Pattern
- Layer Scaling Mode
- Layer Mode
- Back

LED Setup: Menu tree

Refer to [Image 5–197](#) for an illustration of the LED Setup menu tree. Menu tree items in blue are only available with the Audio option card installed.




Image 5–197 Setup Menu: LED Setup menu tree

LED Setup: Output

1. In the LED:Setup menu, scroll to **Output**.




Image 5–198 LED Setup: Output

2. Select **Output**, and choose the desired output.




Image 5–199 LED Setup: Output choose output

LED Setup: Wall Size (AOI)

1. From the LED: Setup menu scroll to and select **Wall Size (AOI)**.




Image 5–200 LED Setup: Wall Size (AOI)

2. From the **Wall Size (AOI)** menu select **H Size** to adjust the horizontal size.

Wall Size (AOI)	
H Size	3840
V Size	2160
H Pos	0
V Pos	0
Reset	

Image 5–201 Wall Size (AOI): H Size

3. From the **Wall Size (AOI)** menu select **V Size** to adjust the vertical size.

Wall Size (AOI)	
H Size	3840
V Size	2160
H Pos	0
V Pos	0
Reset	

Image 5–202 Wall Size (AOI): V Size

4. From the **Wall Size (AOI)** menu select **H Pos** to adjust the Horizontal position.

Wall Size (AOI)	
H Size	3840
V Size	2160
H Pos	0
V Pos	0
Reset	

Image 5–203 Wall Size (AOI): H Pos

- From the **Wall Size (AOI)** menu select **V Pos** to adjust the Vertical position.




Image 5–204 Wall Size (AOI): V Pos

- To reset size and position values back to default, scroll to and select reset.




Image 5–205 Wall Size (AOI): Reset

- To return to the LED Setup menu scroll to and select **Back**.

LED Setup: LED Test Pattern

- To enter the LED Test Pattern menu from the LED Setup menu, scroll to and select **LED Test Pattern**.




Image 5–206 LED Setup: LED Test Pattern

- To change the Mode, scroll to and select **Mode** from the LED Test Pattern menu.




Image 5–207 LED Test Pattern: Mode

- To turn the AOI Raster Box on or off, scroll to and select **AOI Raster Box**.




Image 5–208 LED Test Pattern: AOI Raster Box

4. To turn the Output Raster Box on or off, scroll to and select **Output Raster Box**.




Image 5–209 LED Test Pattern: Output Raster Box

5. To turn the Test Tone on or off, scroll to and select **Test Tone**.
Test Tone is only available with the Audio Card installed.




Image 5–210 LED Test Pattern: Test Tone

6. Scroll to and select **Back** to return to the LED Setup menu.

LED Setup: Layer Scaling Mode

1. From the LED Setup menu, scroll to **Layer Scaling Mode**.




Image 5–211 Led Setup: Layer Scaling Mode

2. Select **Layer Scaling Mode**, and select the desired setting.




Image 5–212 Lay Scaling Mode: select Center Cut

LED Setup: Layer Mode

To adjust the Layer Mode, scroll to and select **Layer Mode** from the LED Setup menu.

Scroll to and select **Back** to return to the Setup Menu.

5.11 Setup Menu: System

General

Use the Setup Menu: System menu to set up and adjust system attributes. To enter the System menu from the Setup Menu, scroll to and select **System**.




Image 5–213 Setup Menu: System menu selection

Use the System menu to adjust system parameters.

The Setup Menu: System menu has the following submenus:

- Operation Setup
- HDCP
- Ethernet
- USB Backup/Restore
- Firmware Upgrade
- System Security
- Diagnostics
- Autosave
- Save All
- Back

Setup Menu: System menu tree

Refer to [Image 5–214](#) for an illustration of the Setup Menu: System menu tree.




Image 5–214 Setup Menu: System menu tree

System: Operation Setup

1. Select **Operation Setup** on the System menu.




Image 5–215 System: Operation Setup selection

Operation Setup: System Mode

Use Operation Setup: Mode to view the output mode.

1. Select **System Mode** on the Operation Setup menu.




Image 5–216 Operation Setup: Mode selection

Operation Setup: System Mode is used to switch between: 2x 4K60 and 4x 4K30 output.

- **2x 4K60 Mode** configures the system to process all inputs and two Program outputs up to a maximum format of 3840x2400 @60Hz.
- **4x 4K30 Mode** configures the system to process all inputs and four Program outputs up to a maximum format of 3840x2400 @30Hz.

Operation Setup: Front Panel Setup

Use Operation Setup: Front Panel Setup to adjust the operation of the front-panel buttons.

1. Select **Front Panel Setup** on the Operation Setup menu.




Image 5–217 Front Panel Setup selection

Front Panel Setup: Mode

Use Front Panel Setup: Mode to view the front-panel mode.

1. Select **Mode** on the Front Panel Setup menu.




Image 5–218 Front Panel Setup: Mode selection

Front Panel Setup – Top Row

Use the **Front Panel Setup: Mode** menu to change the operational mode of the front panel buttons from Full Screen to Presets/Cues. See more about these front panel operation modes in [“Front panel”, page 18](#).

1. Select **Top Row** on the Front Panel Setup menu.




Image 5–219 Front Panel Setup: Top Row selection

Selecting **Top Row** opens the Top Row menu.




Image 5–220 Top Row menu

2. Select the desired output.

Once the desired output is selected, the highlight bar turns from gray to cyan. Turning the adjust knob toggles between **Off** and **On**.



Image 5–221 Top Row: Output adjustment

- 3. Use the Adjust knob to turn the output control On or Off.
- 4. Repeat steps #2 and #3 for other desired outputs.



For Top Row, Bottom Row, and Source Buttons, in 2x 4K60 mode the options are PGM1 and PGM2; in 4x 4K30 mode the options are PGM1A, PGM1B, PGM2A, and PGM2B.

Front Panel Setup – Bottom Row

- 1. Select **Bottom Row** on the Front Panel Setup menu.




Image 5–222 Front Panel Setup: Bottom Rom

Selecting **Bottom Row** opens the Bottom Row menu.




Image 5-223 Bottom Row menu

2. Select the desired output.
Once the desired output is selected, the highlight bar turns from gray to cyan. Turning the adjust knob toggles between **Off** and **On**.




Image 5-224 Bottom Row: Output adjustment

3. Use the Adjust knob to turn the output control On or Off.
4. Repeat steps #2 and #3 for other desired outputs.



For Top Row, Bottom Row, and Source Buttons, in 2x 4K60 mode the options are PGM1 and PGM2; in 4x 4K30 mode the options are PGM1A, PGM1B, PGM2A, and PGM2B.

Front Panel Setup: Map Source Buttons

1. Select **Source Buttons** on the Front Panel Setup menu.




Image 5–225 Front Panel Setup: Source Buttons selection

Source Buttons: Auto Map All Source Buttons

1. Select **Auto Map All Source Buttons** on the Source Buttons menu.




Image 5–226 Source Buttons: Auto Map All Source Buttons selection

Once Auto Map All Source Buttons is selected, the system unmaps all source buttons, and then the system auto maps source buttons 1 through 8. Once these buttons are mapped, the system displays a message.




Image 5-227 “All source buttons mapped” message

2. Press the Adjust knob to select **OK**.
The system returns to the Source Buttons menu and displays the inputs that are mapped to the buttons.




Image 5-228 Source Buttons: Auto Map All Source Buttons mapped

3. Scroll to and select **Back** to return to the Front Panel Setup menu.

Source Buttons: Unmap All Source Buttons

1. Select **Unmap All Source Buttons** on the Source Buttons menu.




Image 5–229 Source Buttons: Unmap All Source Buttons selection

Once Unmap All Source Buttons is selected, the system unmaps all source buttons. **The system gives no warning message.**

2. Scroll to and select **Back** to return to the Front Panel Setup menu.

Front Panel Setup: Freeze

1. Scroll to **Freeze** in the Front Panel Setup menu.




Image 5–230 Front Panel Setup: Freeze

2. Select **Freeze**, and choose the desired setting for the Freeze button.




Image 5–231 Front Panel Setup: select PGM

Front Panel Setup: Button Brightness

Use Front Panel Setup: Button Brightness to adjust the brightness of the front-panel buttons.

1. Select **Button Brightness** on the Front Panel Setup menu.




Image 5–232 Front Panel Setup: Button Brightness selection

Once Button Brightness is selected, the highlight bar turns from gray to cyan.

2. Turn the Adjust knob to cycle up and down through the available brightness levels (0 – 6).




Image 5–233 Front Panel Setup: Button Brightness adjustment

3. Press the Adjust knob to select the desired brightness level.

Front Panel Setup: Display Brightness

Use Front Panel Setup:: Display Brightness to adjust the brightness of the front-panel menu display.

1. Select **Display Brightness** on the Front Panel Setup menu.




Image 5–234 Front Panel Setup: Display Brightness selection

Once Display Brightness is selected, the highlight bar turns from gray to cyan.

2. Turn the Adjust knob to cycle up and down through the available brightness levels (0 – 6).




Image 5–235 Front Panel Setup: Display Brightness adjustment

3. Press the Adjust knob to select the desired brightness level.

Front Panel Setup: Flash Display

1. Scroll to and select **Flash Display** on the Front Panel Setup menu to choose between not flashing and flashing the display screen.
Flash Display Off (not flashing) is the system default.




Image 5–236 Front Panel Setup: Flash Display selection

Once Flash Display is selected, the highlight bar turns from gray to cyan.




Image 5–237 Front Panel Setup: Flash Display adjustment

2. Scroll between **Off** (default) and **On**, and select the desired setting.
When Flash Display is set to **On**, the display flashes from dark, to dim, to bright.

Front Panel Setup: Front Panel Lock

Use Front Panel Lock to lock the front-panel buttons.

1. Scroll to and select **Front Panel Lock** on the Front Panel Setup menu.




Image 5–238 Front Panel Setup: Front Panel Lock selection

Once Front Panel Lock is selected, the system displays the following message:




Image 5–239 “Front Panel Locked” message

2. Press and hold the **ESC** button to unlock the front-panel buttons.
Once the front-panel buttons are unlocked, the system displays the Status menu.

Operation Setup: Presets

To enter the Presets menu from the Operation Setup menu, scroll to and select **Presets**.




Image 5–240 Operation Setup: Presets

1. To save the current settings as a new preset, scroll to and select **Save New Preset**. This will immediately save the preset with standard preset name. A message confirming the save will momentarily pop-up.




Image 5–241 Presets: Save New Preset

2. To select and activate one of the saved Presets, scroll to and select **Select Preset**.




Image 5–242 Presets: Select Preset

3. To overwrite the currently selected Preset, scroll to and select **Overwrite Selected**. A message confirming the overwrite will momentarily pop-up.




Image 5–243 Presets: Overwrite Selected

- To recall the selected Preset, scroll to and select **Recall Selected**.




Image 5–244 Presets: Recall Selected

- To delete the currently selected Preset, scroll to and select **Delete Selected**. A pop-up will ask for confirmation. Deletion will be confirmed by a momentary pop-up message.




Image 5–245 Presets: Delete Selected

- To return to the Operation Setup menu, scroll to and select **Back**.

Operation Setup: Auto Take

In Full Screen mode, the top row and bottom row buttons each control a separate screen or group of screens. When “Auto Take” is off, selecting a source places that source in PVW for the assigned output. When “Auto Take” is on, selecting a source transitions that source immediately to PGM for the assigned output. Full Screen mode is the default operational mode for the front panel.

- Scroll to and select **Auto Take** on the Operation Setup menu.




Image 5–246 Operation Setup: Auto Take selection

Once Auto Take is selected, the highlight bar turns from gray to cyan.




Image 5–247 Operation Setup: Auto Take adjustment

2. Turn the Adjust knob to toggle Auto Take **On** and **Off**.
3. Press the Adjust knob to select the desired Auto Take value.

Operation Setup: Black on Invalid Video

Black on Invalid Video outputs a black screen if the system cannot process the input source (for example if there is a loss of sync). The default setting is **On**. If Black on Invalid Video is set to **Off**, unpredictable output may result.

1. Scroll to and select **Black on Invalid Video** on the Operation Setup menu.




Image 5-248 Operation Setup: Black on Invalid Video selection

Once Black on Invalid Video is selected, the highlight bar turns from gray to cyan.




Image 5-249 Operation Setup: Black on Invalid Video adjustment

2. Use the Adjust knob to scroll to and select either **On** or **Off**.

System: HDCP menu

Use System: HDCP to query and adjust the HDCP settings for all outputs, MVR output, and all inputs.

1. Scroll to and select **HDCP** on the System menu.




Image 5–250 System: HDCP selection

System: HDCP: Mode and Status



Mode and Status selections work in the same manner for outputs and for MVR output. Mode and Status selections for inputs are slightly different. The procedure for PGM1 output is shown below.

For outputs and MVR output:

- 1. Scroll to and select **PGM1 Mode** on the HDCP menu.




Image 5–251 System: HDCP: Mode selection

Once PGM1 Mode is selected, the highlight bar turns from gray to cyan.

- 2. Use the Adjust knob to toggle between and select either **Off** or **On**.




Image 5-252 System: HDCP: Mode adjustment

When PGM1 Mode is set to “On,” the PGM1 Status line displays the HDCP status of the PGM1 output.

For inputs:

- 1. Scroll to and select **HDMIInput1-1 Mode** on the HDCP menu.




Image 5-253 System: HDCP: Mode selection—input

Once HDMIInput1-1 is selected, the highlight bar turns from gray to cyan.

HDCP	
MVR Status:	N/A
HDMIInput1-1 Mode:	Off
HDMIInput1-1 Status:	N/A
HDMIInput2-2 Mode:	Off
HDMIInput2-2 Status:	N/A

Image 5–254 System: HDCP: Mode adjustment—input

- Turn the Adjust knob to scroll through the available HDCP settings.

HDCP	
MVR Status:	N/A
HDMIInput1-1 Mode:	HDCP1.x
HDMIInput1-1 Status:	N/A
HDMIInput2-2 Mode:	Off

Image 5–255 Adjusting HDCP input value

- Press the Adjust knob to select the desired HDCP setting.

HDCP	
MVR Status:	N/A
HDMIInput1-1 Mode:	HDCP1.x
HDMIInput1-1 Status:	N/A
HDMIInput2-2 Mode:	Off

Image 5–256 Selecting HDCP input value

After HDMIInput1-1 Mode is selected, HDMIInput1-1 Status reflects the type of HDCP authentication with the input device, if HDCP authentication is present. If no HDCP authentication is present, the HDMIInput1-1 Status reads "N/A."

System: Ethernet

Use System: Ethernet to adjust the Ethernet parameters of the system. For example, the user can set up a static IP or use DHCP (Dynamic Host Configuration Protocol).

1. Select **Ethernet** on the System menu.




Image 5–257 System: Ethernet selection

2. Scroll to and select the desired Ethernet parameter, for example **DHCP**.




Image 5–258 Ethernet: DHCP selection

Once Ethernet parameter is selected, the highlight bar for that parameter turns from gray to cyan.




Image 5–259 Ethernet: DHCP adjustment

3. Turn the Adjust knob to toggle between DHCP **Off** and **On**, and press the Adjust knob to select the desired value.
 - **DHCP** allows the operator to choose whether or not to use the Dynamic Host Configuration Protocol. The default DHCP setting is **Off**.
When DHCP is set to **On**, a device can have a different IP address every time it connects to the network.
 - **IP** reports the current IP address of the system.
 - **MAC** reports the current MAC address of the system.
 - **Set Static IP** allows the operator to set the IP Address, Subnet Mask, and Gateway Mask.

To set a static IP address...

1. Select **Set Static IP** from the Ethernet menu.
2. Select **Set IP Address** from the Set Static IP menu




Image 5–260 Set Static IP: Set IP Address selection

Once Set IP Address is selected, the highlight bar turns from gray to cyan, and the first portion of the IP address is highlighted in green.



Image 5–261 Set Static IP: Set IP Address adjustment

3. Turn the Adjust knob to adjust the first portion of the IP address, and press the Adjust knob when the desired number is reached.
4. Repeat Step 3 for each portion of the IP address.

The **Subnet Mask** and the **Gateway Address** may be set in the same manner as the **IP Address** is set.

Back returns to the Ethernet menu.

Back again returns to the System menu.

USB Backup/Restore

Use System: USB Backup/Restore to create a system backup file and to restore the system with that backup file.

1. Insert a FAT32-formatted USB drive in the front-panel USB port.
2. Select **USB Backup/Restore** on the System menu.




Image 5–262 System: USB Backup/Restore selection

The system detects if a FAT32-formatted USB drive is in the front-panel USB port. If the system detects no USB drive in the USB port, the top line of the USB Backup/Restore menu reads, “USB Detected – No.” If the system detects a USB drive in the USB port, the top line of the USB Backup/Restore menu reads, “USB Detected – Yes.”




Image 5–263 USB Backup/Restore: USB Detected—"Yes"

1. Select **Backup Config** on the USB Backup/Restore menu.



Image 5–264 USB Backup/Restore: Backup Config selection

Once Backup Config is selected, the highlight bar turns from gray to cyan, and the first character of the backup config file name is highlighted in green.




Image 5–265 USB Backup/Restore: Backup Config adjustment

2. Turn the **Adjust knob** to scroll through the available characters for the first position.
The available characters are:
 - A – Z
 - a – z
 - 0 – 9
 - - (hyphen)
 - . (period)
 - / (slash)
 - A blank character deletes the space.
3. Press the **Adjust knob** to select the desired character.
4. Repeat steps 2 and 3 as needed to rename the backup file.
5. Select a blank space for the last character of the new name, and press the Adjust knob to select the new name.

The system creates the backup configuration file. While this file is being created, the system displays an “In Progress” message.




Image 5-266 USB Backup/Restore “In Progress” message

After the backup configuration file is created, the system returns to the USB Backup/Restore menu.

1. Scroll to and select **Restore Config** on the USB Backup/Restore menu.



Image 5-267 USB Backup/Restore: Restore Config selection

Once Restore Config is selected, the highlight bar turns from gray to cyan.

2. Turn the Adjust knob to scroll through the available backup configuration files on the USB flash drive.




Image 5–268 USB Backup/Restore: Restore Config adjustment

3. Press the Adjust knob to select the desired backup configuration and to start the restore process. The system displays an "In Progress" message.




Image 5–269 USB Backup/Restore "In Progress" message

Once the Restore Config process is complete, the system displays a "Restart Unit Now?" message.




Image 5–270 "Restart Unit Now?" message

4. Select “Yes” to restart the unit, or select “No” to return to the USB Backup/Restore menu.

USB Backup/Restore: External Device, XML, and Backup Log Files

External devices, XML, and backup log files are backed-up and restored in the same manner as backup configuration files are backed-up and restored.

System: Firmware Upgrade



Upgrading the firmware through the USB port requires the “pds_update_vp.enc.xx.xx.tar.gz” file to be within a directory named EM on the USB flash drive.

1. Prepare a flash drive with the upgrade file.
2. Perform the firmware upgrade using the USB flash drive.

Prepare a flash drive with the upgrade file

1. Download the software upgrade for free from Barco’s website (URL: <http://www.barco.com>). Click on myBarco and login to get access to secured information. Registration is necessary.
Note that if you are not yet registered, click on **New to myBarco** and follow the instructions. With the created login and password, it is possible to login where you can download the Event Master series processor software. It is not necessary to install any other software.
2. Unzip directly the software upgrade downloaded from the Barco website to the USB drive. This operation automatically creates a directory named EM with the upgrade file inside (pds_update_vp.enc.xx.xx.tar.gz).

Perform the firmware upgrade using the USB flash drive

1. Insert the flash drive into the unit’s USB port.
2. Scroll to and select **Firmware Upgrade** from the System menu.




Image 5–271 System: Firmware Upgrade selection

The Firmware Upgrade submenu appears.




Image 5–272 Firmware Upgrade: USB Upgrade selection

3. Select **USB Upgrade** on the Firmware Upgrade menu.




Image 5–273 USB Upgrade: Select File selection

4. Select **Select File** on the USB Upgrade menu.
If there is more than one firmware update file in the EM directory on the USB flash drive:
 - a) Select **Select File** on the USB Upgrade menu.
Once Select File is selected, the highlight bar turns from gray to cyan.




Image 5–274 USB Upgrade: Select File adjustment

- b) Turn the Adjust knob to scroll through the available firmware upgrade files.
 - c) Press the Adjust knob to select the desired firmware upgrade file.
5. Scroll to and select **Encrypted Update** on the USB Upgrade menu.




Image 5–275 USB Upgrade: Encrypted Update selection

While the firmware upgrade is in progress, the system displays several messages.




Image 5–276 Firmware upgrade “In Progress” message 1




Image 5–277 “Do NOT power cycle” message




Image 5–278 Firmware upgrade “In Progress” message 2

The firmware upgrade process takes about five minutes. When the firmware upgrade is complete, the system displays the Status menu.




Image 5–279 Status menu after firmware upgrade

System: System Security

Use System: System Security to adjust the Admin Lock, WebApp Lock, and the Front Panel Lock.

1. Select **System Security** from the System menu.




Image 5–280 System menu: System Security selection

Back returns to the System menu.

System Security: Admin Lock

When the Admin Lock is enabled, Event Master Toolset users are not allowed to delete Inputs, Outputs, Destinations, Presets, User Keys, Cues, or External Devices. Users are allowed operator-level functionality to recall Presets and Cues and to transition.

1. Select **Admin Lock** from the System Security menu.




Image 5–281 System Security: Admin Lock selection

Once Admin Lock is selected, the highlight bar turns from gray to cyan.

2. Turn the Adjust knob to toggle Admin Lock between “On” and “Off.”




Image 5–282

3. Press the Adjust knob to select either “On” or “Off.”

System Security: WebApp Lock

When the WebApp Lock is off (disabled), the settings page hosted in the PDS-4K is accessible through a web browser, as well as through the Settings menu in the EMTS GUI. When the WebApp Lock is enabled, the WebApp is in read-only mode, and no settings can be changed.

1. Select **WebApp Lock** from the System Security menu.




Image 5–283 System Security: WebApp Lock selection

Once WebApp Lock is selected, the highlight bar turns from gray to cyan.

2. Turn the Adjust knob to toggle Admin Lock between “On” and “Off.”




Image 5–284 System Security: WebApp Lock adjustment

3. Press the Adjust knob to select either “On” or “Off.”

System Security: Front Panel Lock

Use Front Panel Lock to lock the front-panel buttons. The user may also access Front Panel Lock through the Operation Setup submenu of the System menu.

1. Select **Front Panel Lock** from the System Security menu.




Image 5–285 System Security: Front Panel Lock selection

Once Front Panel Lock is selected, the system displays the following message:




Image 5–286 "Front Panel Locked" message

2. Press and hold the **ESC** button to unlock the front-panel buttons.
Once the front-panel buttons are unlocked, the system displays the Status menu.

System: Diagnostics

The Diagnostics menu allows an operator to check if the PDS-4K unit is functioning normally. Front panel and system operations can be checked. Various system temperatures can be monitored and backup log files can be saved for customer service troubleshooting.

1. Select **Diagnostics** from the System menu.




Image 5–287 System menu: Diagnostics selection

2. Scroll to and select the diagnostic to be performed.



Do not perform diagnostics while running a show; the A/V outputs may be disrupted.

Back returns to the System menu.

Diagnostics: Front Panel

1. Scroll to and select **Front Panel** from the Diagnostics menu.




Image 5–288 Diagnostics: Front Panel selected

When **Front Panel** is selected, the system displays the message “Diagnostics in progress...,” and the menu display and the front-panel buttons flash red, then blue, then green.

When the front-panel diagnostic is finished, the system displays a message.




Image 5–289 “Diagnostics in progress” message

2. Turn the Adjust knob or press any front-panel button, for example Button #1 (the left-most button on the top row).




Image 5–290 “'PDSButton1' Pressed” message

3. Press and hold the **ESC** button to return to the Diagnostics menu.

Diagnostics: Buttons/Encoder

1. Scroll to and select **Buttons/Encoder** from the Diagnostics menu.




Image 5–291 Diagnostics: Buttons/Encoder selected

When Front Panel is selected, the system displays the message “Diagnostics in progress...”




Image 5–292 “Diagnostics in progress” message

2. Turn the Adjust knob or press any front-panel button.
If, for example, the Adjust knob is turned, the system displays the following message.




Image 5–293 “Encoder turned” message

3. Press and hold the **ESC** button to return to the Diagnostics menu.

Diagnostics: System

1. Scroll to and select **System** from the Diagnostics menu.




Image 5–294 Diagnostics: System selected

When System is selected, the system displays the “Outputs will be disrupted” warning message.




Image 5–295 “Outputs will be disrupted” warning message

2. Disconnect all outputs.
3. Press the Adjust knob to select “Yes.”
When “Yes” is selected, the system begins the board diagnostic and displays the following message.




Image 5–296 “Board Diagnostic in progress” message

When the diagnostic has finished, the system displays the result.




Image 5–297 System diagnostics result: “Pass”

4. Press the **ESC** button to return to the diagnostics menu.
5. Reconnect the outputs.

Diagnostics: Temperature

1. Scroll to and select **Temperature** from the Diagnostics menu.




Image 5–298 Diagnostics: Temperature selected

The system performs the temperature diagnostics and displays the results.

Temperature	
System	53.3
Input A	66.6
Input B	77.1
Scaler A	74.8
Scaler B	73.2

Image 5–299 Temperature diagnostic results

The system displays the temperature results in °C for the following items:

- System
- Input A
- Input B
- Scaler A
- Scaler B
- MVR
- Expansion slot

2. Turn the Adjust knob to scroll through the temperature diagnostic results.

Back returns to the Diagnostics menu.

Diagnostics: Export Log Files

1. Insert a FAT32-formatted flash drive in the front-panel USB slot.
If there is no USB drive in the USB slot when you attempt to export the log files, the system displays the message "Cannot store backup logs. USB is not connected."
2. Scroll to and select **Export Log Files** on the Diagnostics menu.




Image 5–300 Diagnostics: Export Log Files selection

When Export Log Files is selected, the system displays the following message.




Image 5–301 "Continue operation" message

3. Press the Adjust knob to select "Yes."
While the log files are being exported, the system displays the "Do not power cycle" message.




Image 5–302 "Do not power cycle" message

The system creates a log file called PDSLogFiles.tar.gz and places that file in the EM\Backup folder on the USB flash drive. When the log file has been created, the system flashes the following message, then returns to the Diagnostics menu.



Image 5–303 “Backup successful” message

System: Autosave

1. Scroll to and select **Autosave** on the System menu.




Image 5–304 System: Autosave selection

Once Autosave is selected, the highlight bar turns from gray to cyan.




Image 5–305 System: Autosave adjustment

- 2. Turn the Adjust knob to toggle between “On” and “Off.”
- 3. Press the Adjust knob to select either “On” or “Off.”



The default selection for **Autosave** is “On.” With Autosave set to On the PDS-4K will automatically save the system state after one minute of inactivity (no button presses on the front panel). With Autosave set to Off the user will have to manually save the system state with the below Save All function in order to save all configuration settings into non-volatile memory.

System: Save All

Use Save All to save all of the system settings.

- 1. Scroll to and select **Save All** on the System menu.




Image 5–306 System: Save All selection

When Save All is selected, the system displays the following message.




Image 5–307 “Saved settings file successfully” message

2. Press the Adjust knob to select “OK.”
The menu display returns to the System menu
3. Scroll to and select **Back** to return to the Setup Menu.

5.12 System: Reset menu

General

This section provides information about the Reset menu.

To enter the Reset menu from the System menu, scroll to and select **Reset**.




Image 5–308 Setup menu: Reset

Use the Reset menu to perform a factory reset.

Reset menu tree

Refer to [Image 5–309](#) for an illustration of the Reset menu tree.




Image 5–309 Reset menu tree

Factory reset

1. Press the adjust knob to select **Reset**.



Image 5–310 Reset menu: Factory Reset options

2. Select the type of reset to perform, for example, **Factory: Full**.
 - **Factory: Full** restores all default system configurations and deletes all stored still images.
 - **Factory: Save IP, Dante** restores all default system configurations, except that it saves the current IP address and Dante settings. This option deletes all stored still images.
 - **Factory: Save IP, EDID, Dante** restores all default system configurations, except that it saves the current IP address, EDID settings, and Dante settings. This option deletes all stored still images.
 - **Soft** performs a system reboot, while maintaining all previously saved system settings.
 - **Back** returns to the Setup Menu.

The system displays a confirmation message, depending on which reset option was selected.




Image 5–311 Confirmation message for Factory reset

3. Select **Yes**.

The system resets, and while resetting it displays an “In Progress” screen, then the Barco splash screen, then it displays another progress screen.




Image 5–312 Reset “In Progress” screen for automatic setup



Image 5–313 Barco splash screen




Image 5–314 Second Reset “In Progress” screen

When the system has been reset, the system displays the System Status screen.




Image 5–315 System Status after reset

Event Master Toolset

6

6.1	Screen layout presentation	178
6.2	EMTS GUI: Configuration menu.....	178
6.3	EMTS GUI: Programming menu	180
6.4	EMTS GUI: Cue menu	182
6.5	EMTS GUI: Multiviewer (MVR) menu	184
6.6	EMTS GUI: Settings menu	185

About this chapter

As well as front panel control, the PDS-4K presentation switcher can also be controlled remotely via Event Master Toolset (EMTS), starting with version 8.0. This toolset software release adds control for the PDS-4K.

6.1 Screen layout presentation

General

The user interface is organized around a **menu navigation bar** at the left of the screen and a **working area** in the rest of the screen. The layout of the screens is similar throughout the GUI.

Image 6–1 shows the start-up screen of the Configuration Menu and describes the different components. The screens for the other menus follow the same structure and flow.




Image 6–1 EMTS GUI orientation

- 1 Menu navigation bar** – The menu navigation bar allows the user to choose from among the available menus: Configuration, Programming, Cue, Multiviewer, Controller, or Settings.
- 2 Title bar** – The title bar shows the current menu and the currently selected system.
- 3 Selection area** – The selection area contains tabs for “Discovered” systems and systems “In use.” It also contains a field for entering IP addresses and a button for adding systems.
- 4 Diagram area** – The diagram area contains graphic representations of the system in use.
- 5 Modifier area** – The modifier area contains system controls, such as Preset Conflict Mode.
- 6 Configuration area** – The Configuration area contains tabs and panels on which users perform all needed adjustments. This area is largely empty until the user selects an item from the Diagram area.
- 7 Bottom bar** – The right side of the bottom bar has control for windows and maximizing the screen. The number indicates if this is window 1 or 2; two is the maximum.

6.2 EMTS GUI: Configuration menu

Description

Use the Configuration Menu to add or remove devices to the selected system and to modify the parameters (backgrounds, destinations, inputs, outputs, etc.) of these devices. This page is the first page that appears when you launch the EM GUI software.




Image 6–2 EMTS GUI: Configuration menu

1 Network resource area

Available resources on the network are listed in this area. There are 2 tabs in this section:

- Devices in use in the selected system.
- Discovered devices on the local network.

2 System diagram area

The workspace has two different views: System, Detail, and VPU Resource.

The selected systems details are graphically represented in this area. To view a different system you select the corresponding tab from the top of the working area.

3 System modifier area

System information (Host VP and Unit ID) is displayed in this area. To view a different system you select the corresponding tab from the top of the working area.

This area also includes controls for preset conflicts.

4 Adjustment area

There are several panels in this area: Destination, Output, MVR, Input, Background, Custom Format, EDID Files, External Devices, and HDR Files. Each panel displays the list of items currently defined in the system. The user can also add or delete and define more items. The adjust tab allows the user to adjust variables in each panel.

Panels can be dragged up or down to allow faster manipulation.

5 Bottom bar

The right side of the bottom bar has control for windows and maximizing the screen. The number indicates if this is window 1 or 2, two is the maximum.



Click on the information icon to show a list of the last 100 status-bar messages.

Add a window by clicking the **+ Window button**. The second window can be used on a separate screen.

The out and in arrow button maximizes the interface to the screen, allowing an "OS free" look.



For a more complete description of the Configuration menu of the EMTS GUI, see Chapter 6 of the *"Event Master Devices User's Guide"* (found at the "Manuals, drawings & documentation" link on the E2 Product Support page at <http://www.barco.com/td/R9004799>).

6.3 EMTS GUI: Programming menu

Description

Use the Programming Menu to set up an event. Users can define sources from inputs, assign layers and backgrounds into screens and create User keys and presets and more. Once programmed and defined this is where the show is played back as well.



Image 6–3 EMTS GUI: Programming menu

- | | | |
|---|---|---|
| 1 | Resources area | This area contains the available resources for programming and playback, as inputs and sources. Still images, Screen Destinations (automatically re-inserted into the system), and Background sources (automatically re-inserted into the system) are also available as resources to be used in a PIP or Keying Layer. |
| 2 | Workspace / Programming Diagram area | For each destination, the Program and Preview screens can be viewed individually by selecting the corresponding tab at the top of the Programming Diagram area. Program and Preview screens can be viewed individually or simultaneously by selecting the individual Destination tab or the “View All” tab.

The space between Program and Preview has Layouts, a function where a certain group of destinations can be laid out in the workspace |
| 3 | Workspace / Layer modification area | Layer Alignment adjustments and controls to manage the Preview/Program screens. |

4 Adjustment area

The menus in this area provide control of parameters for selected layer and source. These can be modified and managed. This is where creation of User Keys and presets is done

5 Bottom bar

The right side of the bottom bar has control for windows and maximizing the screen. The number indicates if this is window 1 or 2, two is the maximum.



Click on the information icon to show a list of the last 100 status-bar messages.

Add a window by clicking the **+ Window** button. The second window can be used on a separate screen.

The out and in arrow button maximizes the interface to the screen, allowing an "OS free" look.



For a more complete description of the Programming menu of the EMTS GUI, see Chapter 6 of the "Event Master Devices User's Guide" (found at the "Manuals, drawings & documentation" link on the E2 Product Support page at <http://www.barco.com/td/R9004799>).

6.4 EMTS GUI: Cue menu

Description

Use the Cue menu to create Cues, and to add Presets, External Device commands, and UI functions such as All Trans and Cut to those Cues. The Cue menu also allows the user to play, pause, or stop a Cue.




Image 6–4 EMTS GUI: Cue menu

1	Menu navigation bar	The menu navigation bar allows the user to choose from among the available menus: Configuration, Programming, Cue, Multiviewer, Controller, or Settings.
2	Command resource area	The command resource area contains tabs for the Dest Groups, Custom (UI functions), Devices, and Presets available for Cues.
3	Cue Workspace area	The Cue Workspace area allows the user to add a limited list of Actions and to assign names wait times commands, and parameters to the Actions in each Cue.
4	Adjustment area	The adjustment area allows the user to add, delete, lock, unlock, and rename Cues. The adjustment area also allows the user to play, pause, or stop a Cue.  Play button (Play/Pause)  Pause button (Play/Pause)  Stop button
5	Cue icon	Selecting the Cue icon in the menu navigation bar selects the Cue Menu.
6	Dest Groups tab	The Dest Groups tab lists the Destination Groups available to the Cue Menu.
7	Custom tab	The Custom tab lists the UI functions (All Trans, Cut, and Pause) that are available to the Cue Menu.
8	Devices tab	The Devices tab lists the Devices and their commands that are available to the Cue Menu.
9	Presets tab	The Presets tab lists the Presets available to the Cue Menu.
10	Status	The Status LED indicates the status of the cues in a cue list. - Green means that the cue is active, that is the Cue is currently playing or paused. - Yellow means that the cue is ready to play. - Gray (off) means that the cue has finished.
11	# (Syntax number)	Actions can be added, deleted, re-ordered, and re-numbered.
12	Name	Actions can be given meaningful names.
13	Wait Time	The wait time before an Action in a Cue takes place can be adjusted; the default wait time is half of the system's native rate (29 frames in this example).
14	Commands	Commands can be Presets or Custom (UI Functions).
15	Params	The parameters are Next, Pause, Delay, and Goto.



For a more complete description of the Cue menu of the EMTS GUI, see Chapter 6 of the “*Event Master Devices User’s Guide*” (found at the “Manuals, drawings & documentation” link on the E2 Product Support page at <http://www.barco.com/td/R9004799>).

6.5 EMTS GUI: Multiviewer (MVR) menu

Description

Use the Multiviewer menu to display multiple resources (Inputs, Backgrounds, Destinations) on one or two monitors. On the PDS-4K each resource can be used only once in any Multiviewer layout. Multiviewer Menu is the module used to setup the Multiviewer layouts.



Image 6–5 EMTS GUI: Multiviewer Menu

1	Resources area	Lists the resources available to be displayed in the Multiviewer: Inputs, Backgrounds and Program/Preview Destination Outputs.
2	Multiviewer Layout area	The multiviewer outputs are composed, viewed and managed individually or as a group.
3	Modifier area	Alignment adjustments and controls to manage the multiviewer windows.
4	Adjustment area	Color and sizing adjustments for the windows in each PIP, as well as the background color for each MVR output.



For a more complete description of the Multiviewer menu of the EMTS GUI, see Chapter 6 of the “*Event Master Devices User’s Guide*” (found at the “Manuals, drawings & documentation” link on the E2 Product Support page at <http://www.barco.com/td/R9004799>).

6.6 EMTS GUI: Settings menu

Description

The Settings menu provides access to the Event Master series processor web app that is built into the unit. The app provides users with diagnostic reports, includes an FAQ section and contact information and supports system backup / restore and new firmware installation.




Image 6–6 EMTS GUI: Settings menu

1 Resources area

The Resources area contains the Options, Controller, and Devices tabs.

- The Controller tab shows EC series controller settings and is applicable only when an EC series controller is connected on the network or to a computer running the EMTS.
- The Devices tabs shows what Barco devices (such as projectors) are detected on the network.
- The Option tab allows the user to choose settings concerning the Event Master Toolset Software.

Please see the sections below dedicated to these options.

2 Status

Show status:

- **Online:** the VP is online and the web application can be reached.
- **Web application error:** the VP is online but the web application cannot be displayed.
- **Offline** (in red text): the VP is offline.

3 Refresh Web app area button

Similar to web browser, pressing this button will trigger an attempt to refresh / reconnect to the web interface of the selected VP.

4 System select combo box

Informs the users which System is currently being selected. If there is more than one System defined in the UI, this combo box can be used to select between the different Systems.

5	Device select combo box	Informs the user which Device is currently being selected in the current system.
6	Web app area	Main work area where the different menus are displayed.



For a more complete description of the Settings menu of the EMTS GUI, see Chapter 6 of the “*Event Master Devices User’s Guide*” (found at the “Manuals, drawings & documentation” link on the E2 Product Support page at <http://www.barco.com/td/R9004799>).

Specifications

A

A.1 Specifications for PDS-4K

Specifications LCS-1.5U-MDL1 variant

Live effects canvas	2x outputs up to 4K60 or 4x outputs up to 4K30 each with single mixing PiP or two non-mixing PiPs on a still background
Video inputs	6x HDMI 2.0 connectors
Video outputs	4x HDMI 2.0 connectors
Program output	Two UHD @60 PGM or Four UHD @30 / FHD @60 PGM
Mixers	1 mixer per PGM output
Keying/Mixing	Luma and Chroma on non-mixing PiPs
Still stores	Eight stills, up to 4K each
Multiviewer	1x UHD@60 output with user definable layouts consisting of inputs plus PVW and PGM for each screen
Expandability	Option card slot for other video connector types and/or Dante® audio
HDCP	HDCP 1.x and 2.2
Control	• front panel mappable buttons • Event Master screen management software for PC or MAC • Event Master controllers • WebUI • Ethernet RJ-45, 1000/100/10 Mbps autosense
Noise Level	37 dB in a room temperature environment (23°C/73°F)
Warranty	3 years parts and labor
Dimensions (HxWxD)	6.62 cm (2.605 in) x 48.41 cm (19.06 in) x 40,9 cm (16.1 in)
Weight	6.21 kg (13.7 lbs)
Environmental temperature	0-40° C (32-104 F)
Power	Input power: 100-240 VAC 50/60Hz 151W
Environmental humidity	0-95% non-condensing (non-operating) 0-85% non-condensing (operational)
Notes	Option Card slot to support additional video input connectors, embedded audio processing and Dante® Audio

Specifications LCS-1.5U-MDL2 variant

Live effects canvas	2x outputs up to 4K60 or 4x outputs up to 4K30 each with a single mixing PiP or two non-mixing PiPs on a still background
Video inputs	6x HDMI 2.0 connectors 2x 12G-SDI connectors
Video outputs	4x HDMI 2.0 connectors 4x 12G-SDI connectors
Program output	Two UHD @60 PGM or Four UHD @30 / FHD @60 PGM

Mixers	1 mixer per PGM output
Keying/Mixing	Luma and Chroma on non-mixing PiPs
Still stores	Eight stills, up to 4K each
Multiviewer	1x UHD@60 output with user definable layouts consisting of inputs plus PVW and PGM for each screen
Expandability	Option card slot for other video connector types and/or Dante audio
HDCP	HDCP 1.x and 2.2
Control	• front panel mappable buttons • Event Master screen management software for PC or MAC • Event Master controllers • WebUI • Ethernet RJ-45, 1000/100/10 Mbps autosense
Noise Level	37 dB in a room temperature environment (23°C/73°F)
Warranty	3 years parts and labor
Dimensions (HxWxD)	6.62 cm (2.605 in) x 48.41 cm (19.06 in) x 40,9 cm (16.1 in)
Weight	6.21 kg (13.7 lbs)
Environmental temperature	0-40° C (32-104 F)
Power	Input power: 100-240 VAC 50/60Hz 151W
Environmental humidity	0-95% non-condensing (non-operating) 0-85% non-condensing (operational)
Notes	Option Card slot to support additional video input connectors, embedded audio processing and Dante Audio

Remote Control Protocol

B

About this annex

This annex lists and provides details for the PDS-4K presentation switcher remote control commands.

B.1 PDS-4K ASCII remote control

General

The user can remotely control the PDS-4K presentation switcher via a telnet connection to the unit's IP address.

How to access the PDS-4K remotely

To access the PDS-4K remote commands, use the following procedure:

1. In a command prompt window, type a telnet command in the following format:

```
> telnet nnn.nnn.nnn.nnn 9878
```

where the n's represent the unit IP address and 9878 is the port.

2. Press **Enter**

The command prompt appears.

3. At the command prompt, type a specific PDS-4K remote control command and press **Enter**.

ASCII remote commands

This section lists the PDS-4K remote commands, sorted by name.

ATRN

- Description: Performs an Auto Transition on the currently active destinations. The currently selected Effect type, rate and edge width will be used to transition preview to program.
- Command Format: ATRN <transTime>
- Parameters:
 - <transTime> (optional)
 - Used to specify a transition time (duration of the transition) in seconds. Value ranges from 0 to 12. A 0 specify a cut transition. Any non-zero value (within range) will override the transition time in the controller. If this argument is not specified, the current transition time known by the controller will be used.
- Examples:
 - > ATRN 6
(Transition Preview to Program on currently active destinations in six seconds)
 - > ATRN 0
(Transition Preview to Program immediately. This is a CUT.)
 - > ATRN
(Transition Preview to Program using the transition time set in the controller)
- Query Format: N/A
- Query Response: N/A

PRESET

- Description: Preset Settings. For parameter details, see below.
- Command Format: PRESET
- Parameters:
 - s (save preset, 1-1000)
 - r (recall preset, 1-1000)
 - a (recall preset and auto transition, 1-1000)
- Examples:
 - > PRESET -s 1
(Save currently selected destinations to preset 1)
 - > PRESET -r 10
(Recall preset 10)
 - PRESET -a 10
(Recall preset 10 and auto transition)
- Query Format: N/A

- Query Response: N/A

B.2 PDS-4K JSON RPC remote control

General

JSON (JavaScript Object Notation) is a lightweight format that is used for interchanging data. It is based on a subset of JavaScript language: the way objects are built in JavaScript.

Introduction to JSON

JSON is built on two structures:

- A collection of name/value pairs: In various languages, this is realized as an object, record, struct, dictionary, hash table, keyed list, or associative array.
- An ordered list of values: In most languages, this is realized as an array, vector, list, or sequence.

Here is an example of JSON data:

```
{
  "firstName": "John",
  "lastName": "Smith",
  "address": {
    "streetAddress": "21 2nd Street",
    "city": "New York",
    "state": "NY",
    "postalCode": 10021
  },
  "phoneNumbers": [
    "212 555-1234",
    "646 555-4567"
  ]
}
```

How JSON interacts with the PDS-4K presentation switcher and Event Master processors

JSON uses JSON RPC (REST based) to interact with the PDS-4K presentation switcher. JSON-RPC is a remote procedure call protocol encoded in JSON.

JSON-RPC works by sending a request to a server implementing this protocol. The client in that case is typically software intending to call a single method of a remote system. Multiple input parameters can be passed to the remote method as an array or object, whereas the method itself can return multiple output data as well.

There are JSON RPCs defined to perform tasks on the PDS-4K presentation switcher. User needs to send JSON request through their application or open source application like Postman.

These applications should send request on IP, where the PDS-4K presentation switcher is running and fixed port 9999 (Webserver of the PDS-4K presentation switcher is running on port 9999).

Use JSON from the web application

To use the JSON APIs from the web application, select the **Settings icon** on the Menu navigation bar, and select **JSONRPC API** from the web app dashboard.




Image B-1 Use JSON from the web application

Postman

Postman is an application that you can use to test the Event Master JSON API.

- Go to the GetPostman website.
(<https://www.getpostman.com/>)
- Download the free Postman app.
- Install Postman on your machine.
- Launch Postman and follow these steps to send JSON commands to the Event Master processor.
 - Select POST from the dropdown next to the URL text box.
 - Enter the request URL with port 9999.
 - Type "Content-Type" for header and "application/json" as value of this header.
(See <https://www.getpostman.com/docs/requests> for more information on sending requests.)




Image B-2 Content-Type and application/json

- Select **Body** and click on raw from the buttons available below the URL text box.
- Write the request in the body.

A request is a call to a specific method provided by a remote system. It must contain three certain properties:

- method: a String with the name of the method to be invoked.
- params: an Object or Array of values to be passed as parameters to the defined method.
- id: a value of any type used to match the response with the request to which it is replying.

The receiver of the request must reply with a valid response to all received requests. A response must contain the properties mentioned below.

- result: the data returned by the invoked method.
If an error occurred while invoking the method, this value must be null.
- error: a specified error code if there was an error invoking the method, otherwise null.
- id: the id of the request to which it is responding.

For example: {"params": {}, "method": "powerStatus", "id": "1234", "jsonrpc": "2.0"}




Image B-3 powerStatus API – example

Here, **powerStatus** is the JSON API to be sent.

JSON APIs

Here are some of the JSON APIs defined for controlling the PDS-4K presentation switcher. If you have a host / client Event Master setup, JSON must be sent to the host unit. For all the requests, this section explains the parameter passed or used in the RPC calls. If the params object is blank that means that API doesn't require a parameter.



Requests are case sensitive.

allTrans

- Definition:
 - It executes the "allTrans" command.
- Request:
 - param: {"transTime": 12}
 - Float value, will be applied to all armed destinations (optional).
 - Max value is 12.
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {}, "method": "allTrans", "id": "1234", "jsonrpc": "2.0"}
 - {"params": {"transTime": 1.1 }, "method": "allTrans", "id": "1234", "jsonrpc": "2.0"}

cut

- Definition:
 - It executes the "Cut" command.
- Request:
 - params: {} - It doesn't require any parameter.
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {}, "method": "cut", "id": "1234", "jsonrpc": "2.0"}

resetFrameSettings

- Definition:
 - Expose ALL reset types on Event Master processor with different options.
- Request:
 - params: {"reset": x},
 - "x" can be 0, 1, 2, 3
 - 0: Soft reset.
 - 1: Factory reset.
 - 2: Factory reset (save IP).
 - 3: Factory reset (save IP/EDID).
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"reset": 0}, "method": "resetFrameSettings", "id": "1234", "jsonrpc": "2.0"}

powerStatus

- Definition:
 - This queries the power plug status of the Event Master processor.
- Request:
 - params: {} - It doesn't require any parameter.
- Response:
 - response: {FrameId1 : { PowerSupply1Status":X}}
 - PwrStatus1 gives the power status of the 1st slot in Event Master processor with frame id Frameld1f
 - 1. Power supply module is not present.
 - 2. Power supply module is present, but there is no power cable.
 - 3. Power supply module is present, and the cable is plugged in, but there is no DC current.
 - 4. Power supply module is present, and everything is OK.
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {}, "method": "powerStatus", "id": "1234", "jsonrpc": "2.0"}

listPresets

- Definition:
 - This queries the list of Presets on a particular destination or on the system.
- Request:
 - params: {"ScreenDest":x , "AuxDest":x},
"x" can be:
 - -2: Do not include any destinations of this type. (Has priority over particular id, if passed as a parameter.)
 - -1: Do not care (All presets). (Has priority over particular id, if passed as a parameter.)
 - 0-999: want to see the presets with the destination this particular id in it or array of ids. Eg. "ScreenDestination":[{"id": 2}, {"id": 3}]
- Response:
 - response: Array of: [{"id": 0, "Name": "Preset3.00", "LockMode": 0, "presetSno": 3.00}, {"id": 1, "Name": "Preset4.00", "LockMode": 0, "presetSno": 4.00}]
 - Response contains the array of presets. Above response contains id, name, lock mode preset serial number of the all the presets.
 - success: (0=success, anything else is an error)
- Example:
 - {"params":{"ScreenDest": 0}, "method": "listPresets", "id": "1234", "jsonrpc": "2.0"}

listDestinationsForPreset

- Definition:
 - Lists the content of a Preset.
- Request:
 - params: {"id":x },
"x" can be:
 - -1: List all Presets.
 - 0-999: list only that specific Preset.
- Response:
 - response: Array of: [{"id": 0, "Name": "Preset3.00", "LockMode": 0, "presetSno": 3.00, "ScreenDest":[{"id": 0}, {"id": 3}]]
 - Response contains the array of Presets.
 - success: (0=success, anything else is an error)
- Example:
 - {"params":{"id": 0}, "method": "listDestinationsForPreset", "id": "1234", "jsonrpc": "2.0"}

savePreset

- Definition:
 - Creates a Preset on the Event Master processor.
- Request:
 - params: {"presetName": "NewPreset", "ScreenDestination": [{"id": 2}, {"id": 3}]}
 - "presetName": Name of the Preset to save.
 - ScreenDestinations: ScreenDest id for the Preset to be created.
 - ScreenDestination: an optional parameters. If user didn't provide it, Preset will be saved for selected destinations.
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"presetName": "NewPreset", "method": "savePreset", "id": "1234", "jsonrpc": "2.0"}}
 - {"params": {"presetName": "NewPreset", "ScreenDestination": {"id": 0}, "method": "savePreset", "id": "1234", "jsonrpc": "2.0"}}

Key points regarding Preset, which are same for rename, activate, and delete:

- "id": id of the preset.
- "presetSno": preset serial number. User can provide floating point number if required. Eg. "presetSno": 1.01, "presetSno": 1.00, "presetSno": 1, "presetSno": 1.1, "presetSno": 1.10.
Kindly note that 1.1 and 1.10 or 1.00 and 1 are same.
- "presetName": Name of the preset.

renamePreset

- Definition:
 - Rename a Preset on the Event Master processor. User can rename Preset with id, Preset serial number, or Preset name.
 - Send any one of the parameters to rename Preset.
- Request params:
 - params: {"id": x, "newPresetName": "NewPresetName"}
 - params: {"presetSno": x.y, "newPresetName": "NewPresetName"}
 - params: {"presetName": "OldPresetName", "newPresetName": "NewPresetName"}
 - "newPresetName": New Preset name to set.
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"id": 0, "newPresetName": " newPresetName "}, "method": "renamePreset", "id": "1234", "jsonrpc": "2.0"}
 - {"params": {"presetName": "NewPreset", "newPresetName": "NewPresetName"}, "method": "renamePreset", "id": "1234", "jsonrpc": "2.0"}
 - {"params": {"presetSno": 1.00, "newPresetName": " newPresetName "}, "method": "renamePreset", "id": "1234", "jsonrpc": "2.0"}

activatePreset

- Definition:
 - Recall a Preset on the Event Master processor. User can recall Preset with id, Preset serial number, or Preset name.
 - Send any one of the parameters to recall Preset.
- Request params:
 - params: {"id": x, "type": x}
 - params: {"presetSno": x.y, "type": x}

- `params: {"presetName": "PresetName"}`
 - "type": 0 to recall in preview (default), 1 to recall in program.
This is not a mandatory parameter but should be given when the user wants to recall a Preset in program.
- Response:
 - `response: null`
 - `success: (0=success, anything else is an error)`
- Example:
 - `{"params": {"id": 0, "type": 0}, "method": "activatePreset", "id": "1234", "jsonrpc": "2.0"} // Recall in preview with id 0.`
 - `{"params": {"presetName": "abc"}, "method": "activatePreset", "id": "1234", "jsonrpc": "2.0"} // Recall in preview with preset name "abc".`
 - `{"params": {"presetSno": 1.00, "type": 1}, "method": "activatePreset", "id": "1234", "jsonrpc": "2.0"} // Recall in program with presetSno 1.`

recallNextPreset

- Definition:
 - Recall the next Preset on the Event Master processor.
No parameter is required.
 - Make sure that the user has at least recalled one Preset. Web app recalls the next Preset from the last Preset recalled.
- Request:
 - `params: {}`
- Response:
 - `response: null`
 - `success: (0=success, anything else is an error)`
 - An error is shown if there was no last recalled Preset or if there is no next Preset in the list.
- Example:
 - `{"params": {}, "method": "recallNextPreset", "id": "1234", "jsonrpc": "2.0"}`

deletePreset

- Definition:
 - Delete a Preset on the Event Master processor.
User can delete Preset with id, Preset serial number, or Preset name.
 - Send any one of the parameters to delete Preset.
- Request:
 - `params: {"id": x}`
 - `params: {"presetSno": x.y}`
 - `params: {"presetName": "PresetName"}`
- Response:
 - `response: null`
 - `success: (0=success, anything else is an error)`
- Example:
 - `{"params": {"id": 1}, "method": "deletePreset", "id": "1234", "jsonrpc": "2.0"}`
 - `{"params": {"presetSno": 1.00}, "method": "deletePreset", "id": "1234", "jsonrpc": "2.0"}`
 - `{"params": {"presetName": "Preset 5.00"}, "method": "deletePreset", "id": "1234", "jsonrpc": "2.0"}`

listDestinations

- Definition:
 - This API lists all the destinations with properties such as layers, outputs, id, size, and name.

- Request:
 - params: {"type": x}
 - 0: Show all the destinations.
0 is the default value for the type parameter.
 - 1: Only screen destinations.
- Response:
 - response: Array of: {"ScreenDestination": [{"id": 0, "Name": "Dest1", "HSize": 3840, "VSize": 1080, "Layers": 1, "DestOutMapColl": [{"id": 0 "DestOutMap": [{"id": 0, "Name": "Out1", "HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080, "Freeze": 0}, {"id": 1, "Name": "Out2", "HPos": 1920, "VPos": 0, "HSize": 1920, "VSize": 1080, "Freeze": 1}]}]}]}
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"type": 0}, "method": "listDestinations", "id": "1234", "jsonrpc": "2.0"}

listSources

- Definition:
 - This API lists all the input sources with properties.
- Request:
 - params: {"type": x}
 - 0: Show all the input sources.
0 is the default value for the type parameter.
- Response:
 - response: Array of: {"id": 0, "Name": "InSource1", "HSize": 3840, "VSize": 1080, "SrcType": 0, "InputCfgIndex": -1, "StillIndex": 0, "DestIndex": -1, "UserKeyIndex": -1, "Mode3D": 0, "Freeze": 1, "Capacity": 2, "InputCfgVideoStatus": 4}
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"type": 0}, "method": "listSources", "id": "1234", "jsonrpc": "2.0"}

listContent

- Definition:
 - This API shows the content of a screen destination.
- Request:
 - params: {"id": x}
 - "id": Screen destination index.
- Response:
 - response: {"jsonrpc": "2.0", "result": {"success": 0, "response": {"id": 1, "Name": "PGM2", "IsActive": 1, "BGLyr": [{"id": 0, "LastBGSourceIndex": -1, "BGShowMatte": 1, "BGColor": {"id": 0, "Red": 0, "Green": 0, "Blue": 0}}, {"id": 1, "LastBGSourceIndex": -1, "BGShowMatte": 1, "BGColor": {"id": 0, "Red": 0, "Green": 0, "Blue": 0}}], "Layers": [{"id": 0, "Name": "LayerA", "LastSrcIdx": 4, "PvwMode": 1, "PgmMode": 0, "LinkLayerId": -1, "LinkDestId": -1, "Capacity": 4, "PvwZOrder": 0, "PgmZOrder": 0, "Freeze": 0, "ScalingMode": 0, "Window": [{"HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080}, {"HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080}], "Source": [{"HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080}, {"HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080}], "Mask": [{"id": 0, "Top": 0, "Left": 0, "Right": 0, "Bottom": 0}, {"id": 0, "Top": 0, "Left": 0, "Right": 0, "Bottom": 0}], {"id": 1, "Name": "LayerB", "LastSrcIdx": 5, "PvwMode": 0, "PgmMode": 1, "LinkLayerId": -1, "LinkDestId": -1, "Capacity": 4, "PvwZOrder": 0, "PgmZOrder": 0, "Freeze": 0, "ScalingMode": 0, "Window": [{"HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080}, {"HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080}]}}

```
:1080}}, "Source": [{"HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080}, {"HPos": 0, "VPos": 0, "HSize": 1920, "VSize": 1080}], "Mask": [{"id": 0, "Top": 0, "Left": 0, "Right": 0, "Bottom": 0}, {"id": 0, "Top": 0, "Left": 0, "Right": 0, "Bottom": 0}], "Transition": [{"id": 0, "TransTime": 1, "TransPos": 0, "ArmMode": 1}, {"id": 1, "TransTime": 1, "TransPos": 0, "ArmMode": 0}], "OutputCfg": [{"id": 2, "Name": "HDMI2A", "OutputAOI": [{"id": 0, "TestPattern": [{"id": 0, "TestPatternMode": 0}]}]}], "id": "1234"}
```

- id: index of screen destination.
- Name: Name of ScreenDestination.
- BGLyr: Background layer index, Last source index of background.
"id":0 affects the Background in Program. "id":1 affects the Background in Preview.
- BGShowMatte: This is if BG to be matte or not.
- BGColor: This is background color.
- Layers: Lists layers on screen destination with its properties.
- Transition: This property of screen destination contains the transition time (from time to move from preview to program).
- ScalingMode: 0 = all. 1 = center cut
- success: (0=success, anything else is an error)
- Example:
 - {"params": {"id": 0}, "method": "listContent", "id": "1234", "jsonrpc": "2.0"}

activateCue

- Definition:
 - This API provides the option to play/pause/stop a cue.
- Request:
 - params: {"id": 1, "type": x}, "method": "activateCue", "id": "1234", "jsonrpc": "2.0"}
 - id: Index of the cue
 - type: (Default is play). x" can be : 0 - Play. 0 is the default value for the type parameter. 1 - Pause, 2 - Stop
 - params: {"cueName": "Cue1", "type": x}, "method": "activateCue", "id": "1234", "jsonrpc": "2.0"}
 - params: {"cueSerialNo": 1.00, "type": x}, "method": "activateCue", "id": "1234", "jsonrpc": "2.0"}
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"id": 1}, "method": "activateCue", "id": "1234", "jsonrpc": "2.0"}
//Play - no param or type 0
 - {"params": {"type": 1}, "method": "activateCue", "id": "1234", "jsonrpc": "2.0"}
//Pause - type 1
 - {"params": {"type": 2}, "method": "activateCue", "id": "1234", "jsonrpc": "2.0"}
//Stop - type 2

activateDestGroup

- Definition:
 - Recall a DestGroup on the Event Master processor. User can recall DestGroup with id, DestGroup serial number, or DestGroup name.
 - Send any one of the parameters to recall DestGroup.
- Request:
 - params: {"id": x}
 - params: {"destGrpSno": x.y}
 - params: {"destGrName": "GroupName"}

- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"id": 0}, "method": "activateDestGroup", "id": "1234", "jsonrpc": "2.0"}
 - {"params": {"destGrpName": "abc"}, "method": "activateDestGroup", "id": "1234", "jsonrpc": "2.0"}
 - {"params": {"destGrpSno": 1.00}, "method": "activateDestGroup", "id": "1234", "jsonrpc": "2.0"}

listCues

- Definition:
 - This API lists all the cues.
- Request:
 - params: {}, "method": "listCues", "id": "1234", "jsonrpc": "2.0"
- Response:
 - response: Array of cue objects.
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {}, "method": "listCues", "id": "1234", "jsonrpc": "2.0"}

changeContent

- Definition:
 - This API changes the content of a screen destination by putting background and layers in it.
- Request:
 - params: {"id": 0, "Layers": [{"id": 0, "ScalingMode": 0}]
 - id: Screen destination index.
 - scalingMode: 0 = all. 1 = center cut
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"id": 0, "Layers": [{"id": 1, "ScalingMode": 0, "LastSrcIdx": 10, "Source": {"HPos": 0, "VPos": 0, "HSize": 1122, "VSize": 1122}, "PvwMode": 1, "PgmMode": 0, "Freeze": 0}]}, "method": "changeContent", "id": "1234", "jsonrpc": "2.0"}
 - {"params": {"id": 0, "TestPattern": 5}, "method": "changeContent", "id": "1234", "jsonrpc": "2.0"}

listStill

- Definition:
 - This API lists all the stills with properties such as id, Name, H/V size, LockMode, StillState, PngState, File size.
- Request:
 - params: {}
- Response:
 - response: Array of : [{"id": 0, "Name": "StillStore1", "LockMode": 0, "HSize": {"Min": 0, "Max": 99999, "\$t": 1920}, "VSize": {"Min": 0, "Max": 99999, "\$t": 1080}, "StillState": {"Min": 0, "Max": 4, "\$t": 3}, "PngState": {"Min": 0, "Max": 2, "\$t": 0}, "FileSize": {"Min": 0, "Max": 100000, "\$t": 9331.2}}]
 - id: Index of still store.
 - Name: Name of still store.

- LockMode: For future use. Always set to 0.
- H/V size: Horizontal and vertical size, Min, max and current value. It shows the current value.
- StillState: This tells user if the still is currently being captured or not, or if it is getting deleted.
- PngState: The "PNG" for stills are for the thumbnails we capture for the stills.
- FileSize: Size of the file created in KBs.
- success: (0=success, anything else is an error)
- Example:
 - {"params": {}, "method": "listStill", "id": "1234", "jsonrpc": "2.0"}

deleteStill

- Definition:
 - This API deletes a still.
- Request:
 - params: {"id": x}
 - id: Index of still.
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"id": 0}, "method": "deleteStill", "id": "1234", "jsonrpc": "2.0"}

takeStill

- Definition:
 - This API creates/overwrites a still.
- Request:
 - params: {"type": x, "id": y, "file": z}
 - type: 0 for input source, 1 for BG source.
 - Id: Index of the source. If the source id of the destination is provided, no still is created and an error is shown.
 - File: still file id. If you pass "file": 5, this creates StillStore6.
- Response:
 - response: null
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"type": 0, "id": 1, "file": 5}, "method": "takeStill", "id": "1234", "jsonrpc": "2.0"}
 - This creates a still from input source id 1 as StillStore6.

getFrameSettings

- Definition:
 - This API shows system information, including all the frames information.
- Request:
 - params: {}
- Response:
 - {"System": {"id": 0, "Name": "System1", "FrameCollection": {"id": 0, "Frame": {"id": "00:0c:29:0e:86:d4", "Name": "E2", "Contact": "", "Version": "4.2.30738", "OSVersion": "NA", "FrameType": 0, "FrameTypeName": "E2", "Enet": {"DhcpMode": 0, "DhcpModeName": "Static", "IP": "10.98.0.165", "StaticIP": "192.168.000.175", "MacAddress": "00:0c:29:0e:86:d4", "StaticMask": "255.255.255.000", "StaticGateway": "192.168.000.001"}, "SysCard": {"SlotState": 2, "CardStatusID": 2, "CardStatusLabel": "Ready", "CardTypeID": 80, "CardTypeLabel": "System", "CardID": 0}, "Slot": [{"Card": {"CardStatusID": 2, "CardStatusLabel": "Ready", "CardTypeID": 70, "CardTypeLabel": "Expansion",

```

"CardID":"thisissometextforid0"}}, {"Card":
{"CardStatusID":2, "CardStatusLabel":
"Ready", "CardTypeID":70, "CardTypeLabel":"Expansion", "CardID":
"thisissometextforid1"}}, {"Card":{"CardStatusID":0, "CardStatusLabel":
"Not Installed", "CardTypeID":255, "CardTypeLabel":"Unknown", "CardID":
"Undefined"}}, {"Card":{"CardStatusID":2, "CardStatusLabel":"Ready",
"CardTypeID":1, "CardTypeLabel":"SDI
Input", "CardID":"thisissometextforid211"}},
{"Card":
{"CardStatusID":2, "CardStatusLabel":"Ready", "CardTypeID":3, "CardID":
"thisissometextforid2"}}, {"Card":
{"CardStatusID":2, "CardStatusLabel":"Ready",
"CardTypeID":0, "CardTypeLabel":"DVI
Input", "CardID":"thisissometextforid4"}},
{"Card":{"CardStatusID":2, "CardStatusLabel":"Ready", "CardTypeID":2,
"CardTypeLabel":"HDMI/DP Input", "CardID":"thisissometextforid5"}},
{"Card":{"CardStatusID":2, "CardStatusLabel":"Ready", "CardTypeID":2,
"CardTypeLabel":"HDMI/DP Input", "CardID":"thisissometextforid7"}},
{"Card":{"CardStatusID":2, "CardStatusLabel":"Ready", "CardTypeID":2,
"CardTypeLabel":"HDMI/DP Input", "CardID":"thisissometextforid8"}},
{"Card":{"CardStatusID":2, "CardStatusLabel":"Ready", "CardTypeID":2,
"CardTypeLabel":"HDMI/DP Input", "CardID":"thisissometextforid9"}},
{"Card":{"CardStatusID":2, "CardStatusLabel":"Ready", "CardTypeID":22,
"CardTypeLabel":"HDMI Output", "CardID":"CardID3"}}, {"Card":
{"CardStatusID":2,
"CardStatusLabel":"Ready", "CardTypeID":22, "CardTypeLabel":"HDMI Output",
"CardID":"CardID4"}}, {"Card":{"CardStatusID":2, "CardStatusLabel":"Ready",
"CardTypeID":21, "CardTypeLabel":"SDI Output", "CardID":"CardID415"}},
{"Card":{"CardStatusID":2, "CardStatusLabel":"Ready", "CardTypeID":40,
"CardTypeLabel":"MVR", "CardID":"CardID15"}}, {"Card":{"CardStatusID":2,
"CardStatusLabel":"Ready", "CardTypeID":50, "CardTypeLabel":"VPU Scaler",
"CardID":"thisissometextforid501"}}, {"Card":{"CardStatusID":2,
"CardStatusLabel":"Ready", "CardTypeID":50, "CardTypeLabel":"VPU Scaler",
"CardID":"thisissometextforid502"}}, {"Card":{"CardStatusID":2,
"CardStatusLabel":"Ready", "CardTypeID":50, "CardTypeLabel":"VPU Scaler",
"CardID":"thisissometextforid503"}}, {"Card":{"CardStatusID":2,
"CardStatusLabel":"Ready", "CardTypeID":50, "CardTypeLabel":"VPU Scaler",
"CardID":"thisissometextforid504"}}, {"Card":{"CardStatusID":0,
"CardStatusLabel":"Not Installed", "CardTypeID":255, "CardTypeLabel":
"Unknown", "CardID":"Undefined"}}, {"Card":
{"CardStatusID":2, "CardStatusLabel":
"Ready", "CardTypeID":50, "CardTypeLabel":"VPU Scaler", "CardID":
"thisissometextforid505"}}, {"Card":
{"CardStatusID":2, "CardStatusLabel":"Ready",
"CardTypeID":50, "CardTypeLabel":"VPU Scaler", "CardID":
"thisissometextforid506"}}, {"Card":
{"CardStatusID":2, "CardStatusLabel":"Ready",
"CardTypeID":50, "CardTypeLabel":"VPU Scaler", "CardID":
"thisissometextforid507"}}, {"Card":
{"CardStatusID":2, "CardStatusLabel":"Ready",
"CardTypeID":50, "CardTypeLabel":"VPU Scaler", "CardID":
"thisissometextforid508"}]]]]]]

```

- **System:** System name and index.
- **FrameCollection:** Collection of frames in a system containing frame information.
- **Frame:** Contains frame information.
- **Id:** Mac Id of the frame.
- **Name:** Name of the frame.

- Contact: Contact information.
- Version: Current version of the software installed on the frame.
- OSVersion: Current OS version installed on the frame.
- FrameType: 0 = E2, 1 = S3, 2 = Ex.
- FrameTypeName: Type of the frame: E2/S3/Ex.
- Enet: Ethernet settings.
- SysCard: System card information.
- Slot: List of Input/Output/Expansion card information.
- success: (0=success, anything else is an error)
- Example:
 - {"params": {}, "method": "getFrameSettings", "id": "1234", "jsonrpc": "2.0"}

Subscription and Un-Subscription

When a subscription is done from a JSON-based application, a notification is sent to the ip port where the application is running when there is change for which the user has subscribed.

Actual notification is sent asynchronously as an HTTP Post, with the following structure: {result: {method:

```
"notification", notificationType: "ScreenDestChanged", change: { add: [2],
remove: [], update: [0, 1, 2] } }.
```

The change field contains the XmlId(s) of the screens that were added/removed or updated.



All subscriptions are lost once the Event Master processor is restarted, and they must be subscribed again if required.

subscribe

- Definition:
 - User can use this API to subscribe to change events in the Event Master processor.
 - Once subscribed, the API sends a notification in the form of an HTTP Post to the Url: http://hostname:port/.
- Request:
 - params: {"hostname": hostname, "port": port, "notification" : notificationType []}
 - hostname: Hostname or IP Address to which the notifications are sent.
 - port: TCP port to which the notification are posted.
 - notificationTypes: an array of notifications to which a user wants to subscribe.
 - - ScreenDestChanged
 - - FrameChanged
 - - InputCfgChanged
 - - SourceChanged
 - - BGSourceChanged
 - - PresetChanged
 - - StillChanged
 - - OutputCfgChanged
- Response:
 - response: {"method": "subscribe"}
 - success: (0=success, anything else is an error)
- Example:
 - {"params": {"hostname": "192.168.247.131", "port": "3000", "notification": ["ScreenDestChanged"]}, "method": "subscribe", "id": "1234", "jsonrpc": "2.0"}

unsubscribe

- Definition:
 - User can use this API to remove the subscription for the given hostname, port, and notificationType.

- Request:
 - `params: {"hostname": hostname, "port": port, "notification": notificationType []}`
 - hostname: Hostname or IP Address from which the subscription is to be removed.
 - port: TCP port.
 - notificationTypes: an array of notifications to which a user wants to subscribe.
 - - ScreenDestChanged
 - - FrameChanged
 - - InputCfgChanged
 - - SourceChanged
 - - BGSourceChanged
 - - PresetChanged
 - - StillChanged
 - - OutputCfgChanged
- Response:
 - `response: {"method": "unsubscribe"}`
 - `success: (0=success, anything else is an error)`
- Example:
 - `{"params": {"hostname": "192.168.247.131", "port": "3000", "notification": ["ScreenDestChanged"]}, "method": "unsubscribe", "id": "1234", "jsonrpc": "2.0"}`

Regulatory information

C

C.1 General statements

Guarantee and Compensation

Barco provides a guarantee relating to perfect manufacturing as part of the legally stipulated terms of guarantee. On receipt, the purchaser must immediately inspect all delivered goods for damage incurred during transport, as well as for material and manufacturing faults. Barco must be informed immediately in writing of any complaints.

The period of guarantee begins on the date of transfer of risks, in the case of special systems and software on the date of commissioning, at latest 30 days after the transfer of risks. In the event of justified notice of complaint, Barco can repair the fault or provide a replacement at its own discretion within an appropriate period. If this measure proves to be impossible or unsuccessful, the purchaser can demand a reduction in the purchase price or cancellation of the contract. All other claims, in particular those relating to compensation for direct or indirect damage, and also damage attributed to the operation of software as well as to other services provided by Barco, being a component of the system or independent service, will be deemed invalid provided the damage is not proven to be attributed to the absence of properties guaranteed in writing or due to the intent or gross negligence or part of Barco.

If the purchaser or a third party carries out modifications or repairs on goods delivered by Barco, or if the goods are handled incorrectly, in particular if the systems are operated incorrectly or if, after the transfer of risks, the goods are subject to influences not agreed upon in the contract, all guarantee claims of the purchaser will be rendered invalid. Not included in the guarantee coverage are system failures which are attributed to programs or special electronic circuitry provided by the purchaser, e.g. interfaces. Normal wear as well as normal maintenance are not subject to the guarantee provided by Barco either.

The environmental conditions as well as the servicing and maintenance regulations specified in this manual must be complied with by the customer.

Warranty

All video products are designed and tested to the highest quality standards and are backed by a full 3-year parts and labor warranty. Warranties are effective upon delivery date to customer and are non-transferable. Barco warranties are only valid to the original purchaser/owner. Warranty related repairs include parts and labor, but do not include faults resulting from user negligence, special modifications, lightning strikes, abuse (drop/crush), and/or other unusual damages.

The customer shall pay shipping charges when unit is returned for repair. Barco will cover shipping charges for return shipments to customers.

Return Material Authorization (RMA)

RMA Conditions are listed below:

1. Prior to returning any item, you must receive a Return Merchandise Authorization (RMA) number.
2. All RMA numbers must appear on their return-shipping label.
3. RMA numbers are valid for ten (10) days from issue date.
4. All shipping and insurance charges on all RMAs must be prepaid by the customer.

HDMI Trademark Notice



The terms HDMI, HDMI High Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

C.2 Product compliance

C.2.1 Product compliance EU

EN55032/CISPR32 Class A MME (MultiMedia Equipment)

Warning : This equipment is compliant with Class A of CISPR 32. In a residential environment this equipment may cause radio interference.

C.2.2 Product compliance US

Federal Communications Commission (FCC Statement)

This equipment has been tested and found to comply with the limits for a class A digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area may cause harmful interference, in which case the user will be responsible for correcting any interference at his own expense

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

FCC responsible: Barco Inc.
3059 Premiere Parkway Suite 400
30097 Duluth GA, United States
Tel: +1 678 475 8000

C.2.3 Product compliance UK

UK Compliance



This product is fit for use in the UK.

Authorised Representative: Barco UK Ltd

Address: Building 329, Doncastle Road
Bracknell RG12 8PE, Berkshire, United Kingdom

C.2.4 Product compliance Korea

KCC statement

기종별	사용자안내문
A급기기 (업무용방송통신기자재)	이 기기는 업무용 환경에서 사용할 목적으로 적합성평가를 받은 기기로서 가정용 환경에서 사용하는 경우 전파간섭의 우려가 있습니다.

한국용: KC 인증품을 구매하여 사용하세요 - 플러그: 250 V~, 16 A; 전원 코드: 60227 IEC 53, 3G0.75 mm² (최대 2m) / 60227 IEC 53, 3G1.0 mm²; 커넥터: 250 V~, 10 A

C.2.5 Product compliance Taiwan

BSMI Taiwan Class A statement

警告使用者：此為甲類資訊技術設備，於居住環境中使用，可能會造成射頻擾動，在此情況下，使用者會被要求採取某些適當的對策。

C.2.6 Product compliance China

GB/T 9254.1 A级ITE(信息技术设备)

警告：在居住环境中，运行此设备可能会造成无线电干扰。

C.3 RoHS compliance

C.3.1 Taiwan RoHS compliance

限用物質含有情況標示聲明書 (Declaration of the Presence Condition of the Restricted Substances Marking)

	限用物質及其化學符號 Restricted substances and its chemical symbols					
單元 Unit	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr+6)	多溴聯苯 Polybromi- nat-ed biphenyls (PBB)	多溴二苯醚 Polybromi- nat-ed diphenyl ethers (PBDE)
印刷電路(含零組件) PCBA (including the components)	—	○	○	○	○	○
液晶顯示屏 LCD	○	○	○	○	○	○
電源适配器 Power adapter	—	○	○	○	○	○
電纜/連接器 Cable / connector	-	○	○	○	○	○
風扇 Fan	-	○	○	○	○	○
機械部件-金屬件 Mechanical parts - Metal	○	○	○	○	○	○
塑膠殼 Plastic cover	○	○	○	○	○	○
電源線/信號線 Power supply / signal cable	—	○	○	○	○	○
機械部件-其他 Mechanical Parts – Others	○	○	○	○	○	○
紙/油墨(標籤、說明書、包裝盒等) Paper/Ink (Label, Instruction and packaging etc.)	○	○	○	○	○	○
背光燈管部件 Backlight assembly	○	○	○	○	○	○
備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值。 Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考3. “—” 係指該項限用物質為排除項目。 Note 3: The “—” indicates that the restricted substance corresponds to the exemption.						

C.3.2 China RoHS compliance

中国大陆 RoHS (Chinese Mainland RoHS)

根据中国大陆《电器电子产品有害物质限制使用管理办法》（也称为中国大陆RoHS），以下部分列出了Barco产品中可能包含的有毒和/或有害物质的名称和含量。中国大陆RoHS指令包含在中国信息产业部MCV标准：“电子信息产品中有毒物质的限量要求”中。

According to the “Management Methods for the Restriction of the Use of Hazardous Substances in Electrical and Electronic Products” (Also called RoHS of Chinese Mainland), the table below lists the names and contents of toxic and/or hazardous substances that Barco's product may contain. The RoHS of Chinese Mainland is included in the MCV standard of the Ministry of Information Industry of China, in the section “Limit Requirements of toxic substances in Electronic Information Products”.

零件项目(名称) Component Name	有毒有害物质或元素 Hazardous Substances or Elements					
	铅 Pb	汞 Hg	镉 Cd	六价铬 Cr6+	多溴联苯 PBB	多溴二苯醚 PBDE
印制电路配件 Printed Circuit Assemblies	X	O	O	O	O	O
外接电(线)缆 External Cables	X	O	O	O	O	O
散热片(器) Heatsinks	O	O	O	O	O	O
底架 Chassis	O	O	O	O	O	O
电源供应器 Power Supply Unit	X	O	O	O	O	O
风扇 Fan	X	O	O	O	O	O
电池(组) Batteries	X	O	O	O	O	O
螺帽,螺钉(栓),螺旋(钉),垫圈,紧固件 Nuts, bolts, screws, washers, Fasteners	O	O	O	O	O	O

本表格依据SJ/T 11364的规定编制

This table is prepared in accordance with the provisions of SJ/T 11364.

O: 表示该有毒有害物质在该部件所有均质材料中的含量均在 GB/T 26572 标准规定的限量要求以下。

O: Indicates that this toxic or hazardous substance contained in all of the homogeneous materials for this part is below the limit requirement in GB/T 26572.

X: 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572 标准规定的限量要求。

X: Indicates that this toxic or hazardous substance contained in at least one of the homogeneous materials used for this part is above the limit requirement in GB/T 26572.



在中国大陆销售的相应电子信息产品（EIP）都必须遵照中国大陆《电子电气产品有害物质限制使用标识要求》标准贴上环保使用期限（EFUP）标签。Barco产品所采用的EFUP标签（请参阅实例，徽标内部的编号使用于指定产品）基于中国大陆的《电子信息产品环保使用期限通则》标准。

All Electronic Information Products (EIP) that are sold within Chinese Mainland must comply with the “Marking for the restriction of the use of hazardous substances in electrical and electronic product” of Chinese Mainland, marked with the Environmental Friendly Use Period (EFUP) logo. The number inside the EFUP logo that Barco uses (please refer to the photo) is based on the “General guidelines of environment-friendly use period of electronic information products” of Chinese Mainland.

C.3.3 Turkey RoHS compliance

Turkey RoHS compliance



Türkiye Cumhuriyeti: AEEE Yönetmeliğine Uygundur.
[Republic of Turkey: In conformity with the WEEE Regulation]

C.4 Disposal information

Disposal Information



Waste Electrical and Electronic Equipment (WEEE)

This symbol on the product indicates that, under the European Directive 2012/19/EU governing waste from electrical and electronic equipment, this product must not be disposed of with other municipal waste. Please dispose of your waste equipment by handing it over to a designated collection point for the recycling of waste electrical and electronic equipment. To prevent possible harm to the environment or human health from uncontrolled waste disposal, please separate these items from other types of waste and recycle them responsibly to promote the sustainable reuse of material resources.

For more information about recycling of this product, please contact your local city office or your municipal waste disposal service. For details, please visit the Barco website at: <https://www.barco.com/about/sustainability/waste-of-electronic-equipment-customers>

Disposal of batteries in the product



This product contains batteries covered by the Directive 2006/66/EC which must be collected and disposed of separately from municipal waste.

If the battery contains more than the specified values of lead (Pb), mercury (Hg) or cadmium (Cd), these chemical symbols will appear below the crossed-out wheeled bin symbol.

By participating in separate collection of batteries, you will help to ensure proper disposal and to prevent potential negative effects on the environment and human health.

C.5 Software and licenses

Software License Agreement

You should carefully read the following terms and conditions before using this software. Your use of this software indicates your acceptance of this license agreement and warranty.

Terms and Conditions:

1. No redistribution of the software is allowed.
2. Reverse-Engineering. You may not reverse engineer, decompile, disassemble or alter this software product.

Disclaimer of Warranty:

This software and the accompanying files are sold “as is” and without warranties as to performance or merchantability or any other warranties whether expressed or implied. In no event shall Barco be liable for damage of any kind, loss of data, loss of profits, business interruption or other pecuniary loss arising directly or indirectly. Any liability of the seller will be exclusively limited to replacement of the product or refund of purchase price.

Third party software list and short description

The products and software applications described in this manual make use of one or more of the following third party software items:

- **Boost:** Boost software is distributed under the Boost Software License, Version 1.0, http://www.boost.org/LICENSE_1_0.txt
- **Qt:** The Qt GUI Toolkit is Copyright (C) 2015 Digia Plc and/or its subsidiary(-ies).
Contact: Digia Plc (<http://www.qt.io/about-us/>).
Qt is available under the LGPL version 2.1 (GNU Lesser General Public License version 2.1).
- **XFree86:** is a trademark of The XFree86 Project, Inc.
- **X11(TM) and X Window System(TM):** is a trademark of The XFree86 Project, Inc.
- **Xorg:** Xorg is copyright software, provided under licenses that permit modification and redistribution in source and binary form without fee. Xorg is copyright by numerous authors and contributors from around the world. Licensing information can be found at <http://www.x.org>. Refer to the source code for specific copyright notices.
- **dfu-util:** Licensed under the GNU General Public License, Version 2
<http://www.gnu.org/licenses/old-licenses/gpl-2.0.html>
Source available from <http://dfu-util.gnumonks.org/>
- **lib-usb-1.0.dll:** Licensed under the GNU GPL Public License Version 2
A component of MinGW whose license can be found here: <http://www.mingw.org/license>
- **LPCScript and image_manager executables:** are copyright software, provided under license by NXP SEMICONDUCTORS USA, INC. that permit redistribution in binary form without fee as part of supporting software for products using devices manufactured by NXP.
The source code for the components of the Software and Separate Files are available from NXP and can be obtained from <http://www.lpcware.com/lpcxpresso/downloads/source>.
- **PDS-4K** Includes license from Audinate Pty Ltd under US Patents 7747725, 8005939, 7978696, 8171152, Chinese Patent ZL200780026677.0 and other patents pending or issued, see www.audinate.com/patents

C.6 Contact information

Sales and importers

To find your local Barco Sales representative or your local importer, contact Barco directly, or contact one of Barco's regional offices via the contact information given on the Barco web site, www.barco.com.

Factories

Barco Inc.
CP38, OP 2
Strada Hermann Oberth nr. 23
Parcul Industrial ICCO Hala H3
Localitate Ghimbav
507075 GHIMBAV
ROMANIA

Production date

The month and year of production is indicated on the product ID label on the product itself.

Index

A

- ASCII remote control
 - ASCII commands 192
 - Introduction 192
- Auto System Setup 27
- AV settings
 - Input 29
 - Adjust Row 30
 - Auto Acquire 30
 - Capture New Still 30
 - Color Adjustment 30
 - EDID 30
 - Film Mode 30
 - Format 30
 - Format Adjustment 30
 - HDCP 30
 - Save Input 30
 - Sizing & Aspect Ratio 30
 - Source Name 30
 - Multiviewer 29
 - Output 29
 - Area of Interest 57
 - Auto Configure Output Format 57
 - Background 57
 - Color Adjustment 57
 - Color/Sample/Bit 57
 - Format 57
 - HDCP 57
 - Logo/Matte 57
 - Screen 57
 - SDI Setup 57
 - Test Pattern 57
 - Transition Time 57
 - Still stores 29
- AV Settings: Audio 107

B

- Battery
 - Disposal 212
- Bottom bar 178

C

- Compliance China 209
- Compliance EU 208
- Compliance Korea 209
- Compliance Taiwan 209
- Compliance UK 209
- Compliance US 209
- Configuration area 178
- Configuration menu 178
- Contact
 - Importer 213
 - Sales 213
- Cue menu 182

D

- Diagram area 178
- Disposal 212
 - Battery 212

E

- EMTS
 - Event Master Toolset 177
- Environmental information
 - Disposal information 212
- Event Master Toolset
 - EMTS GUI
 - Configuration menu 177
 - Programming menu 177

F

- Factories
 - Production address 213
- Front panel 18

G

- General safety 8

General statements

- Guarantee and compensation 208
- RMA 208
- Warranty 208

H

Hardware orientation

- Front panel 17
- PDS-4K Audio Card 17
- Rear panel 17

I

Important safety instructions 9

Installation requirements

- Cable and adapter information 15
- Environmental conditions 15
- Power cord and line voltage selection 15
- Rack-mount installation 15
- Site preparation 15

International safety standards 8

J

JSON RPC remote control

- API: Application Programming Interface 193
- Introduction 193
- JSON RPC commands
 - Data interchange format 193
 - JSON: JavaScript Object Notation 193
 - RPC: Remote Procedure Call 193

M

Menu navigation bar 178

Menu orientation 25

Modifier area 178

Multiviewer 86

Multiviewer menu 184

MVR menu 184

P

PDS-4K Audio Card

- PDS-4K Audio Card 22

Power-up initialization 24

Presentation switcher features 12

Presentation switcher overview 12

Product

- Overview 11

Product compliance 208

- RoHS compliance 210
 - China compliance 211
 - Taiwan compliance 210
 - Turkey compliance 212

Programming menu 180

R

Rear panel

- Model 1: HDMI 20
- Model 2: HDMI + SDI 20

Rear-panel connections

- Rear panel 24

Regulatory 207

Remote Control Protocol

- PDS-4K presentation switcher ASCII remote control 191
- PDS-4K presentation switcher JSON RPC remote control 191

Reset

- Factory 172
- Factory, Save IP 172
- Soft 172

S

Safety 7

Safety data sheets 9

Safety Standards 8

Selection area 178

Settings menu 185

Setup and operation

- Factory reset 23
- Front-panel connections 23
- Rear-panel connections 23

Setup menu

- Auto System Setup 26
- AV settings 26
- Reset 26
- System 26
 - Autosave 126
 - Diagnostics 126
 - Ethernet 126
 - Firmware upgrade 126
 - HDCP 126
 - Operation setup 126
 - Save All 126
 - System security 126
 - USB Backup/Restore 126

Setup Menu: LED Setup 119

Software and licenses 212

Specifications 187

- LCS-1.5U-MDL1 188
- LCS-1.5U-MDL2 188
- PDS-4K 188

Status menu 26

Still stores 97

T

Terms and definitions

- BG (Background layer) 13
- Breakout session/room 13
- DSM (Down Stage Monitor) 13
- Full Screen mode 13
- Input 13
- Mixing PIP 13
- MVR (Multiviewer) 13

- Operator 13
- Option slot 13
- PAP (Picture-and-Picture) 13
- PGM (Program) 13
- PIP (Picture-in-Picture) 13
- Presenter 13
- PST/CUE (Preset and Cue) 13
- PVW (Preview) 13
- Source 13
- Title bar 178
- Turkey RoHS 212

U

- UK Compliance 209
- Unpacking and inspection
 - Box content 14
 - Mechanical check 14
 - Unpacking 14

W

- WEEE 212



R5912621 /02 | 2023-10-19

www.barco.com